



ORIGINAL (STRUCTURAL ANGLE) WIRE MESH PARTITION


SINGLE SLIDING GATE

EXAMPLE:

Typical 4'W x 8'H sliding gate shown here.

Panel configuration and quantity will vary based on gate dimensions.

Assembly instructions are specific to the size and material of your gate. See Installation Manual for complete details.



Description

Sliding security gates allow you to have a door opening in constricted areas. With a wide selection of dimensions, sliding gates are ideal for heavy or large equipment and storage access. All sliding gates are equipped with a padlock hasp. Additional lock options are also available. Doors are made of 2" x 2" x 10 GA welded wire mesh framed in 1 1/4" x 1 1/4" x 12GA structural angle with two welded 1/2"Ø reinforcement rods.

PRODUCT INFORMATION

Specifications

Need it fast? This product is available for Accelerated Production. 2-week delivery on select components. See "Sizes" tab for details.


Accelerated Production orders are assembled using raw material that we keep in stock. This allow us to fast track your order through our abbreviated production process.

SPECIFICATIONS


| | |
|--------------------|---|
| Door Heights | 7' to 20' |
| Type of Door | Single Sliding Gate |
| Door Stop | Attached to the Post. |
| Finish | Powder-coated |
| Mesh Size | 2" x 2" x 10GA |
| Materials Mesh | Steel Wire |
| Frame Material | Structural Angle 1 1/4" x 1 1/4" x 12GA |
| Type of Closure | Padlock Hasp (Optional locks available) |
| Stiffening profile | 1/2" Ø Reinforcement rod |

ORIENTATION OF GATE OPENING

Opening at Left



Opening at Right





COLORS



Cogan Grey



SIZES





w.w.Cannon, Inc.
 Design. Layout. Build. Install.
 1-800-442-3061
 www.wwcannon.com

ORIGINAL (STRUCTURAL ANGLE) WIRE MESH PARTITION

SIZES

Please consult the table below for a complete list of dimensions.

| W H | 3'-0" | 3'-6" | 4'-0" | 4'-6" | 5'-0" | 5'-6" | 6'-0" | 6'-6" | 7'-0" | 8'-0" | 9'-0" | 10'-0" | 11'-0" | 12'-0" | 13'-0" | 14'-0" | 15'-0" | 16'-0" | 17'-0" | 18'-0" | 19'-0" | 20'-0" |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 7'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 8'-0" | ✓ | ✓ | ✓* | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓* | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 9'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 10'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 11'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 12'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 13'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — |
| 14'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — |
| 15'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — |
| 16'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — |
| 17'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — | — | — |
| 18'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — |
| 19'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — | — |
| 20'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — | — | — |

✓ Indicates gate dimension is available.

— Indicates gate dimension is **not** available.

* Size available for **Accelerated Production**.
 Padlock hasp lock option only.

LOCK OPTIONS

Below are the standard lock options for our partition security gates. Choose between a latch and key, or keys on both sides for added security. Panic bars are not available for single sliding gate.

