

SAFETY, SECURITY AND STORAGE SINCE 1962

PRODUCT CATALOG





Folding Guard® was founded in Chicago and has been a fixture of the industrial community for more than 60 years. We proudly serve American businesses through high quality steel solutions in Safety, Security, and Storage.

PROTECTING AMERICAN BUSINESS SINCE 1962

After sixty years in the business, we know a thing or two about steel. Folding Guard® was founded in 1962, at the peak of Chicago's steel industry. Pioneering sturdy folding gates, then protective wire products, Folding Guard® has grown through the decades and is now a formidable market leader.

Our products have served customers in hundreds of industries in thousands of configurations.

The modular systems that Folding Guard® products are based on allow us to specialize our designs to fit your needs.

Pair machine guarding with our complete range of doors and locks for a durable and cost-efficient system for your space.

Businesses rely on Folding Guard® to support everyday operations that require protecting their most valuable assets: People, high-investment machinery, and processes.

Decade-long customers from automotive, warehousing, data centers, construction, and logistics industries look to Folding Guard to tackle the most challenging guarding problems through decades of experience configuring steel wire products.

MODULAR ADAPTABILITY

Versatile solutions for every need, you'll find the modular and adaptable nature of Folding Guard® products brings endless possibilities that fit your business needs.

NATIONWIDE SERVICE NETWORK

A strong nationwide dealer network means knowledgeable service experts in your area. All dealers in our network have extensive knowledge of our products and are able to coordinate your entire project from design to installation.

FREE DESIGN SERVICE

Our products are designed for easy planning and installation. Our design team is ready to bring fast and accurate services to the table to bring your project to life.

Quick Contact

Scan the QR code to receive your FREE design service.



MACHINE GUARDING **SAFETY**



VERSA GUARD™

MACHINE GUARDING



STURDY SYSTEM

Frameless, with 90 degree bends at the top and bottom of all panels, the rigidity of this system is unparalleled in its class.



UNSURPASSED ADJUSTABILITY

Panels can easily be adapted before delivery or on-site, and it is easy to make cut-outs without any need for welding.




QUICK & EASY ASSEMBLY

All mounting hardware and floor anchors are included and posts are predrilled for expedited assembly.



EASILY COMBINED WITH OUR SAF-T-FENCE® SYSTEM

Can be used where risk of impact is low and seamlessly blended to our Saf-T-Fence® system in higher-risk sections.



STANDARD OFFERING

SPECIFICATIONS

System Height	5' 3"	7'	8'		
Panels					
Height	23"	35"	47"	59"	
Width	10"	22"	34"	46"	58"
	70"	94"	118"		
Posts					
Height	63"	84"	96"		
Width	2"				

PROTECT YOUR BUSINESS

1,469 OSHA citations for Machine Guarding violations were given in 2022. The top fine imposed in 2022 totaled \$1,201,031, and penalty limits are only increasing.

OSHA publishes the list to alert employers about these commonly cited standards so they can take steps to find and fix recognized hazards as cited at [osha.gov/top10citedstandards](https://www.osha.gov/top10citedstandards)



Quick Installation.

Versa Guard's frameless system allows on-site customization. With simple mounting clips, this frameless system is easily reconfigurable, flexible and installs 25 % faster than substitutes by employing fewer parts and utilizing self-tapping screws.

The tight 1.25" x 2.5" grid pattern allows Versa Guard to be installed 8" from the hazard instead of 33.5" required of 2" x 2" grids. The 25.5" difference in distance maximizes productive space without compromising strength and protection.



Capping Channel.

SPECIFICATIONS

Panels / Doors

Wire: 8-gauge welded
Grid Opening: 1.25" x 2.5"
Frame: Frameless

Posts

Tube: 2" x 2", 16-gauge
Foot Plate: 4" x 6" x 0.25"

General

Panels Finish: Powder Coated Black
Posts Finish: Powder Coated Yellow
Warranty: 1 Year

DOOR OPTIONS

The following doors are compatible with Versa Guard.

- Single Hinged
- Pair Hinged
- Single Slide
- Slide Pair
- Clear Access Single Slide
- Clear Access Single Pair

LOCK OPTIONS

Lock options are based on door compatibility.
*not compatible with all doors listed.

- Snap Lock
- Padlock Hasp
- Cylinder Lock
- Proximity Card Reader
- Exit Button
- Thumbturn
- Safty Switch
- Keypad*
- Electric Strike *
- Hydraulic Closer*
- Push Bar Exit*
- DeadLatch Paddle*



SAF-T-FENCE®

MACHINE GUARDING



IN STOCK

Standard parts are stocked in-house for fast shipping when you need it.



MODULAR SYSTEM

The Saf-T-Fence® system consists of standard panels available in a variety of widths and heights.




STRUCTURAL INTEGRITY

Framed welded mesh bolted into 16 gauge posts gives Saf-T-Fence® superior strength and stability.



MEETS INTERNATIONAL SAFETY STANDARDS

This product meets and exceeds applicable ISO, OSHA, ANSI/RIA & CSA safety standards.



STANDARD OFFERING

SPECIFICATIONS

System Height	5' 3"	7'	8'
----------------------	-------	----	----

Panels

Height	58"	82"	94"
---------------	-----	-----	-----

Width	10"	16"	19"	22"	28"
--------------	-----	-----	-----	-----	-----

	34"	46"	58"	70**	94**
--	-----	-----	-----	------	------

Posts

Height	63"	84"	96"
---------------	-----	-----	-----

Width	2"
--------------	----

*available in 5'3" height only

PROTECT YOUR PEOPLE

Machine Guarding continues to be one of the Top 10 most frequented cited standards by OSHA and proper Machine Guarding product and installation is OSHA's #1 recommended solution for machinery hazards.

OSHA publishes the list to alert employers about these commonly cited standards so they can take steps to find and fix recognized hazards as cited at osha.gov/top10citedstandards



Angled panel kits makes joining panels at any angle fast and easy.



4" x 6" footplates makes the system strong and stable.

Protect your people from accidents and your business from costly fines. Saf-T-Fence® Machine Guarding from Folding Guard protects your staff, and lowers your cost of doing business by maintaining productivity and reducing downtime.

Our modular system consists of three system heights, multiple styles of doors and over 30 pre-fabricated wire mesh panel sizes. All pieces assemble and install precisely and easily. You'll enjoy worker safety, less downtime, and compliance with federal safety regulations when you use Saf-T-Fence® to fulfill your machine guarding needs.

SPECIFICATIONS

Panels / Doors

Wire: 10-gauge welded

Grid Opening: 1.25" x 2.5"

Frame: 14-gauge

Posts

Tube: 2" x 2", 16-gauge

Foot Plate: 4" x 6" x 0.25"

General

Panels Finish: Powder Coated Black

Posts Finish: Powder Coated Yellow

Warranty: 1 Year

DOOR OPTIONS

The following doors are compatible with Saf-T-Fence.

- Single Hinged
- Pair Hinged
- Single Slide
- Slide Pair
- Clear Access Single Slide
- Clear Access Single Pair

LOCK OPTIONS

Lock options are based on door compatibility.
*not compatible with all doors listed.

- Snap Lock
- Padlock Hasp
- Cylinder Lock
- Proximity Card Reader
- Exit Button
- Thumbturn
- Safty Switch
- Keypad*
- Electric Strike *
- Hydraulic Closer*
- Push Bar Exit*
- Dead Latch Paddle*



DROP-N-LOCK®

MACHINE GUARDING BRACKET SYSTEM



IN STOCK

We keep standard components stocked in-house for fast shipping whenever you need it.



MODULAR SYSTEM

Drop-N-Lock® is compatible and interchangeable with standard system hardware.




STRUCTURAL INTEGRITY

Our unique brackets that slide over our posts gives our panels strength and stability.



MEETS INTERNATIONAL SAFETY STANDARDS

This product meets and exceeds applicable ISO, OSHA, ANSI/RIA & CSA safety standards.



STANDARD OFFERING

SPECIFICATIONS

System Height	5' 3" 7' 8'
Panels	
Height	58" 82" 94"
Width	10" 16" 19" 22" 28" 34" 46" 58" 70"* 94**
Posts	
Height	63" 84" 96"
Width	2"

*available only in the 5'3" system

LOWER COSTS ON MAINTENANCE

A must-have system for maintenance areas without need for a door. Reduce down time, save on labor costs, and maximize productivity. Intuitively designed brackets allow quick access to hazard areas.



Two bracket corner system.



Panels click into place on the bracket.

Drop-N-Lock® is the easy-to-use solution to quick access maintenance needs. This system allows for quick removal and reinstallation of panels with a straightforward lock set up. Drop the panels into the post brackets and lock it into place with simple tightening.

When maintenance workers need access, quickly remove the panel from the posts and the bracket system will stay attached to prevent any misplaced hardware.

SPECIFICATIONS

Panels / Doors

Wire: 10-gauge welded
Grid Opening: 1.25" x 2.5"
Frame: 14-gauge

Posts

Tube: 2" x 2", 16-gauge
Foot Plate: 4" x 6" x 0.25"

General

Panels Finish: Powder Coated Black
Posts Finish: Powder Coated Yellow
Warranty: 1 Year

DOOR OPTIONS

The following doors are compatible with Saf-T-Fence.

- Single Hinged
- Pair Hinged
- Single Slide
- Slide Pair
- Clear Access Single Slide
- Clear Access Single Pair

LOCK OPTIONS

Lock options are based on door compatibility. *not compatible with all doors listed.

- Snap Lock
- Padlock Hasp
- Cylinder Lock
- Proximity Card Reader
- Exit Button
- Thumbturn
- Safty Switch
- Keypad*
- Electric Strike *
- Hydraulic Closer*
- Push Bar Exit*
- DeadLatch Paddle*





PARTITIONS
SECURITY

VERSA GUARD™ PARTITIONS



STURDY SYSTEM

With 90 degree bends at the top and bottom of each panel, the strength and reliability of Versa Guard is best in class.



UNSURPASSED ADJUSTABILITY

Panels can be modified before delivery and on-site without welding.



QUICK & EASY ASSEMBLY

Pre-drilled posts, mounting hardware, and floor anchors included in the box make for hassle-free



EASILY COMBINED WITH SAF-T-FENCE®

Versatility doesn't stop with on-site modifications. Versa Guard is compatible with framed systems.



STANDARD OFFERING

SPECIFICATIONS

System Height	7'	8'	10'	12'
----------------------	----	----	-----	-----

Panels

Height	23"	35"	47"	59"
---------------	-----	-----	-----	-----

Width	10"	22"	34"	46"	58"
--------------	-----	-----	-----	-----	-----

	70"	94"	118"
--	-----	-----	------

Posts

Height	84"	96"
---------------	-----	-----

Width	2"
--------------	----

Extensions	24"	48"	96"
-------------------	-----	-----	-----

PROTECT YOUR ASSETS

Skip the costly walls. Choose the modular, strong, and adaptable partitioning system that controls access to valuable inventory.

\$44 million worth of cargo theft occurred in second quarter of 2023. Average cost per incident rose from \$100,000 to \$260,703. Source: National Insurance Crime Bureau



Adjustable header bar



The sturdy 4" x 6" footplates makes the system extremely stable.

Versa Guard™ Partition is a tough and attractive system for partitioning and securing your space. With over 500 welds per 4' x 8' panel, the strength of Versa Guard is best in class.

Versa installs 25% faster than substitutes by requiring fewer parts and using selftapping screws. The partitions are easily reconfigurable, flexible and the powder coated finish will keep the system looking new for years to come.

SPECIFICATIONS

Panels / Doors

Wire: 8-gauge welded

Grid Opening: 1.25" x 2.5"

Frame: Frameless

Posts

Tube: 2" x 2", 16-gauge

Foot Plate: 4" x 6" x 0.25"

General

Panels Finish: Powder Coated Black

Posts Finish: Powder Coated Black

Warranty: 1 Year

DOOR OPTIONS

The following doors are compatible with Versa Guard.

- Single Hinged
- Pair Hinged
- Single Slide
- Slide Pair
- Clear Access Single Slide
- Clear Access Single Pair

LOCK OPTIONS

Lock options are based on door compatibility.

*not compatible with all doors listed.

- Snap Lock
- Padlock Hasp
- Cylinder Lock
- Proximity Card Reader
- Exit Button
- Thumbturn
- Safty Switch
- Keypad*
- Electric Strike *
- Hydraulic Closer*
- Push Bar Exit*
- DeadLatch Paddle*



SAF-T-FENCE® PARTITIONS



STRUCTURAL INTEGRITY

Framed welded mesh that bolts into 16-gauge tubes gives Saf-T-Fence® superior strength and stability.



MODULAR SYSTEM

The Saf-T-Fence® system consists of standard panels available in a variety of widths and heights.




IN STOCK

We keep a large stock of our standard components in-house for quick shipping when you need it.



MULTIPLE LOCK OPTIONS

Premium selection of door and lock options means countless configuration options that work for you.



STANDARD OFFERING

SPECIFICATIONS

System Height	7'	8'	9'	10'
Panels				
Height	58"	82"	94"	
Width	10"	16"	19"	22" 28"
	34"	46"	58"	70" 94"
Posts				
Height	63"	84"	96"	
Width	2"			
Extensions	24"			

*70" and 94" width available in 5'3" height only

**9' and 10' system heights available with 24" extensions

PROTECT ASSETS & INVENTORY

Warehouse and cargo theft cost businesses \$44 million Q2 of 2023. Control access to valuable inventory with the secure, modular, strong, and adaptable Saf-T-Fence® partitioning system.



The angle panel kit can join two panels at any angle.



The sturdy 4" x 6" footplates makes the system extremely stable.

Saf-T-Fence® Partitions are a low-cost alternative to permanent walls. Modular in nature, this partitioning system provides security, structural strength and flexibility, all while allowing an unobstructed view of your property. The mesh pattern also allows for full air and light circulation with no change to your lighting or heating systems required.

This system can be built into multiple heights by pairing panels in combination with multiple styles of doors. All pieces in the Saf-T-Fence® Partitioning system assemble and install with precision and ease.

SPECIFICATIONS

Panels / Doors

Wire: 10-gauge welded
Grid Opening: 1.25" x 2.5"
Frame: 14-gauge 1.25" x 1.25"

Posts

Tube: 2" x 2", 16-gauge
Foot Plate: 4" x 6" x 0.25"

General

Panels Finish: Powder Coated Black
Posts Finish: Powder Coated Black
Warranty: 1 Year

DOOR OPTIONS

The following doors are compatible with Versa Guard.

- Single Hinged
- Pair Hinged
- Single Slide
- Slide Pair
- Clear Access Single Slide
- Clear Access Single Pair

LOCK OPTIONS

Lock options are based on door compatibility.
*not compatible with all doors listed.

- Snap Lock
- Padlock Hasp
- Cylinder Lock
- Proximity Card Reader
- Exit Button
- Thumbturn
- Safety Switch
- Keypad*
- Electric Strike *
- Hydraulic Closer*
- Push Bar Exit*
- DeadLatch Paddle*





TENANT SOLUTIONS
STORAGE

STOR-MORE® TENANT STORAGE LOCKER



EASY INSTALL

Panels are pre-punched for easy assembly and relocation using standard hand tools. Units can either be bolted to the floor or to the wall.



FLEXIBLE CONFIGURATION

Lockers are available in single and double tier configurations, and can also be combined to fit your needs.



CAD SUPPORT

An expert team of designers support your planning process with CAD to visualize Tenant Storage Locker options within your space.



STANDARD OFFERING

Specifications

Width	36" 48"
Depth	37" 49" 60.5"
Height	92.5"

Tops and Shelves

Width	36" 48"
Depth	37" 49" 60.5"

SIMPLE AND SECURE

Modular design makes Store-More lockers easy to plan, install and relocate. Available in single and double tiered units and can be combined. Begin with starter unit, single or double tier and complete row with add-on units.



All lockers come with a padlock hasp for increased security.

The new Tenant Storage Locker is the frame-welded release of our most popular storage solutions. The Tenant Storage Locker's modular adaptability and pre-lasered panels is designed hassle-free planning, installation, and relocation.



Adjustable shelving.

Sturdy and secure with a sleek design, this locker's heavy-duty construction and finish ensure years of maintenance-free performance.

SPECIFICATIONS

Panels / Doors

Wire: 10-gauge welded
Grid Opening: 0.875" x 4"
Frame: 19-gauge

Tops

Wire: 10-gauge welded
Grid Opening: 2" x 2"
Frame: 19-gauge

Shelves

Solid: 16-gauge galvanized sheet metal

DOOR OPTIONS

- Single Tier
- Double Tier
- ADA Single Tier

LOCK OPTIONS

- Padlock Hasp



QWIK-FENCE® PALLET RACK BACKING



LIGHTWEIGHT

The frameless design makes Qwik-Fence® Pallet Rack Backing lightweight and easy to install.



WELDED MESH

Welded mesh provides a safer working environment than netting.



STACKABLE

Customize to your needs. Stack panel on panel to safeguard your highest rack.



IN STOCK

A large stock of the most common bay widths are ready to ship when you need it.



STANDARD OFFERING

SPECIFICATIONS

Panels- Bent

Height	36"	48"	60"
Width	86.5"	98.5"	110.5"
	122.5"	146.5"	

Panels- Flat

Height	36"	48"	60"
Width	86.5"	98.5"	110.5"
	122.5"	146.5"	

*146.5" width not compatible with 60" panel height

MITIGATE FALLING OBJECTS INCIDENTS

According to the Bureau of Labor Statistics, more than 42,400 "struck by falling object" OSHA recordable incidents in 2022. That's over 116 injuries per day, or one injury caused by a falling object every 10 minutes.

OSHA publishes the list to alert employers about these commonly cited standards so they can take steps to find and fix recognized hazards as cited at [osha.gov/top10citedstandards](https://www.osha-slc.gov/top10citedstandards)



Adjustable extension kits allows extensions of panels past uprights.



Offset brackets available in different distances.

The Qwik-Fence® Pallet Rack Backing System is the perfect solution for securing pallet racks and bulk racks. This all-steel system provides fall-down protection for your company's most important asset—people. The open mesh design allows for quick visual inspection and allows waterflow from sprinkler systems.

Multiple assembly options allows the Qwik-Fence® system to be mounted flush, or if preferred, mounted with a selection of stand-off brackets. Visually, the galvanized finish will keep your system looking new for years to come.

SPECIFICATIONS

Panels

Wire: 8-gauge welded
Grid Opening: 1.5" x 3"
Frame: Frameless

General

Warranty: 1 Year
Finish: Galvanized

SPECIFICATIONS

Offset Brackets: 4", 5", 6"

Note: Hardware supplied to fit 3" wide open uprights. Flush Bracket hardware included with

Above Rack

Size: Adjustable
Adjustable Extension Kit



LOCKING OPTIONS

We offer a wide variety of locking options. If you do not see your required option listed below, your local representative will work with you to find the best solution.



Padlock Hasp



Cylinder Lock



Keypad Lock



Thumbturn



Hydraulic Closer



Pushbar Exit



Deadlatch Paddle



Lever Handle



Electric Strike



Magnetic Lock



Pull Handle



Snap Lock

	SINGLE HINGED	PAIR HINGED	SINGLE SLIDE	SLIDE PAIR	CLEAR ACCESS SINGLE SLIDE	CLEAR ACCESS SLIDE PAIR
Padlock Hasp	✓	✓	✓	✓	✓	✓
Cylinder Lock	✓	✓	✓	✓	✓	✓
Keyed Alike Cylinders	✓	✓	✓	✓	✓	✓
Keyed Different Cylinders	✓	✓	✓	✓	✓	✓
Cylinder to Accept Interchangeable Core	✓	✓	✓	✓	✓	✓
Thumbturn	✓	✓	✓	✓	✓	✓
Hydraulic Closer	✓	✓				
Pushbar Exit Device	✓	✓				
Deadlatch Paddle	✓	✓				
Lever Handle	✓	✓				
Electric Strike	✓	✓				
Magnetic Lock			✓	✓	✓	✓
Keypad	✓	✓				
Proximity Card Reader	✓	✓	✓	✓	✓	✓
Exit Button	✓	✓	✓	✓	✓	✓
Snap Lock	✓	✓	✓	✓	✓	✓
Safety Switch w/ Slide Bolt Actuator	✓	✓	✓	✓	✓	✓
Locking Safety Switch w/ Slide Bolt Actuator	✓	✓	✓	✓	✓	✓

DOOR STYLES

Our vast array of door options can be customized to meet your specific size requirements.

If your required option is not listed below, your local representative will work with you to find the best solution. Please note, panels and posts are sold separately.



Hinge Door With Transom



Hinge Door With Header Bar



Hinge Pair Door With Transom



Hinge Pair Door With Header Bar



Slide Door



Slide Pair Door



Clear Access Slide Door



Clear Access Slide Pair Door

	VERSA GUARD MG	SAF-T-FENCE MG	VERSA GUARD PARTITIONS	SAF-T-FENCE PARTITIONS	DROP-N-LOCK
Single Hinged	✓	✓	✓	✓	✓
Pair Hinged	✓	✓	✓	✓	✓
Single Slide	✓	✓	✓	✓	✓
Slide Pair	✓	✓	✓	✓	✓
Clear Access Single Slide	✓	✓	✓	✓	✓
Clear Access Single Pair	✓	✓	✓	✓	✓



STEEL GOING STRONG

After fifty years in the business, we know a thing or two. One of the most important is that steel wire products have endless possibilities. The modular systems that Folding Guard® products are based on allow us to specialize our designs to fit your needs. Pair machine guarding with our complete range of doors and locks for a durable and cost-efficient system for your space.

- ✓ 50+ Years in Business
- ✓ Modular Adaptability
- ✓ Cost-Efficient
- ✓ Founded in Chicago

Quick Contact

Scan the QR code to receive your FREE design service.



Folding Guard

5858 W 73rd St.
Bedford Park, IL 60638
marketing@foldingguard.com
www.foldingguard.com