

SINGLE SWING GATE

Description

Cogan single swing safety gates are available in 2-rail, 3-rail and wire mesh configurations, each conveniently designed to accommodate your handrail selection.




PRODUCT INFORMATION

Specifications

Gate Width	2'-6", 3'-0", 3'-6", 4'-0"
Type of Gate	Single-Swing Gate
Finish	Powder-coated
Models	2-Rail, 3-Rail or Wire Mesh
Frame Material	Hollow Structural Tubing 1 1/2" x 1 1/2" x 16GA
Type of Closure	Padlock Hasp



ORIENTATION OF GATE OPENING Single-Swing Gate








Mezzanines Increase Floor Space cogan.com


SIZES


Choose between four standard sizes to best suit your needs. A padlock hasp lock mechanism is included with each gate. All standard Cogan gates are sealed in a powder-coated safety yellow paint finish for maximum visibility.

2-RAIL: 2'6"-3'0" WIDE

























SIZES

Choose between four standard sizes to best suit your needs. A padlock hasp lock mechanism is included with each gate. All standard Cogan gates are sealed in a powder-coated safety yellow paint finish for maximum visibility.

WIRE MESH: 2'6" - 3'0" WIDE





SUMMARY OF STANDARD SIZES

Description	Gate Width Opening	ITEM#
2-Rail	2'-6"	MG122
2-Rail	3'-0"	MG132
2-Rail	3'-6"	MG142
2-Rail	4'-0"	MG152

Description	Gate Width Opening	ITEM#
3-Rail	2'-6"	MG123
3-Rail	3'-0"	MG133
3-Rail	3'-6"	MG143
3-Rail	4'-0"	MG153

^{**} CUSTOM SIZES ARE ALSO AVAILABLE

Description	Gate Width Opening	ITEM#
Wire Mesh	2'-6"	MG124
Wire Mesh	3'-0"	MG134
Wire Mesh	3'-6"	MG144
Wire Mesh	4'-0"	MG154

