

# STOCK STORE

FOLDING ROLLING LADDERS FOR OFFICE, RETAIL, AND INDUSTRIAL USE, EASY TO STORE AND **READY TO USE** 

30" HIGH HANDRAILS ARE STANDARD ON ALL MODELS



LADDERS TILT EASILY IN SETUP OR FOLDED FORM

The New Cotterman StockN-Store ladder provides an easy convenient means to access shelving or other work areas. This lightweight ladder easily folds into a compact assembly for quick rolling movement and storage. In use, the ladder opens smoothly during the transition from rolling to setting down on rubber feet, the hinges automatically locking in place. For added convenience, the ladder tilts and rolls in the open as well as closed position.

The welded construction meets the strength and dimensional requirements of applicable OSHA and ANSI standards.



WITH CABLE RELEASE SYSTEM FOR WEIGHT ACTIVATED HINGES



**COTTERMAN** PERFORMA **PERFORATED** TREAD FOR **GENERAL** USE IS OUR MOST SLIP RESISTANT **TREAD** 

IN FOLDED FORM THE LADDER STORES IN LESS THAN

10" WIDF

**SPACES** 





SOLID TREAD WITH RUBBER MATTING IS GREAT FOR OFFICES OR RETAIL ENVIRONMENTS



## STOCKISTORE

### **FEATURES:**

Available in 2,3 and 4 step models, all with 16" wide by 7" deep steps and 10" deep top step 
 Cable release system for weight activated hinges with no pinch points 
 Easily folded in one simple motion 
 PVC coated aircraft cable 
 Rolls in KD form or setup 
 Compact and easily stored 
 Powder coated in an array of colors 
 Available in steel or aluminum 
 Three tread types 
 Ships parcel freight

Handrail cross tube standard on aluminum models















#### STEEL STOCK N STORE

#### ALUMINUM OR STEEL IN YOUR CHOICE OF COLORS

	ALCOMING ON STEEL IN TOOM CHOICE OF GOLONS								7110
MODEL NO.	TREAD TYPE	STEPS	PLAT- FORM HT.	OVER- ALL HT.	STEP WIDTH IN.	BASE WIDTH IN.	BASE LENGTH IN.	CAP. LBS.	WEIGHT
SAS2A6E10C1P6	Perf	2	1' 8"	4' 2"	16	21	22	350	33
SAS3A6E10C1P6	Perf	3	2' 6"	5'	16	21	28	350	40
SAS4A6E10C1P6	Perf	4	3' 4"	5' 10"	16	21	34	350	48
SAS2A2E10C1P6	Solid W/Ribbed Mat	2	1' 8"	4' 2"	16	21	22	350	37
SAS3A2E10C1P6	Solid W/Ribbed Mat	3	2' 6"	5'	16	21	28	350	46
SAS4A2E10C1P6	Solid W/Ribbed Mat	4	3' 4"	5' 10"	16	21	34	350	55
SAS2A3E10C1P6	Grip Strut	2	1' 8"	4' 2"	16	21	22	350	35
SAS3A3E10C1P6	Grip Strut	3	2' 6"	5'	16	21	28	350	43
SAS4A3E10C1P6	Grip Strut	4	3' 4"	5' 10"	16	21	34	350	51

#### **ALUMINUM STOCK N STORE\***

MODEL NO.	TREAD TYPE	STEPS	PLAT- FORM HT.	OVER- ALL HT.	STEP WIDTH IN.	BASE WIDTH IN.	BASE LENGTH IN.	CAP. LBS.	WEIGHT
SASA2A10E10C50P6	Perf	2	1' 8"	4' 2"	16	21	22	350	17
SASA3A10E10C50P6	Perf	3	2' 6"	5'	16	21	28	350	25
SASA4A10E10C50P6	Perf	4	3' 4"	5' 10"	16	21	34	350	32
SASA2A2E10C50P6	Solid W/Ribbed Mat	2	1' 8"	4' 2"	16	21	22	350	18
SASA3A2E10C50P6	Solid W/Ribbed Mat	3	2' 6"	5'	16	21	28	350	26
SASA4A2E10C50P6	Solid W/Ribbed Mat	4	3' 4"	5' 10"	16	21	34	350	33
SASA2A3E10C50P6	Grip Strut	2	1' 8"	4' 2"	16	21	22	350	14
SASA3A3E10C50P6	Grip Strut	3	2' 6"	5'	16	21	28	350	21
SASA4A3E10C50P6	Grip Strut	4	3' 4"	5' 10"	16	21	34	350	29

<sup>\*</sup>Handrail cross bar is standard on Aluminum models.

### **Cotterman Co.**

Div. of Material Control, Inc. www.cotterman.com • info@cotterman.com





"CHARGE IT"

#### -WARRANTY-

All Cotterman products are guaranteed against defects in workmanship and materials for a period of one (1) year after shipment.

HOURS: 8 A.M. - 5 P.M. MON. THRU FRI. (eastern standard time)

COTTERMAN COMPANY IS PROUD TO BE A MEMBER OF THE FOLLOWING ASSOCIATIONS:







National Safety Council



130 SELTZER RD. P.O. BOX 168 CROSWELL, MI 48422-0168 1-810-679-4400 FAX 810-679-4510 TOLL FREE 800-552-3337 • F.O.B. CROSWELL MI
• TERMS: NET 30 DAYS • TAX NOT INCLUDED
• PRICES SUBJECT TO CHANGE WITHOUT NOTICE