

The perfect worker assist device... Clean, quiet,







There's never been a more versatile lifter/transporter than the Lift Stik™ series from Presto. With capacities ranging from 185 lbs. to over 400 lbs., there's almost nothing these sleek, attractive, user-friendly machines can't do. A continuous lifting chain provides two vertical travel speeds with smooth starts and stops. It also allows for precise load positioning with zero drift. And, because it's mechanical, there's no risk of hydraulic fluid leaks so the Lift Stik is suited for a wide range of light industrial, laboratory and even office applications. Think about all of the places the Lift Stik would make life easier.

- · Stock Rooms
- Test and Measurement Stations
- · Office Supply Rooms
- Electronic Assembly Areas
- Computer and Server Rooms







CNC Machining

In addition to the applications listed above, two of our favorites are shown here. In server/computer rooms the small footprint, maneuverability, and stability make it ideal for handling sensitive equipment. In machining centers, it's the perfect companion to simplify feeding and off-loading of parts, blanks, and even dies.

extremely maneuverable, even more versatile.





There are a lot of different lifters available to choose from and even more types of hand carts or trolleys. But, no device so elegantly combines lifting and transporting as the Presto Lift Stik. Its unique single mast design provides optimum user visibility while its short wheel base and oversized wheels provide unmatched maneuverability. No attention to detail has been missed with this unit. From ergonomic "sponge-grip" handles to protective wheel guards and attractive styling, there's nothing quite like a Lift Stik.



Advantages - The Lift Stik's Unique Design

- Loads are centrally and evenly distributed over all 4 wheels for maximum stability.

 The mast is vertical and also lifts vertically so it will not bind even with off center loads.
- The control unit can be easily reached without removing hands from the steering handle. It is also detachable and can be used remotely.
- Two speed function both up and down.
- Battery charge status indicator is easily visible.
- Sall bearing wheels roll easily on any surface and are equipped with toeguards for safety.
- Onboard battery charger plugs into any standard 115V outlet.
- Compact clean design. The mast is sealed and the motor cover is sealed also underneath.
- Mechanical overload protection without reset delay.
- Safety function to prevent trapping when lowering.
- Extremely high sideways stability of forks and platform.

Lift Stik Models and Specifications

Model	Capacity	Raised Height	Lowered Height	Out Length	er Dimens Width	sions Height	Platform L x W	Power	Charger	Weight
PLS52-185	185 lbs	56"	5″	30"	23¾"	63"	18" x 23"	24VDC	115 Volt Onboard	86 lbs
PLS48-230	230 lbs	53"	5¼"	33¼"	23¾"	62¾"	18" x 23"	24VDC	115 Volt Onboard	93 lbs
PLS60-220	220 lbs	65"	4"	33¼"	23¾"	75¾"	18" x 23"	24VDC	115 Volt Onboard	100 lbs
PLS48-450	445 lbs	52"	4"	40"	22"	63"	23" x 22"	24VDC	115 Volt Onboard	142 lbs

All dimensions are approximate.

Lift Stik Accessories

All models are available with either load platform or skid forks. For other options and accessories, please consult Presto.





Designed with Features for Comfort, Productivity, and Safety



Oversized ergonomic "sponge-grip" handle provides operator comfort and a variety of grip positions.



Pushbutton remote control is mounted conveniently on the handle, and has a telephone style cord for remote operation.



Wheels feature brake locks for safety while loading or unloading, steering lock for straightline travel, and protective toe quards



High visibility battery status indicator shows power information at a glance. Onboard charger provides quick battery recharging.

Distributed by:

