## **BASIC WORKBENCH**



INDEX	PAGE(S)
Basic Workbench	138-139
Preconfigured Models	. 140-143
<u>Components</u>	
Work surface	. 144-146
Structure under the work surface	. 147-153

## **BASIC WORKBENCH**

Whether you need a basic workbench consisting of two legs and a top, or a more specialized, height-adjustable table for stationary or mobile tasks, you will find a solution for every application.

Order


You will love the versatility of our workbenches and their ability to evolve along with your business needs by simply adding one of the many easy-to-install accessories available. You also have a choice of several work surface dimensions for each of the surfaces offered: painted steel, stainless steel, laminated wood, plastic laminate, Acrylic/PVC laminate and dissipative tops. Rousseau is your one-stop solution for an easier life!



## **BASIC WORKBENCH**

## THE ROUSSEAU DIFFERENCE








ed top Doors close and secure lent the underside of the work ower surface in the solid and polycarbonate versions.



Drawers run on a precision ball-bearing slide system. Multiple drawer and unit heights available.



Choose from a variety of work surfaces for specific applications.



Many of our workbenches can be made mobile to better meet your needs.

## **GENERAL DIMENSIONS**



NOTES: The total height shown includes a 1 %"-thick top, see page 144. Extensions are available for additional heights, see page 150.

#### WIDTHS AND DEPTHS AVAILABLE



NOTE Popular dimensions are shown in red.

## **BASIC WORKBENCHES**

#### BASIC WORKBENCH WITH STRINGER

1 top of your choice
2 legs, 27"D×32"H

1 stringer

TT I

This table can be made mobile.

- The mobile model (35"H total) includes the following additional accessories:
  - 2 pairs of caster adapters for legs
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake
  - 1 footrest

NOIE:	The legs on mobile models are 28"H

DIMENSIONS			5 TYPE OF TOP				
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
60"	30"	34"	WS_1031	WS_2031	WS_3031	WS_9031	
72"	30"	34"	WS_1035	WS_2035	WS_3035	WS_9035	
72"	36"	34"	WS_1039	WS_2039	WS_3039	WS_9039	

To order: Complete the product number as follows:

<u>A</u> for a stationary workbench, <u>W</u> for a mobile workbench, e.g., WSW2031

#### WORKBENCH WITH SHELVES

- 1 top of your choice
- 2 legs, 27"D×32"H
- 2 shelves, 12"D

• 1 top of your choice

3 shelves, 12"D

2 leg crossbars

٠

•

2 legs, 27"D×32"H

1 sliding door with L3 lock

2 side panels and 1 back panel

• 1 stringer

WSA2031



- The mobile model (35"H total) includes the following additional accessories:
  - 2 pairs of caster adapters for legs
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake

NOTE: The legs on mobile models are 28"H



DI	MENSIO	NS		TYPE	OF TOP	
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	WS_1019	WS_2019	WS_3019	WS_9019
72"	30"	34"	WS_1023	WS_2023	WS_3023	WS_9023
72"	36"	34"	WS_1027	WS_2027	WS_3027	WS_9027

To order: Complete the product number as follows:

<u>A</u> for a stationary workbench, <u>W</u> for a mobile workbench, e.g., WS<u>W</u>2019

#### **CLOSED WORKBENCH**



- This table can be made mobile.
- The mobile model (35"H total) includes the following additional accessories:
  - 2 pairs of caster adapters for legs
  - 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters with total-lock brake

NOTE: The legs on mobile models are 28"H



DIMENSIONS				TYPE OF TOP			
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
60"	30"	34"	WS_1070	WS_2070	WS_3070	WS_9070	
72"	30"	34"	WS_1071	WS_2071	WS_3071	WS_9071	
72"	36"	34"	WS_1072	WS_2072	WS_3072	WS 9072	

To order: Complete the product number as follows:

<u>A</u> for a stationary workbench, <u>W</u> for a mobile workbench, e.g., WS<u>W</u>2070

## PRECONFIGURED MODELS

# **BASIC WORKBENCH**

#### ADJUSTABLE WORKBENCH



The WM structure can only be installed on the electric version.



- 2 open legs for lift mechanism, 27"D×28"H •
- 1 lift mechanism
- Anti-slip leveling glides

<ul> <li>Height adjustable from 3</li> </ul>	30" to 42"
--	------------

- 1 stringer, 17"H
- Compatible with riser shelves
- Load capacity: 825lb.

DIMENSIONS 1		TYPE		TYPE	OF TOP		
w	D	н		PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE*	DISSIPATIVE*†
40"	48" 30" 30	30" to 42"	Electric	WSN1HH001E	WSN2HH001E	WSN3HH001E*	WSN4HH001E* <sup>†</sup>
40		30	30 10 42	Manual	WSN1HH001M	WSN2HH001M	WSN3HH001M*
60"	30"	30" to 42"	Electric	WSN1KH001E	WSN2KH001E	WSN3KH001E*	WSN4KH001E*†
60	00 30	30 10 42	Manual	WSN1KH001M	WSN2KH001M	WSN3KH001M*	WSN4KH001M* <sup>†</sup>
72"	70" 00"	30" to 42" :	Electric	WSN1LH001E	WSN2LH001E	WSN3LH001E*	WSN4LH001E*†
72"	30"	30 10 42	Manual	WSN1LH001M	WSN2LH001M	WSN3LH001M*	WSN4LH001M*†

NOTES: These models cannot be made mobile.

\* Load capacity: 725 lb.

 $^{\dagger}$  Models with dissipative tops include 1 grounding block,1 grounding cord and 1 grounding wrist strap, see page 171.

#### DESK WITH CLOSED LEGS



- 1 top of your choice
- 1 back panel
- 2 closed legs, 27"D×28"H
- 1 shelf, 12"D

DIMENSIONS			ONS TYPE OF TOP					
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC		
60"	30"	30"	WSA1043	WSA2043	WSA3043	WSA9043		
72"	30"	30"	WSA1044	WSA2044	WSA3044	WSA9044		

NOTE: These models cannot be made mobile.

#### CLOSED DESK WITH CLOSED LEGS



- 1 top of your choice
- 1 back panel
- 2 closed legs, 27"D×32"H
- 3 shelves, 12"D

#### DIMENSIONS

	MENSIO	20				
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	WSA1170	WSA2170	WSA3170	WSA9170
72"	30"	34"	WSA1171	WSA2171	WSA3171	WSA9171
72"	36"	34"	WSA1172	WSA2172	WSA3172	WSA9172

NOTE: These models cannot be made mobile.

#### **OPEN DOUBLE WORKBENCH**



• 2 tops of your choic
------------------------

- 3 legs, 27"D×32"H
- 2 stringers

- 4 steel shelves, 12"D
- 1 shelf adapter for common leg
- 1 stringer extension for common leg

DIMI	ENSION	5	TYPE OF TOP				
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
8'(2×48")	30"	34"	WSA1902	WSA2902	WSA3902	WSA9902	
10'(2×60")	30"	34"	WSA1904	WSA2904	WSA3904	WSA9904	
12'(2×72")	30"	34"	WSA1906	WSA2906	WSA3906	WSA9906	

NOTE: These models cannot be made mobile.

- - 2 leg crossbars • 1 front finishing panel

  - 1 back finishing panel
  - 1 sliding door with L3 lock

TYPE OF TOP

# PRECONFIGURED MODELS

#### CLOSED DOUBLE WORKBENCH



- 2 tops of your choice
- 3 legs, 27"D×32"H
- 2 side panels and 2 back panels
- 4 steel shelves, 12"D

- 1 shelf adapter for common leg
- 2 sliding doors with L3 locks
- 2 side extensions for common leg

DIMENSIONS			TYPE OF TOP			
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
8' (2×48")	30"	34"	WSA1971	WSA2971	WSA3971	WSA9971
10' (2×60")	30"	34"	WSA1973	WSA2973	WSA3973	WSA9973
12' (2×72")	30"	34"	WSA1975	WSA2975	WSA3975	WSA9975

NOTE: These models cannot be made mobile.

#### WORKBENCH WITH COMPACT CABINET



- 1 top of your choice
  - 1 leg, 27"D×32"H
- 1 L Compact Cabinet with 4" base
- The mobile model (35"H total) includes the following additional accessories:
- 1 integrated lock-in mechanism for drawers
- 1 base for casters for compact cabinet
- 1 pair of caster adapters for legs



- This table can be made mobile.
- 1 pair of 4" rigid casters
  - 1 pair of 4" swivel casters
  - with total-lock brake
- 1 footrest

\_

NOTES: The legs on mobile models are 28"H. Cabinet base not included with mobile model.



DIMENSIONS			TYPE OF TOP			
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	L1101C	L2101C	L3101C	L9101C
72"	30"	34"	L1102C	L2102C	L3102C	L9102C
72"	36"	34"	LH1103C	LH2103C	LH3103C	LH9103C

To order: Complete the product number as follows:

<u>G</u> for a stationary workbench with 21"D cabinet (for 30"D workbenches only)

 $\underline{H}$  for a stationary workbench with 27"D cabinet (for 30"D and 36"D workbenches only)

 $\underline{J}$  for a mobile workbench

#### WORKBENCH WITH TWO COMPACT CABINETS



• 1 top of your choice

2 L Compact Cabinets with 4" base

DIMENSIONS				TYPE OF TOP			
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC	
60"	30"	34"	L1201C	L2201C	L3201C	L9201C	
72"	30"	34"	L1202C	L2202C	L3202C	L9202C	
72"	36"	34"	LH1203C	LH2203C	LH3203C	LH9203C	

To order: Complete the product number as follows:

<u>G</u> for a stationary workbench with 21"D cabinet (for 30"D workbenches only)

 $\underline{H}$  for a stationary workbench with 27"D cabinet (for 30"D and 36"D workbenches only)

NOTE: These models cannot be made mobile.

#### WORKBENCH WITH SUSPENDED COMPACT CABINET



- 1 top of your choice
- 2 legs, 27"D×32"H •
- 1 stringer

- 1 L Compact Cabinet, 21"D
- 1 pair of cabinet attachment bars

DIMENSIONS		NS		TYPE	OF TOP	
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE	ACRYLIC/PVC
60"	30"	34"	LG1001	LG2001	LG3001	LG9001
72"	30"	34"	LG1002	LG2002	LG3002	LG9002
72"	36"	34"	LG1003	LG2003	LG3003	LG9003

NOTES: These models cannot be made mobile.

Load capacity is limited to 50lb. per drawer in a suspended cabinet with RA70 attachment bars.

#### DESK WITH COMPACT CABINET



- 1 top of your choice
- 1 closed leg, 27"D×28"H •
- 1 L Compact Cabinet, 21"D

#### DIMENSIONS

DIMENSIONS				TYPE OF TOP	
w	D	н	PAINTED STEEL	LAMINATED HARDWOOD	PLASTIC LAMINATE
60"	30"	30"	LG1107	LG2107	LG3107
72"	30"	30"	LG1108	LG2108	LG3108
72"	36"	30"	LH1109	LH2109	LH3109

NOTE: These models cannot be made mobile.

#### WORKBENCH WITH HEAVY-DUTY DRAWERS



- 1 laminated hardwood top
- 2 legs, 27"D×32"H
- 1 drawer unit
- 2 steel shelves •
- 1 stringer

DI	MENSIO	NS	TYPE OF TOP
W	D	н	LAMINATED HARDWOOD
48"	30"	34"	R5XDG-3004

NOTE: These models cannot be made mobile.



- 1 laminated hardwood top •
- 1 leg, 27"D×32"H •
- 1 heavy-duty cabinet • (with drawer compartments)

_	D	MENSIO	NS	TYPE OF TOP
	w	D	н	LAMINATED HARDWOOD
	60"	30"	34"	R5WH5-2007

NOTE: These models cannot be made mobile.

R5WH5-2007

# COMPONENTS – WORK SURFACES

Thickness: 1<sup>1</sup>/<sub>2</sub>"

Particle board core

Finish: sheet of gray polymer

with standard laminate tops

with standard laminate tops

• Attractive appearance

Excellent chemical resistance (can be in

prolonged contact with a substance)

Superior impact resistance compared

Superior abrasion resistance compared


Color: gray

## WORK SURFACES

#### **RESISTANT ACRYLIC/PVC** LAMINATE TOP



WS08





STAINLESS STEEL TOP

attaching cabinets and other accessories Can be reinforced or soundproofed with a WS75 wood filler

• Top for industrial, maintenance, repair or assembly applications, or for when

solvents, oils and other chemical products

#4 brushed finish, attractive appearance

Includes three 2"×4" wood crossbars for

Excellent corrosion resistance

Thickness: 1<sup>3</sup>/<sub>4</sub>" 12ga steel

Includes two steel crossbars for

• Excellent chemical resistance (can be in prolonged contact with a substance

NOTE: RC35 tops are also compatible with stationary workstations (not recommended for mobile applications), see page 12.

are used

attaching legs

#### PAINTED STEEL TOP



#### WS10

WS16

- Top for industrial, maintenance, repair or assembly applications
- Thickness: 1<sup>3</sup>/<sub>4</sub>"
- Includes two steel crossbars for • attaching legs
- Includes three 2"×4" wood crossbars for attaching cabinets and other accessories
- Can be reinforced or soundproofed with a WS75 wood filler
- Excellent impact resistance
- Powder painted steel

#### PLASTIC LAMINATED TOP

- Top for general use. Ideal for assembly
- stations, quality control and packaging Thickness: 1<sup>1</sup>/<sub>2</sub>"
- Colors: Default is white. For another color, add "-BA" for black or "-GB" for gray to the end of the product number, e.g., WS16-6024A-BA for a black top
- Includes a 90° radius front edge for extra comfort
- Attractive appearance
- Easy to clean



#### LAMINATED HARDWOOD TOP

#### WS14

WS17

- Top for general industrial applications
- Thickness: 1<sup>3</sup>/<sub>4</sub>"
- Made from varnished hardwood slats
- Includes a 90° radius front edge • for extra comfort
- High impact resistance
- Attractive appearance

Thickness: 1<sup>1</sup>/<sub>2</sub>"

#### DISSIPATIVE TOP





- Easy to clean Includes a 90° radius front edge for extra comfort
- Dissipates electrical charges that can damage electronic components

Top for electronics tasks. Ideal for

electronics inspection or assembly stations

The resistance point to point and point to ground is between 10° and 10°  $\Omega$ 

NOTE: Grounding accessories are sold separately, see page 183.

•

# OMPONENTS – WORK SURFACES

DIMENSIONS		NS TYPE OF TOPS					
w	D	ACRYLIC/PVC LAMINATE *	PAINTED STEEL	STAINLESS STEEL	LAMINATED HARDWOOD*	PLASTIC LAMINATE*	DISSIPATIVE*
36"	24"				WS14-3624A	WS16-3624A	
30	30"				WS14-3630A	WS16-3630A	
	24"	WS08-4824A	WS10-4824	WS12-4824	WS14-4824A	WS16-4824A	WS17-4824A
48"	30"	WS08-4830A	WS10-4830	WS12-4830	WS14-4830A	WS16-4830A	WS17-4830A
	36"	WS08-4836A	WS10-4836	WS12-4836	WS14-4836A	WS16-4836A	WS17-4836A
	24"	WS08-6024A	WS10-6024	WS12-6024	WS14-6024A	WS16-6024A	WS17-6024A
60"	30"	WS08-6030A	WS10-6030	WS12-6030	WS14-6030A	WS16-6030A	WS17-6030A
	36"	WS08-6036A	WS10-6036	WS12-6036	WS14-6036A	WS16-6036A	WS17-6036A
	24"	WS08-7224A	WS10-7224	WS12-7224	WS14-7224A	WS16-7224A	WS17-7224A
72"	30"	WS08-7230A	WS10-7230	WS12-7230	WS14-7230A	WS16-7230A	WS17-7230A
	36"	WS08-7236A	WS10-7236	WS12-7236	WS14-7236A	WS16-7236A	WS17-7236A

WS11

**WS75** 

NOTES: \* Please check with your Customer Service representative for lead times. Please refer to technical guide W54 for load capacities based on the configuration. 27"D cabinets are compatible with 30"D and 36"D WS10/12 tops. 21"D cabinets are compatible with 24"D WS10/12 tops.

#### STEEL TOP CROSSBAR



- Painted steel
  - Installs in the center of a steel top (WS10 or WS12) for extra reinforcement
  - To add an extra leg
  - To add another cabinet
- Will reduce deflexion (will not increase capacity)

PRODUCT NO.	W×D
WS11-24	6"×24"
WS11-30	6"×30"
WS11-36	6"×36"

#### WOOD FILLER FOR STEEL TOP

- Made from wooden crossbars
- Inserts into WS10 and WS12 steel tops for soundproofing
- Increases sturdiness of steel tops
- Enables accessories to be installed under the work surface
- Depths available: 24", 30" and 36"

• To order: Specify the depth required

PRODUCT NO.	WIDTH
WS75-48	48"
WS75-60	60"
WS75-72	72"

#### WOOD CROSSBAR FOR STEEL TOP

WS76

• Enables cabinets, hanging cabinets, drawer

•	Depths available:	24", 30" and 36"	

units and back panels to be installed under

To order: Specify the depth required PRODUCT NO. W×Н

WS76-0204	4"×2"

NOTE: Three crossbars (4" × 2") are included with each WS10 and WS12 steel top.

a steel top

21"D cabinets are not compatible with 30"D and 36"D WS10/12 tops.

#### BACK OR SIDE STOPS

- Painted steel: WS18
- Stainless steel: WS98
- Can be installed on back or sides depending on top dimensions
- •
- Height: 5" Extends above top
- e.g., WS18-2405

PRODUCT NO.	LENGTH
WS2405	24"
WS3005	30"
WS3605	36"
WS4805	48"
WS6005	60"
WS7205	72"

WS90-01

WS90-02

- Installs under all types of top Mouse tray slides to the left or right as required
  - Usable surface area: 21 ½"W×11<sup>3</sup>/<sub>16</sub>"D
  - Mouse tray: 9<sup>3</sup>/<sub>8</sub>"W×9<sup>1</sup>/<sub>8</sub>"D Width taken up under the work surface: 22"

PRODUCT NO.	COLOR
WS90-01	Black

Mount with an articulating arm for working

Mouse tray that slides to the left or right

#### ADJUSTABLE KEYBOARD TRAY

•

Includes:



- Ergonomic palm wrest Slides under the work surface when not in use
- Heavy-duty construction

while sitting or standing

Installs under all types of top

- Usable surface area: 91/2" × 201/2"
- Mouse tray: 9<sup>3</sup>/<sub>8</sub>"×9"
- Width taken up under the work surface: 30"

PRODUCT NO.	COLOR	
WS90-02	Black	

- - Compatible with all WS tops
  - by approx. 3<sup>1</sup>/<sub>4</sub>"
  - To order: Specify the type of steel required,

WS18 / WS98

PRODUCT NO.	LENGTH
WS2405	24"
WS3005	30"
WS3605	36"
WS4805	48"
WS6005	60"
WS7205	72"

#### SLIDING KEYBOARD TRAY

# COMPONENTS – WORK SURFACES

$\overline{\mathbf{U}}$
>
Π
m
$\mathbf{\Sigma}$
2
$\overline{\mathbf{O}}$
Ž
U
4

#### SIDE BRACKETS FOR TOP

- Load capacity: 500lb. per pair, 1,000lb. for four
- Compatible with all cabinet depths
- Compatible with all types of top
- Galvanized steel
- PRODUCT NO.

#### RA73-02 One pair RA73-04 Two pairs



**CPU HOLDER** 

**RA73** 

WS20



#### WS92

SH74

- Installs under all types of top
- Includes a handle for adjusting the width of ٠ the plastic side support
- Height adjustable to hold computer cases from 31/2"W to 91/4"W by 121/2"H to 221/2"H
- Width: 8<sup>3</sup>/<sub>8</sub>" to 11<sup>1</sup>/<sub>2</sub>"
- Depth: 6<sup>3</sup>/<sub>4</sub>" (8<sup>1</sup>/<sub>2</sub>" with handle)
- Height: 18" to 26"

PRODUCT NO.	COLOR	
WS92-01	Black	

#### LAMINATED HARDWOOD TOP FOR SHELVING **SR90**

- · For installation between two shelving units A pair of SH74-24 supports must be
- ordered to install this top

PRODUCT NO.	W×D	
SR90-6024A	60"×24"	
SR90-7224A	72"×24"	



TOP SUPPORTS

#### • two shelving units Easy hook-on assembly

#### 


Sold in pairs

PRODUCT NO.	DEPTH
SH74-24	24"

Supports an SR90 hardwood top between

## STRUCTURAL COMPONENTS

#### **OPEN LEG**



- WS21 extensions can be added if required ٠
- "Inverted hat" shaped top part provides ٠ excellent rigidity
- A second WS24 leg crossbar can be added for installation of WS50 shelves
- Can be closed with a WS62 side panel
- To add a power strip with two 12A outlets, add -20 to the product number
- ٠ To add a power strip with one 12A outlet and two USB ports (1 A, 1 C), add -22 to the product number



PRODUCT NO.	D×H	WORK SURFACE DEPTH
WS20-2128	21"×28"	24" and 30"
WS20-2132	21"×32"	24" and 30"
WS20-2134	21"×34"	24" and 30"
WS20-2728	27"×28"	30" and 36"
WS20-2732	27"×32"	30" and 36"
WS20-2734	27"×34"	30" and 36"

#### FLOOR ANCHORING HARDWARE KIT

WS80

- For anchoring legs to the ground
- Includes four bolts for concrete floors


PRODUCT NO. WS80



CLOSED LEG







NOTES: Compatible with WS26 leveling glides.

Not compatible with WS21 leg extensions.



- Three basic heights available: 28", 32" and 34"
- "Inverted hat" shaped top part provides excellent rigidity
- One closed side. There are no holes on the • front or exterior side;
- there are fixing zones for accessories on the interior side
- A second WS24 leg crossbar can be added for installation of WS50 shelves
- To add a power strip with two 12A outlets, • add L-20 to the product number for the left leg and R-20 for the right leg
- To add a power strip with one 12A outlet • and two USB ports (1 A, 1 C), add L-22 to the product number for the left leg and  $\underline{R}$ - $\underline{22}$  for the right leg

PRODUCT NO.	D×H	WORK SURFACE DEPTH
WS25-2128	21"×28"	24" and 30"
WS25-2132	21"×32"	24" and 30"
WS25-2134	21"×34"	24" and 30"
WS25-2728	27"×28"	30" and 36"
WS25-2732	27"×32"	30" and 36"
WEDE 2724	27" 21"	20" and 24"



#### STRINGER



WS22 Attaches between the two legs at the rear

WORK

48"

60"

72"

SURFACE WIDTH

to strengthen the structure

Available in standard widths

Can act as a back for shelves

under the work surface

PRODUCT NO.

WS22-4805

WS22-6005

WS22-7205

that correspond to work surface widths

WIDTH

39"

51"

63"

LEG CROSSBAR



- Provides space for a second row of shelves under the work surface
- Can be mounted to a WS20 open leg or WS25 closed leg
- To add a power strip with two 12A outlets, • add -20 to the product number
- To add a power strip with one 12A outlet and two USB ports (1 A, 1 C), add -22 to the product number

PRODUCT NO.	LEG DEPTH
WS24-21	21"
WS24-27-	27"

#### CORNER GUSSETS FOR LEG

#### WS28



ADJUSTABLE FOOTREST

WS96

**BASIC WORKBENCH** 

- Adjustable width; adjusted by sliding the • inner part in or out
- Required for all mobile workstations ٠
- Attaches to the leg crossbars or the • cabinet sides to strengthen the structure

PRODUCT NO.	WIDTH ADJUSTMENT
WS23-1624	16" to 24"
WS23-2440	24" to 40"
WS23-4072	40" to 72"

FOOTRESTS AVAILABLE	WORK SURFACE WIDTH			
BASED ON CONFIGURATION	48"	60"	72"	
2 legs	WS23-2440	WS23-4072	WS23-4072	
1 leg and 1 L Compact Cabinet	WS23-2440	WS23-2440	WS23-4072	
2 L Compact Cabinets	_	WS23-1624	WS23-2440	
1 leg and 1 RA30-2427 cabinet	-	WS23-2440	WS23-4072	
1 leg and 1 RA30-3027 cabinet	_	WS23-2440	WS23-2440	
1 leg and 1 RA30-3624 cabinet	-	WS23-1624	WS23-2440	





- Installs on a leg and under the work surface to reinforce the structure
- Recommended for mobile workstations with a particle board or plastic laminate top

PRODUCT NO. WS28-01

NOTE: For load capacities for mobile workstations with gussets, please refer to technical guide W54 or contact your Customer Service representative. Not compatible with WS10 and WS12 steel tops.

WORK SURFACE WIDTH			
48"	60"	72"	
WS23-2440	WS23-4072	WS23-4072	
WS23-2440	WS23-2440	WS23-4072	
_	WS23-1624	WS23-2440	
-	WS23-2440	WS23-4072	
-	WS23-2440	WS23-2440	
_	WS23-1624	WS23-2440	
	48" WS23-2440	48"         60"           WS23-2440         WS23-4072           WS23-2440         WS23-2440           _         WS23-1624           _         WS23-2440           _         WS23-2440           _         WS23-2440           _         WS23-2440           _         WS23-2440           _         WS23-2440	

#### WALL-MOUNTED OPEN LEG

WS95



PRODUCT NO.	D×H
WS95-2428	22 <sup>5</sup> / <sub>8</sub> "×29 <sup>7</sup> / <sub>16</sub> "

NOTE: For more information on our wall-mounted solutions: see page 212.

#### CROSSBAR FOR WALL-MOUNTED LEG

For installation of a 12"D WS50 shelf • between two WS95 wall-mounted legs





PRODUCT NO.	DEPTH
WS96-24	13¾"

WS62			SIDE PANEL	WS50 / WS56			TEEL SHELF
2"H	with 28"H, 3	<ul><li>Installs on o</li><li>Compatible and 34"H le</li></ul>			el: WS56	<ul> <li>Painted steel</li> <li>Stainless steel</li> <li>Thickness: 1</li> </ul>	
LEG DEPTH	D×H	PRODUCT NO.				<ul> <li>Installs on W</li> </ul>	
21"	20"×25"	WS62-2128		rts,		or on WM27	
27"	26"×25"	WS62-2728			7 and 164	see pages 14	
					ations:	<ul> <li>Shelf combine</li> </ul>	10 %*
				<ul> <li>21"D legs: One 6"D shelf + one 12"D shelf</li> </ul>			
						- 27"D legs:	12" 6"
W(C / 2					shelves	Two 12"D	
WS63			BACK PANEL	• To order: Specify the type of steel required			
en or WS25	ind WS20 op	<ul> <li>Installs behi closed legs</li> </ul>		WORK SURFACE WIDTH	W×D	PRODUCT NO.	+ 21"+
	ilable:	Widths avai		48"	45"×6"	WS -4806	
	hart)	- 48" (one p		48"	45"×12"	WS4812	· · · · · · · · · · · · ·
aach)	-	•	8	60"	57"×6"	WS6006	:
		- 60" and 7		60"	57"×12"	WS6012	12" 12"
2"H and 34"H legs	with 28"H, 3	<ul> <li>Compatible</li> </ul>		72"	69"×6"	WS7206	
SURFACE WIDTH	W×H	PRODUCT NO.		72"	69"×12"	WS7212	<b>→</b> 27" →
48"	39"×24"	WS63-4828					
60"	51"×24"	WS63-6028					
72"	63"×24"	WS63-7228					

#### SIDE EXTENSION FOR COMMON LEG



- Includes one extension at the front and one at the back
- Required for mounting WS60 sliding doors or WS63 back panels to a common leg

 PRODUCT NO.
 HEIGHT

 WS64-0325
 25"

#### SHELF ADAPTER FOR COMMON LEG

WS78

RC15

	• Must be ordered to install WS50/WS56 shelves on a common leg	
	PRODUCT NO.	LEG DEPTH
	WS78-0321	21"
N	WS78-0327	27"

NOTE: Not compatible with WS62 side panels.

ADAPTER FOR WS50 SHELF

# STRINGER EXTENSION FOR COMMON LEG



- WS79
- Must be ordered to install a WS22 stringer on a common leg

PRODUCT NO. WS79-0305



WS64



• For installation of a WS50 shelf between two RA30 or two LA30 cabinets

• For installation of a WS50 shelf between an RA30 cabinet and a WS20 leg or between an LA30 cabinet and a WS20 leg

 Installs in holes on the side of the cabinet (knockouts provided)

PRODUCT NO.	DEPTH
RC15-12	12" (one 12" or two 6" shelves)
RC15-18	18" (12" + 6" or three 6" shelves)
RC15-24	24" (two 12" or four 6" shelves)

<u>S</u>.

#### POWER OUTLET MODULE



- POWER OUTLET STRIP
- Mounts directly under a wood or laminate work surface
- Includes 15' power cord
- Two models available: two 12A outlets, or • one 12A outlet and two USB ports (1 A, 1 C),



Р	RODUCT NO.	OPTIONS	
v	√S7B-20	2 power outlets	
v	VS7B-22	1 power outlet + 2 USB ports (1 A, 1 C),	

	15A power outlet strip with circuit breaker Mounts horizontally under a work surface or riser shelf

PAPER AND CARDBOARD SPOOL HOLDER

y under a work surface Iounting hardware included

•	wounting	naruwarc	meluucu	

	PRODUCT NO.	LENGTH	EXTENSION CORD	NO. OF OUTLETS
	70000500	0"	6'	5, without on/
	70000500	7	0	off switch
	70000505	12"	6'	6, with on/off switch
	70000506	12"	15'	6, with on/off switch

#### SLIDING DOORS

# • Sliding doors: WS60

294

KA-KD-MK

- Sliding polycarbonate doors: WS61
- Closes and secures the area under the . work surface (standard L3 lock included)
- Compatible with workstations with 28"H, ٠ 32"H and 34"H legs
- To order: Specify the type of door required,
- e.g., WS<u>61</u>-4828L3 for 39"W×24"H • sliding polycarbonate doors

PRODUCT NO.	W×H	WORK SURFACE WIDTH
WS4828L3	39"×24"	48"
WS6028L3	51"×24"	60"
WS7228L3	63"×24"	72"

WS60/WS61





• Includes two end brackets and one rod Rod diameter: 1" • Spool is inserted by pivoting one end of •

leg crossbars (sold separately)

the rod, only one person needed

• Installs under the work surface on WS24

• 75lb. load capacity

PRODUCT NO.	WIDTH	COLOR
WS86-48	48"	Black
WS86-60	60"	Black
WS86-72	72"	Black

Up to two can be installed on a WS24-21 crossbar and up to three on a WS24-27. NOTE:



WS86

•

PRODUCT NO.

WM87-01

l	
	U
F	Ζ
ľ	Π
1	m
	$\checkmark$
1	2
	$\geq$
ľ	
	0
F	

## **FINISHING PANEL**

#### WS65 / WS66

## • Front finishing panel: WS65

- Rear finishing panel: WS66 ٠
- Closes the space under a set of sliding doors on both the front and back of the workstation
- Three basic heights available: 4", 8" and 10"
- Compatible with workstations with 28"H, 32"H and 34"H closed legs
- To order: Specify the finishing panel and height required, e.g., WS65-4808 for a front finishing panel 48"W×8"H

PRODUCT NO.	W×H	CLOSED LEG HEIGHT
WS4804	48"×4"	28"
WS4808	48"×8"	32"
WS4810	48"×10"	34"
WS6004	60"×4"	28"
WS6008	60"×8"	32"
WS6010	60"×10"	34"
WS7204	72"×4"	28"
WS7208	72"×8"	32"
WS7210	72"×10"	34"

#### LEVELING GLIDES

For leg WS20/25



## CASTERS



· Sold in pairs

PRODUCT NO.

WS26

uneven surfaces

Adjusts the height of legs on

For use with an L Compact Cabinet,

see LA74 Leveling Glide Kit, see page 35

- · Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Dark gray, non-marking polyurethane tread
- Superior industrial quality
- To order: Specify the type of cabinet required (L or R), e.g., <u>R</u>B81-01

 -			
		HEIGHT	

			HEIGHT	
PRODUCT NO.	CASTER TYPE	LOAD CAPACITY	WHEEL HEIGHT	TOTAL
_B81-01	Rigid	440 lb	4"	5½"
_B81-02	Swivel	440 lb	4"	51/8"
_B81-03	Swivel with total-lock brake	440 lb	4"	51/8"
_B84-01	Rigid	1100 lb	6"	71/2"
_B84-02	Swivel	1100 lb	6"	71/2"
_B84-03	Swivel with total-lock brake	1100 lb	6"	71⁄2"
RB8E-02	Swivel caster direction	onal locking kit fo	or swivel caste	ers (× 2)

NOTES: Not compatible with 18"W R cabinets.

The casters install directly under an R cabinet (without base). An LB93 cart or LB96 base for casters is required for use with an L compact cabinet, see page 65

#### WS26 LEG EXTENSIONS / CASTER ADAPTERS

- Compatible with open legs only
- Sold in pairs

For cutting paper, corrugated cardboard, plastic, packing foam,

MATERIAL CUTTING WIDTH

36"

bubble wrap, etc. For materials up to 36" wide

• Three basic heights available: 3", 6" and 9"

**WM87** 

WS21

OVERALL WIDTH

48"

- Leg height can be adjusted with the 6"H and 9"H models
- Casters can be installed on the 3"H and 6"H models;
- Casters cannot be used with the 9"H model

PRODUCT NO.	HEIGHT	ADJUSTMENT POSSIBLE	CASTER TYPE
WS21-0306	3"	-	4" or 6"
WS21-0606	6"	Up to 3"	4" or 6"
WS21-0904	9"	Up to 6"	Not compatible

PACKAGING SHEAR CUTTER

Cuts in both directions

#### QUIET CASTERS



- Sold in pairs
- Smooth and quieter rolling
- Two types of casters available: rigid and swivel with total-lock brake (on wheel and swivel)
- Blue, hard-wearing polyurethane tread for quiet and easy maneuvering
- Superior industrial quality
- To order: Specify the type of cabinet required ( $\underline{L} \text{ or } \underline{R}),$  e.g.,  $\underline{R}B8C\text{-}01$

			HEIGHT	
PRODUCT NO.	CASTER TYPE	LOAD CAPACITY	WHEEL HEIGHT	TOTAL
_B8C-01	Quiet, rigid	660 lb	4"	51⁄8"
_B8C-03	Quiet, swivel with total-lock brake	660 lb	4"	51/8"
_B8D-01	Quiet, rigid	1100 lb	6"	7 <sup>1</sup> / <sub>2</sub> "
_B8D-03	Quiet, swivel with total-lock brake	1100 lb	6"	71⁄2"

NOTES: Not compatible with 18"W R cabinets.

The casters install directly under an R cabinet (without base). An LB93 cart or LB96 base for casters is required for use with an L compact cabinet, <u>see page 65</u>.



## PRECONFIGURED CABINETS

#### HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED CABINET MODELS FOR WORKSTATIONS

#### L Compact Cabinets:

- 27"D cabinets are required for 36"D workstations and recommended for workstations with WM bench frames and for 30"D mobile workstations
- Order LG31 hanging file bars to hang letter size (8<sup>1</sup>/<sub>2</sub>"×11") or legal size (8½"×14") files in a 12"H drawer, see page 32
- Can be ordered with or without a central lock (L3). To order a central locking system, add L3 to the product number
- To add an L50 electronic lock to a door or to your L cabinet, see page 37

#### R Heavy-Duty Cabinets:

- The preconfigured models in this section include ٠ a 2" recessed base and a lock on the cabinet housing
- 12"H drawers are designed to hold hanging file bars. Order RG30 or RG31 hanging file bars, see page 246
- To add an L50 electronic lock to a door or to your R cabinet, see page 11

#### 28"H L COMPACT CABINETS - WITHOUT BASE









294

9"H

4 (0102)

4 (0102)

4 (0102)

6 (0104)

6 (0203)

9 (0206)

KA-KD-MK

6"H TO 8"H AND HIGHER

6 (0104)

6 (0104)

9 (0206)

12 (0209)

12 (0308)

12 (0308)

**5 DRAWERS** L3ABD-2861 18"×21"×28" L3ABG-2861 18"×27"×28"

**4 DRAWERS** 18"×21"×28" L3ABD-2871 18"×27"×28" L3ABG-2871

**3 DRAWERS** L3ABD-2873 18"×21"×28" L3ABG-2873 18"×27"×28'

6 DRAWERS L3ABD-2867 18"×21"×28" L3ABG-2867 18"×27"×28"

**4 DRAWERS** 18"×21"×28" L3ABD-2869 L3ABG-2869 18"×27"×28"

#### 32"H L COMPACT CABINETS - WITH 4"H BASE



**4 DRAWERS** 

L3ABD-2851\_\_C

L3ABG-2851\_\_C



1 DOOR/1 AJUSTABLE SHELF

L3ABD-2854\_\_C 18"×21"×32"

L3ABG-2854\_\_C 18"×27"×32"



**3 DRAWERS** \_\_\_\_\_\_ L3ABD-2855\_\_C 18"×21"×32" L3ABG-2855\_\_C 18"×27"×32"



2 DRAWERS L3ABD-2857\_\_C 18"×21"×32" L3ABG-2857\_\_C 18"×27"×32"



**4 DRAWERS** 

L3ABD-2859\_\_C 18"×21"×32" L3ABG-2859\_\_C 18"×27"×32"

#### R HEAVY-DUTY CABINETS - WITH 2"H BASE

18"×21"×32"

18"×27"×32'





R5ACG-30

RS		4 C
017	24"×21"×32"	R5,
017	24"×27"×32"	R5/



4 DRAWERS	
R5ADD-3017	30"×21"×32"
R5ADG-3017	30"×27"×32"

	4"
	4" 4"
	4"
	4"
	6"
	6"
	6"
	6"

8 DRAWERS	
R5ADD-4409	30"×21"×46"
R5ADG-4409	30"×27"×46"









IMPORTANT

NUMBER OF COMPARTMENTS (LAYOUT CODE)

3"H TO 5"H

9 (0206)

9 (0206)

12 (0308)

20 (0316)

24 (0518)

25 (0420)

Drawer compartments

e.g., L3ABD-2851 with

DRAWFR

DIMENSIONS

(W×D)

18"×21"

18"×27"

24"×21"

24"×27"

30"×21"

30"×27'

are included in all models.

To order drawers without compartments, replace the last two digits of the model number

with the next even number up.

L3ABD-2852 without

## **STANDARD DRAWER UNITS**

To order a drawer lock with the drawer unit, add L3 to the drawer product number.



#### 6"H AND 7"H DRAWER UNIT





1 DRAWER		1 DRAWER	
LD77-3201	18"×21"×6"	LD77-3202	18"×21"×7"
LD77-4201	18"×27"×6"	LD77-4202	18"×27"×7"

NOTE: LD77 units are not stackable and not compatible with LD76 covers.

#### 12"H DRAWER UNIT





2 DRAWERS		2 DRAWERS	
LD75-3203	18"×21"×12"	LD75-3204	18"×21"×12"
LD75-4203	18"×27"×12"	LD75-4204	18"×27"×12"



#### **9"H DRAWER UNIT**





**BASIC WORKBENCH** 

1 DRAWER LD75-3201 18"×21"×9" 18"×27"×9" LD75-4201

2 DRAWERS 18"×21"×9" LD75-3202 18"×27"×9" LD75-4202

#### **15"H DRAWER UNIT**





2 DRAWERS		1 DRAWER	
LD75-3206	18"×21"×15"	LD75-3207	18"×21"×15"
LD75-4206	18"×27"×15"	LD75-4207	18"×27"×15"

## **HEAVY-DUTY DRAWER UNITS**

24"×21"×8"

24"×27"×8"

To order a drawer lock with the drawer unit, add L3 to the drawer product number.





#### 24"W DRAWER UNIT

1 DRAWER

RD77-24210801

RD77-24270801






2 DRAWERS RD77-24210802 24"×21"×8" RD77-24270802 24"×27"×8"



**30"W DRAWER UNIT** 

1 DRAWER RD77-30210801 30"×21"×8" 30"×27"×8" RD77-30270801\_




2 DRAWERS	
RD77-30210802	30"×21"×8"
RD77-30270802	30"×27"×8"

**48"W DRAWER UNIT** 



1 DRAWER	
RD77-48240801	48"×24"×8"
RD77-48270801	48"×27"×8



2 DRAWERS	
RD77-48240802	48"×24"×8"
RD77-48270802	48"×27"×8



36"W DRAWER UNIT

1 DRAWER	
RD77-36240801	36"×24"×8"
RD77-36270801	36"×27"×8"



