








STORAGE SYSTEM

FOR MACHINING TOOLS

































































TABLE OF CONTENTS

TABLE OF CONTENTS	2	WORKSTATION SYSTEM	19
Legend	3	Temporary Storage Workstation	19
MACHINING TOOL STORAGE SYSTEM	4	Mobile Workbench	19
MACHINING TOOL RACKS	6	Maintenance Workstation with Tool Racks.	19
Shelving	6	Multi-Purpose Workstation	20
WM Uprights	6	5S STORAGE	21
R Cabinets	6	Wall-Mounted Panel System	21
TekZone Hutch.	6	Drawer Accessories	21
Mini-Racking	6	MULTITEK CART	22
 R2V Cabinet	6	Material Handling Cart	22
 VTZ Cabinet	6	Maintenance Cart	22
MOBILE FREESTANDING STATIONS FOR TOOLS	10	 Preparation and Control Station	23
Mobile Freestanding Station for Tools - 36"H	10	Shelf Accessories	23
Mobile Freestanding Station for Tools - 54"H	10	Drawer Accessories	23
Mobile Repair/Preparation Cabinet for Tools	10		
STATIONARY STORAGE FOR TOOLS	11		
Freestanding Station for Tools	11		
R Cabinet with Tool Drawers.	11		
Shelving with Drawers	12		
Shelving with Adapters	12		
 R2V Cabinet	13		
 VTZ Cabinet	14		
Mini-Racking	15		
SPIDER® SHELVING SYSTEM	16		
Open Shelving	16		
Closed Shelving	16		
Drawers in Shelving	17		
Shelving with 4 Drawers	17		
Shelving with 7 Drawers/Roll-Out Shelf	17		
Shelving with 8 Drawers	17		
Drawer Partitioning	17		
STORAGE CABINETS, STATIONARY AND MOBILE	18		
High-Density Storage Cabinet	18		
Multi-Drawer Mobile Cabinet	18		

THIS BROCHURE FEATURES
THE MOST POPULAR MODELS.
CONTACT US TO FULLY EXPLORE
A WORLD OF POSSIBILITIES

LEGEND

You will find various icons throughout this document. This is what they mean:


 Width	 Starter	 Plastic Laminated Surfaces	 MultiTek Roll-Out Shelf
 Depth	 Add-On	 True One-Drawer-at-a-Time System	 MultiTek Shelf Quantity
 Height	 SR Perforated Post	 Integrated Lock-In Mechanism	 No Tool Tray
 Capacity	 SH Smooth Finish Post	 Econo Lock-In Mechanism	 Tool Tray Quantity
 Drawers	 Welded Upright	 Central Lock	 Blank Tool Tray
 Drawer Compartments	 Shelves	 L3 Lock	 VTZ Vertical Drawers
 Drawer Bank	 Adjustable Shelves	 LC Lock	 R2V Vertical Drawers
 Multi-Drawer Banks	 Shelf Dividers	 15A Electrical Outlets	 New product
 Upper Bank	 Platform Levels	 Quantity	
 Left Bank	 Steel Decking	 No Tool Racks	
 Right Bank	 Wire Mesh Decking	 Tool Rack Quantity	
 R2V Vertical Drawer System	 PVC Decking Levels	 Blank Tool Rack	
 VTZ Vertical Drawer System	 Blank PVC Decking	 Tool Rack Quantity	
 Roll-Out Shelves	 Casters	 Maximum Tool Quantity	
 Open Shelving	 Laminated Wood Surfaces	 No Doors	
 Starter	 Stainless Steel Surfaces	 Solid Doors	
 Add-On	 Painted Steel Surfaces	 Polycarbonate Doors	
 Closed Shelving	 Painted Steel Surfaces With Rubber Mat	 MultiTek Shelf	

MACHINING TOOL STORAGE SYSTEM

Rousseau's machining tool storage system has been designed to provide maximum protection for your tools while offering optimal storage.

With its original two-level design, the tool rack offers improved support and excellent stability by preventing tools from falling out, even in an inclined position. The tool rack surface is made of sturdy PVC and protects tools against blows, corrosion and spattering molten metal, while allowing for coolant drainage and limiting contact surfaces with the tool.

The tool rack has perforations for Taper, Straight, Sandvik Capto, HSK, KM and VDI tools. The tool rack is also available without perforations.



LIFETIME WARRANTY
The Rousseau drawer rolling mechanism is covered by a lifetime warranty.





MACHINING TOOL RACKS

The tool rack seamlessly integrates into all Rousseau product lines. Its distinctive advantage lies in the rack's resistant PVC extruded design. It can withstand blows and corrosion while allowing fluids to drain away, which prolongs the life of your tools. In addition, the racks feature a tool labeling area for quick and easy identification.

With Rousseau tool racks, you reduce your purchase and refurbishing costs.

SHELVING

Compatible with the following Spider® Shelving: 30"W × 24"D, 36"W × 18"D and 36"W × 24"D with NC51 adapters

WM UPRIGHTS

Installs in 28"W and 34"W WM11, WMA and WM35 frames with NC50 adapters

R CABINET

Compatible with the following RF31/RF32/RF33/RF34/RF35/RF36 modular drawers: 30"W × 21"D, 36"W × 18"D, 30"W × 24"D, 36"W × 24"D, 30"W × 27"D with NC54 adapters

TEKZONE HUTCH AND MULTITEK CART

Attaches to TekZone Hutch rear utility panels at the desired height

The 23" wide version can be installed on the MultiTek cart by using the RV11 uprights

MINI-RACKING

PVC decks for Mini-Racking for 48"W, 60"W and 72"W
Mini-Racking levels available: NC33 and NC34

R2V CABINET

Installs in 24"D and 27"D RL31 drawers. Two wide racks can be placed in 11"W drawers and wider

VTZ CABINET

Installs in 44"D NC60 drawers

SHELVING - WM UPRIGHTS AND FRAMES - CABINETS				
DIMENSIONS	30"W TOOL RACK		36"W TOOL RACK	
C/C DIMENSIONS	28" C/C		34" C/C	
ACTUAL DIMENSIONS	25 ⁷ / ₈ "W × 5"D × 8 ¹ / ₄ "H		31 ¹ / ₈ "W × 5"D × 8 ¹ / ₄ "H	
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES
Blank rack	NC10-3000	–	NC10-3600	–
Taper 30	NC12-3001	10	NC12-3601	12
Taper 40	NC12-3003	7	NC12-3603	9
Taper 45	NC12-3004	6	NC12-3604	7
Taper 50	NC12-3005	5	NC12-3605	6
3/4" Straight	NC12-3010	20	NC12-3610	26
1" Straight	NC12-3011	20	NC12-3611	26
1 1/4" Straight	NC12-3013	20	NC12-3613	26
1 1/2" Straight	NC12-3015	8	NC12-3615	10
1 3/4" Straight	NC12-3016	8	NC12-3616	10
2" Straight	NC12-3018	6	NC12-3618	7
2 1/4" Straight	NC12-3019	6	NC12-3619	7
2 1/2" Straight	NC12-3021	6	NC12-3621	7
C3 Sandvik Capto	NC12-3030	22	NC12-3630	26
C4 Sandvik Capto	NC12-3031	22	NC12-3631	26
C5 Sandvik Capto	NC12-3032	10	NC12-3632	12
C6 Sandvik Capto	NC12-3033	7	NC12-3633	9
C8 Sandvik Capto	NC12-3034	6	NC12-3634	7
HSK 25 (A-C-E)	NC12-3040	22	NC12-3640	26
HSK 32 (A-C-E)	NC12-3041	22	NC12-3641	26
HSK 40 (A-C-E)	NC12-3042	22	NC12-3642	26
HSK 50 (A-C-E)	NC12-3043	10	NC12-3643	12
HSK 63 (A-C-E)	NC12-3044	7	NC12-3644	9
HSK 80 (A-C-E)	NC12-3045	5	NC12-3645	6
HSK 100 (A-C-E)	NC12-3046	4	NC12-3646	5
32 KM	NC12-3050	22	NC12-3650	26
40 KM	NC12-3051	22	NC12-3651	26
50 KM	NC12-3052	10	NC12-3652	12
63 KM	NC12-3053	7	NC12-3653	9
80 KM	NC12-3054	5	NC12-3654	6
VDI 30 mm	NC12-3060	6	NC12-3660	7
VDI 40 mm	NC12-3061	5	NC12-3661	6
VDI 50 mm	NC12-3062	4	NC12-3662	5



NC12



NC10

IMPORTANT

Refer to technical guide N50 for recommended layouts based on tool height and intended use.

NOTE: All our racks are available in a perforated and blank version. The number of tools that a tool rack can hold varies according to tool diameter and the length of extruded surfaces. The number of holes specified in the table indicates the number of perforations per extruded surface.

TEKZONE HUTCH - MULTITEK CART					MINI-RACKING					
DIMENSIONS		23"W TOOL RACK		29"W TOOL RACK		18"D PVC DECK		24"D PVC DECK		TOOL CODE*
ACTUAL DIMENSIONS		23"W×5"D×4"H		29"W×5"D×4"H		18"D PVC DECK		24"D PVC DECK		
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	TOOL CODE*	
Blank rack	NC14-2300	—	NC14-2900	—	NC30-1800	—	NC30-2400	—	00	
Taper 30	NC15-2301	10	NC15-2901	12	NC31-1801	8	NC31-2401	10	01	
Taper 40	NC15-2303	7	NC15-2903	9	NC31-1803	7	NC31-2403	9	03	
Taper 45	NC15-2304	6	NC15-2904	7	NC31-1804	4	NC31-2404	5	04	
Taper 50	NC15-2305	5	NC15-2905	6	NC31-1805	4	NC31-2405	5	05	
¾" Straight	NC15-2310	20	NC15-2910	26	NC31-1810	14	NC31-2410	18	10	
1" Straight	NC15-2311	20	NC15-2911	26	NC31-1811	14	NC31-2411	18	11	
1¼" Straight	NC15-2313	20	NC15-2913	26	NC31-1813	14	NC31-2413	18	13	
1½" Straight	NC15-2315	8	NC15-2915	10	NC31-1815	5	NC31-2415	7	15	
1¾" Straight	NC15-2316	8	NC15-2916	10	NC31-1816	5	NC31-2416	7	16	
2" Straight	NC15-2318	6	NC15-2918	7	NC31-1818	4	NC31-2418	5	18	
2¼" Straight	NC15-2319	6	NC15-2919	7	NC31-1819	4	NC31-2419	5	19	
2½" Straight	NC15-2321	6	NC15-2921	7	NC31-1821	4	NC31-2421	5	21	
C3 Sandvik Capto	NC15-2330	22	NC15-2930	26	NC31-1830	18	NC31-2430	24	30	
C4 Sandvik Capto	NC15-2331	22	NC15-2931	26	NC31-1831	18	NC31-2431	24	31	
C5 Sandvik Capto	NC15-2332	10	NC15-2932	12	NC31-1832	7	NC31-2432	9	32	
C6 Sandvik Capto	NC15-2333	7	NC15-2933	9	NC31-1833	7	NC31-2433	9	33	
C8 Sandvik Capto	NC15-2334	6	NC15-2934	7	NC31-1834	4	NC31-2434	5	34	
HSK 25 (A-C-E)	NC15-2340	22	NC15-2940	26	NC31-1840	18	NC31-2440	24	40	
HSK 32 (A-C-E)	NC15-2341	22	NC15-2941	26	NC31-1841	18	NC31-2441	24	41	
HSK 40 (A-C-E)	NC15-2342	22	NC15-2942	26	NC31-1842	18	NC31-2442	24	42	
HSK 50 (A-C-E)	NC15-2343	10	NC15-2943	12	NC31-1843	8	NC31-2443	10	43	
HSK 63 (A-C-E)	NC15-2344	7	NC15-2944	9	NC31-1844	5	NC31-2444	7	44	
HSK 80 (A-C-E)	NC15-2345	5	NC15-2945	6	NC31-1845	4	NC31-2445	5	45	
HSK 100 (A-C-E)	NC15-2346	4	NC15-2946	5	NC31-1846	3	NC31-2446	4	46	
32 KM	NC15-2350	22	NC15-2950	26	NC31-1850	18	NC31-2450	24	50	
40 KM	NC15-2351	22	NC15-2951	26	NC31-1851	18	NC31-2451	24	51	
50 KM	NC15-2352	10	NC15-2952	12	NC31-1852	8	NC31-2452	10	52	
63 KM	NC15-2353	7	NC15-2953	9	NC31-1853	5	NC31-2453	7	53	
80 KM	NC15-2354	5	NC15-2954	6	NC31-1854	4	NC31-2454	5	54	
VDI 30 mm	NC15-2360	6	NC15-2960	7	NC31-1860	7	NC31-2460	9	60	
VDI 40 mm	NC15-2361	5	NC15-2961	6	NC31-1861	4	NC31-2461	5	61	
VDI 50 mm	NC15-2362	4	NC15-2962	5	NC31-1862	3	NC31-2462	4	62	



NC15



NC14

UPRIGHT ASSEMBLY DEPTHS	TYPE OF SURFACE	UNIT WIDTH		BEAM WIDTH	
		6"	48"	60"	72"
18"	Blank	NC30-1800	NC33-481800	NC33-601800	NC33-721800
	Perforated	NC31-18_*	NC34-4818_*	NC34-6018_*	NC34-7218_*
24"	Blank	NC30-2400	NC33-482400	NC33-602400	NC33-722400
	Perforated	NC31-24_*	NC34-4824_*	NC34-6024_*	NC34-7224_*

NOTE: * Please add the tool code specified in the Mini-Racking table to complete the perforated surface product number you have selected.



!

Multi-level shelving is not recommended if first-level shelving only contains tool racks and two shelves.

R2V CABINET




VTZ CABINET



DIMENSIONS		24"D TOOL RACK		27"D TOOL RACK		44"D TOOL RACK	
ACTUAL DIMENSIONS		5"W × 19"D × 2½"H		5"W × 22"D × 2½"H		5½"W × 30"D × 3¾"H	
TOOL TYPE	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.	NO. OF HOLES	PRODUCT NO.
Blank rack	NC73-2400	—	NC73-2700	—	NC64-0704400	—	
Taper 30	NC74-2401	8	NC74-2701	10	NC64-0704401	15	
Taper 40	NC74-2403	6	NC74-2703	7	NC64-0704403	11	
Taper 45	NC74-2404	5	NC74-2704	6	NC64-0704404	9	
Taper 50	NC74-2405	4	NC74-2705	5	NC64-0704405	7	
¾" Straight	NC74-2410	18	NC74-2710	20	NC64-0704410	32	
1" Straight	NC74-2411	18	NC74-2711	20	NC64-0704411	32	
1¼" Straight	NC74-2413	18	NC74-2713	20	NC64-0704413	32	
1½" Straight	NC74-2415	7	NC74-2715	8	NC64-0704415	13	
1¾" Straight	NC74-2416	7	NC74-2716	8	NC64-0704416	13	
2" Straight	NC74-2418	5	NC74-2718	6	NC64-0704418	9	
2¼" Straight	NC74-2419	5	NC74-2719	6	NC64-0704419	9	
2½" Straight	NC74-2421	5	NC74-2721	6	NC64-0704421	9	
C3 Sandvik Capto	NC74-2430	18	NC74-2730	20	NC64-0704430	32	
C4 Sandvik Capto	NC74-2431	18	NC74-2731	20	NC64-0704431	32	
C5 Sandvik Capto	NC74-2432	8	NC74-2732	10	NC64-0704432	15	
C6 Sandvik Capto	NC74-2433	6	NC74-2733	7	NC64-0704433	11	
C8 Sandvik Capto	NC74-2434	5	NC74-2734	6	NC64-0704434	9	
HSK 25 (A-C-E)	NC74-2440	18	NC74-2740	20	NC64-0704440	32	
HSK 32 (A-C-E)	NC74-2441	18	NC74-2741	20	NC64-0704441	32	
HSK 40 (A-C-E)	NC74-2442	18	NC74-2742	20	NC64-0704442	32	
HSK 50 (A-C-E)	NC74-2443	8	NC74-2743	10	NC64-0704443	15	
HSK 63 (A-C-E)	NC74-2444	6	NC74-2744	7	NC64-0704444	11	
HSK 80 (A-C-E)	NC74-2445	4	NC74-2745	5	NC64-0704445	7	
HSK 100 (A-C-E)	NC74-2446	3	NC74-2746	4	NC64-0704446	6	
32 KM	NC74-2450	18	NC74-2750	20	NC64-0704450	32	
40 KM	NC74-2451	18	NC74-2751	20	NC64-0704451	32	
50 KM	NC74-2452	8	NC74-2752	9	NC64-0704452	15	
63 KM	NC74-2453	6	NC74-2753	7	NC64-0704453	11	
80 KM	NC74-2454	4	NC74-2754	5	NC64-0704454	7	
VDI 30 mm	NC74-2460	5	NC74-2760	6	NC64-0704460	9	
VDI 40 mm	NC74-2461	4	NC74-2761	5	NC64-0704461	8	
VDI 50 mm	NC74-2462	3	NC74-2762	4	NC64-0704462	6	



IMPORTANT
Refer to technical guide N50 for recommended layouts based on tool height and intended use.





MOBILE STORAGE FOR TOOLS

Rousseau mobile freestanding stations are designed to optimize your task changes. They make it easy for you to move to a different location while properly protecting your tools.

The mobile stations have ultra-quiet and smooth-rolling polyurethane casters that glide easily even on floors scattered with metal fragments or on greasy surfaces.

The rack's PVC surface protects tools against impacts, corrosion and spattering molten metal. The racks are also tilted 20° for easy handling and access to tools.



MOBILE FREESTANDING STATION FOR TOOLS - 36"H

32"	27"	41 1/4"		
Taper 40	56	NCW0100		
Taper 50	40	NCW0101		
HSK 50	80	NCW0102		
HSK 63	56	NCW0103		
50 KM	80	NCW0104		
63 KM	56	NCW0105		
	-	NCW0106		
	0	NCW0109		

		30"	8
--	--	-----	---

		4"	440lb
--	--	----	-------

- Includes a shelf with aluminum handle for easier maneuverability
- Ideal for handling tools

MOBILE FREESTANDING STATION FOR TOOLS - 54"H

32"	27"	59 1/4"		
Taper 40	84	NCW0216		
Taper 50	60	NCW0217		
HSK 50	120	NCW0218		
HSK 63	84	NCW0219		
50 KM	120	NCW0220		
63 KM	84	NCW0221		
	-	NCW0222		
	0	NCW0229		

		30"	12
--	--	-----	----

		4"	440lb
--	--	----	-------

- Includes an aluminum handle for easier maneuverability and a document holder
- For transporting a large number of tools from A to B

MOBILE REPAIR/PREPARATION CABINET FOR TOOLS

36"	24"	61 1/2"		
Taper 40	14	NCM8121		
Taper 50	10	NCM8131		
HSK 50	20	NCM8141		
HSK 63	14	NCM8151		
50 KM	20	NCM8161		
63 KM	14	NCM8171		
	-	NCM8181		
	0	NCM8191		

		30"	2
--	--	-----	---

--	--	--	--

		4"	2	400lb
		6"	3	

		6"	1100lb
--	--	----	--------

- Superior-quality casters for easier maneuverability
- Easy and safe transportation of tools



Maximum load capacity: 1,200lb, evenly distributed

STATIONARY STORAGE FOR TOOLS

Whether you want to store specialized metalworking equipment (e.g., drill bits, collets, punches, tool holders) or standard tools (e.g., pliers, files, wrenches, sockets), Rousseau offers a wide range of solutions: freestanding stations, modular cabinets, shelving with drawers, R2V cabinet, VTZ cabinet, Mini-Racking, and much more. All these options allow you to find the solution that best meets your specific requirements.


Our range of stationary storage provides effective protection against the kind of corrosion and premature wear that results from unsuitable storage.

Your tools are precious; let Rousseau help you protect them!



FREESTANDING STATION FOR TOOLS - 54"H

32"	27"	54"	MAX	
Taper 40	56	NCW0247		
Taper 50	40	NCW0248		
HSK 50	80	NCW0249		
HSK 63	56	NCW0250		
50 KM	80	NCW0251		
63 KM	56	NCW0252		
	-	NCW0258		
	0	NCW0259		




- Includes 2 plastic bin rails, 2 tiltable shelves and 6 partial dividers
- Keeps your tools safe, secure and within easy reach


NOTE: Red plastic bins are not available from Rousseau.



R CABINET WITH TOOL DRAWERS




30"	27"	60"	MAX			
Taper 40	84	NCM0011		NCM0012		NCM0013
Taper 50	60	NCM0061		NCM0062		NCM0063
HSK 50	120	NCM0111		NCM0112		NCM0113
HSK 63	84	NCM0161		NCM0162		NCM0163
50 KM	120	NCM0211		NCM0212		NCM0213
63 KM	84	NCM0261		NCM0262		NCM0263
	-	NCM0945		NCM0946		NCM0947
	0	NCM0091		NCM0092		NCM0093




36"	24"	60"	MAX			
Taper 40	108	NCM0017		NCM0018		NCM0019
Taper 50	72	NCM0067		NCM0068		NCM0069
HSK 50	144	NCM0117		NCM0118		NCM0119
HSK 63	108	NCM0167		NCM0168		NCM0169
50 KM	144	NCM0217		NCM0218		NCM0219
63 KM	108	NCM0267		NCM0268		NCM0269
	-	NCM0949		NCM0950		NCM0951
	0	NCM0097		NCM0098		NCM0099

NOTE: If your tool type is not listed in these tables, see page 6 or contact Customer Service.

SHELVING WITH DRAWERS



				TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
30"	75"	4	2	NCS2251	NCS2261	NCS2271	NCS2281	NCS2291	NCS2301	NCS2308	NCS2391
	87"	5	4	NCS2252	NCS2262	NCS2272	NCS2282	NCS2292	NCS2302	NCS2307	NCS2392
				56	40	80	56	80	56	-	0
36"	75"	4	2	NCS2255	NCS2265	NCS2275	NCS2285	NCS2295	NCS2305	NCS2309	NCS2395
	87"	5	4	NCS2256	NCS2266	NCS2276	NCS2286	NCS2296	NCS2306	NCS2310	NCS2396
				72	48	96	72	96	72	-	0




- 3 drawers
 - 1 drawer with groove trays, 3"H
 - 1 drawer with tool foam, 4"H
 - 1 drawer with compartments, 4"H
- Provides full and unrestricted access to the drawer contents




Shelving with drawers must be anchored to the floor.

SHELVING WITH ADAPTERS



				TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM			
75"	3	2		NCS4005	NCS4025	NCS4045	NCS4065	NCS4085	NCS4105	NCS4114	NCS4195	
				NCS4006	NCS4026	NCS4046	NCS4066	NCS4086	NCS4106	NCS4115	NCS4196	
				81	54	108	81	108	81	-	0	
36"	18"	4	4		NCS4007	NCS4027	NCS4047	NCS4067	NCS4087	NCS4107	NCS4116	NCS4197
					NCS4008	NCS4028	NCS4048	NCS4068	NCS4088	NCS4108	NCS4117	NCS4198
				81	54	108	81	108	81	-	0	




- Choose a model with doors to prevent dust from settling on your tools.



R2V CABINET FOR NC TOOLS

With an R2V storage cabinet you can use the vertical space you have available, which frees up more floor space.

The trays can be adjusted vertically and horizontally in 1" increments c/c to accommodate the height of your tools, and they can support a load of 100lb. Each drawer opens fully and has a 200lb. load capacity.



Taper 40	30"	24"	38"	10	60	NCLDE-380301L3A
		27"	38"	10	70	NCLDG-380301L3A
	36"	24"	38"	12	72	NCLEE-380301L3A
		27"	38"	12	84	NCLEG-380301L3A
Taper 50	30"	24"	38"	10	40	NCLDE-380501L3A
		27"	38"	10	50	NCLDG-380501L3A
	36"	24"	38"	12	48	NCLEE-380501L3A
		27"	38"	12	60	NCLEG-380501L3A
HSK 50	30"	24"	38"	10	80	NCLDE-384301L3A
		27"	38"	10	100	NCLDG-384301L3A
	36"	24"	38"	12	96	NCLEE-384301L3A
		27"	38"	12	120	NCLEG-384301L3A
HSK 63	30"	24"	38"	10	60	NCLDE-384401L3A
		27"	38"	10	70	NCLDG-384401L3A
	36"	24"	38"	12	72	NCLEE-384401L3A
		27"	38"	12	84	NCLEG-384401L3A
50 KM	30"	24"	38"	10	80	NCLDE-385201L3A
		27"	38"	10	90	NCLDG-385201L3A
	36"	24"	38"	12	96	NCLEE-385201L3A
		27"	38"	12	108	NCLEG-385201L3A
63 KM	30"	24"	38"	10	60	NCLDE-385301L3A
		27"	38"	10	70	NCLDG-385301L3A
	36"	24"	38"	12	72	NCLEE-385301L3A
		27"	38"	12	84	NCLEG-385301L3A
	30"	24"	38"	0	-	RL-5HDE38008NA
		27"	38"	0	-	RL-5HDG38008NA
	36"	24"	38"	0	-	RL-5HEE38008NA
		27"	38"	0	-	RL-5HEG38008NA
	30"	24"	38"	10	0	NCLDE-380001L3A
		27"	38"	10	0	NCLDG-380001L3A
	36"	24"	38"	12	0	NCLEE-380001L3A
		27"	38"	12	0	NCLEG-380001L3A


For additional tool trays, see page 8.



The R2V cabinet must be installed on top of an R cabinet of the same width.

IMPORTANT


Refer to technical guide N50 for recommended layouts based on tool height and intended use.





VTZ VERTICAL STORAGE FOR TOOLS


The VTZ (Vertical Tool Zone) can be used to store lots of tools in a relatively small floor area. Each of the drawers features a floor rolling system that supports a 1,000lb. load. The NC trays can be adjusted vertically in ¼" increments c/c to accommodate the height of your tools.



L3 Lock



LC Latch



NCV- ... L3



NCV- ... LC

Taper 40	23½"	44"	62"	3	9	99			NCV-AH620301__	
	37½"	44"	62"	5	15	135			NCV-GH620301__	
Taper 50	23½"	44"	62"	3	9	63			NCV-AH620501__	
	37½"	44"	62"	5	15	105			NCV-GH620501__	
HSK 50	23½"	44"	62"	3	9	135			NCV-AH624301__	
	37½"	44"	62"	5	15	225			NCV-GH624301__	
HSK 63	23½"	44"	62"	3	9	99			NCV-AH624401__	
	37½"	44"	62"	5	15	135			NCV-GH624401__	
50 KM	23½"	44"	62"	3	9	135			NCV-AH625201__	
	37½"	44"	62"	5	15	225			NCV-GH625201__	
63 KM	23½"	44"	62"	3	9	99			NCV-AH625301__	
	37½"	44"	62"	5	15	135			NCV-GH625301__	
	23½"	44"	62"	3	0	-			NCV-AI629901__	
	37½"	44"	62"	5	0	-			NCV-GH629901__	
	23½"	44"	62"	3	9	0			NCV-AH620001__	
	37½"	44"	62"	5	15	0			NCV-GH620001__	


For additional tool trays, [see page 8](#).



Designed so it can be moved with a pallet truck or forklift. The cabinet must be moved without any load in the drawers.

MINI-RACKING FOR TOOLS

With a wide range of dimensions and options available, industrial-quality Rousseau Mini-Racking units offer an efficient way to store bulky items in a scalable system that easily adapts to specific needs. Easy to assemble and built to last, the Spider® Mini-Racking System is ideal for high-density storage of your tools. For example, the option shown here provides quick access to your tools from both the front and rear.



		TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
18"	75"	NCS6001	NCS6021	NCS6031	NCS6041	NCS6051	NCS6061	NCS6011	NCS6191
	87"	NCS6002	NCS6022	NCS6032	NCS6042	NCS6052	NCS6062	NCS6012	NCS6192
60"		210	120	240	150	240	150	-	0
	24"	270	150	300	210	300	210	-	0
72"	18"	250	144	288	180	288	180	-	0
	24"	324	180	360	252	360	252	-	0


















SPIDER® SHELVING SYSTEM

Quick to assemble and built for heavy-duty industrial use, the Spider® Shelving System meets all your storage needs. With multiple depth and height combinations to choose from, combined with a wide range of accessories, you can build a layout that will meet both your current and future needs. Assembly is easy: The shelves attach to the posts with four compression clips, so changing the layout is a quick and simple process.
















There are many possible configurations. Contact Customer Service for a customized solution.

OPEN SHELVING

									
		SR ...	SH ...	S ... E ...	S ... B ...	5-8	1 c/c		
									
36"	18"	75"	S_ _ 1002	S_ _ 1008	S_ _ 1014	S_ _ 1020	800lb		
	87"	S_ _ 1005	S_ _ 1011	S_ _ 1017	S_ _ 1023	800lb			
	24"	75"	S_ _ 1003	S_ _ 1009	S_ _ 1015	S_ _ 1021	625lb		
		87"	S_ _ 1006	S_ _ 1012	S_ _ 1018	S_ _ 1024	625lb		
48"	18"	75"	S_ _ 1032	S_ _ 1038	S_ _ 1044	S_ _ 1050	575lb		
		87"	S_ _ 1035	S_ _ 1041	S_ _ 1047	S_ _ 1053	575lb		
	24"	75"	S_ _ 1033	S_ _ 1039	S_ _ 1045	S_ _ 1051	600lb		
		87"	S_ _ 1036	S_ _ 1042	S_ _ 1048	S_ _ 1054	600lb		




CLOSED SHELVING

									
		SR ...	SH ...	S ... E ...	S ... B ...	5-8	1 c/c		
									
36"	18"	75"	S_ _ 2002	S_ _ 2008	S_ _ 2014	S_ _ 2020	800lb		
	87"	S_ _ 2005	S_ _ 2011	S_ _ 2017	S_ _ 2023	800lb			
	24"	75"	S_ _ 2003	S_ _ 2009	S_ _ 2015	S_ _ 2021	625lb		
		87"	S_ _ 2006	S_ _ 2012	S_ _ 2018	S_ _ 2024	625lb		
48"	18"	75"	S_ _ 2032	S_ _ 2038	S_ _ 2044	S_ _ 2050	575lb		
		87"	S_ _ 2035	S_ _ 2041	S_ _ 2047	S_ _ 2053	575lb		
	24"	75"	S_ _ 2033	S_ _ 2039	S_ _ 2045	S_ _ 2051	600lb		
		87"	S_ _ 2036	S_ _ 2042	S_ _ 2048	S_ _ 2054	600lb		



SHELVING WITH DRAWERS

By choosing shelving with drawers, you can store both small and bulky items in the same unit, which means you are maximizing use of your available floor space.



SHELVING WITH 4 DRAWERS

Shelving Depth	Shelving Width	Number of Drawers	Product Code
36"	18"	75" 5	R5SEC-751801_
	18"	87" 6	R5SEC-871801_
36"	24"	75" 5	R5SEE-751801_
	24"	87" 6	R5SEE-871801_
48"	18"	75" 5	R5SHC-751801_
		87" 6	R5SHC-871801_
	24"	75" 5	R5SHE-751801_
		87" 6	R5SHE-871801_

Drawer Depth	Number of Compartments	Weight Capacity
4"	3	400lb
6"	1	

SHELVING WITH 7 DRAWERS / ROLL-OUT SHELF

Shelving Depth	Shelving Width	Number of Drawers	Product Code
36"	18"	75" 4	R5SEC-754809_
	18"	87" 5	R5SEC-874809_
36"	24"	75" 4	R5SEE-754809_
	24"	87" 5	R5SEE-874809_
48"	18"	75" 4	R5SHC-754809_
		87" 5	R5SHC-874809_
	24"	75" 4	R5SHE-754809_
		87" 5	R5SHE-874809_

Drawer Depth	Number of Compartments	Weight Capacity
3"	2	400lb
4"	3	
6"	2	

Drawer Depth	Number of Compartments	Weight Capacity
6"	1	400lb

SHELVING WITH 8 DRAWERS

Shelving Depth	Shelving Width	Number of Drawers	Product Code
36"	18"	75" 4	R5SEC-754801_
	18"	87" 5	R5SEC-874801_
36"	24"	75" 4	R5SEE-754801_
	24"	87" 5	R5SEE-874801_
48"	18"	75" 4	R5SHC-754801_
		87" 5	R5SHC-874801_
	24"	75" 4	R5SHE-754801_
		87" 5	R5SHE-874801_

Drawer Depth	Number of Compartments	Weight Capacity
6"	8	400lb

!
Shelving with drawers must be anchored to the floor.

DRAWER PARTITIONING


Drawer Depth	Shelving Depth	Shelving Width	Number of Compartments
3" - 5"	36"	18"	24
	36"	24"	30
3" - 5"	48"	18"	32
	48"	24"	40
6" - 8"	36"	18"	8
	36"	24"	12
6" - 8"	48"	18"	10
	48"	24"	15

NOTE: For drawers without compartments, replace the last two digits of the product number with the next even number up.

e.g.: R5SEC-751801 With
R5SEC-751802 Without

STORAGE CABINETS, STATIONARY AND MOBILE

Rousseau's modular cabinets boast a heavy-duty and distinct design that is ideal for all environments. They are market-leading products thanks to the wide range of dimensions and accessories available, their modular design and, above all, their durability. The drawers have a load capacity of 400lb. each and can be opened to full extension. Each drawer comes subdivided.



HIGH-DENSITY STORAGE CABINET

			R5AHE-5809	
	3"	1	400lb	
	5"	1		
	6"	3		
	8"	2		
	12"	1		

- Designed for intensive use, the R Cabinet is perfect for storing tools and parts of all sizes.



MULTI-DRAWER MOBILE CABINET

			R5GHE-3025	
	48"	4"	1	400lb
	18"	3"	4	
	18"	4"	1	
	18"	5"	1	
	30"	3"	4	
	30"	9"	1	
	6"		1100lb	

- Superior-quality casters for easier maneuverability

WORKSTATION SYSTEM

We have the perfect customized solution whether you are looking for basic stationary or mobile workstations with or without storage space, or a more comprehensive workstation with multiple accessories.

You will love the versatility of our workstations and their ability to evolve along with your business needs by simply adding accessories, such as LED lights, riser shelves, power feed panels, 5S panels and



various holders. With multiple dimension combinations to choose from, you can create a completely customized space that meets the highest standards for ergonomics, safety and security.

And with tool racks installed on WM uprights, you will always have your numerical control tools within easy reach.



MAINTENANCE WORKSTATION WITH TOOL RACKS



60"	30"	82"	MAX	
Taper 40			21	NCW0582
Taper 50			15	NCW0584
HSK 50			30	NCW0586
HSK 63			21	NCW0588
50 KM			30	NCW0590
63 KM			21	NCW0592
			-	NCW0096
			0	NCW0598



- Includes 1 LED light, 1 power outlet channel, 1 utility panel, 10 hooks and 2 tiltable shelves
- Ideal for sharpening, calibration and swapping out tools

TEMPORARY STORAGE WORKSTATION

60"	30"	58"	MAX	
Taper 40			14	NCW0622
Taper 50			10	NCW0627
HSK 50			20	NCW0632
HSK 63			14	NCW0637
50 KM			20	NCW0642
63 KM			14	NCW0647
			-	NCW0621
			0	NCW0629




- Includes a painted steel shelf and stringer
- Ideal for daily tasks like tool and parts handling and data processing

MOBILE WORKBENCH

60"	30"	35 1/2"	WSW1031
	4"	440lb	

- For moving your workbench near to machining stations

MULTI-PURPOSE WORKSTATION



Shelving with drawers must be anchored to the floor.

				TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
120"	24"	87"	8	NCS8004	NCS8013	NCS8023	NCS8033	NCS8043	NCS8053	NCS8074	NCS8094
				91	65	130	91	130	91	-	0

30"	3"	1	4"	2	7"	2	9"	1	400lb	30"	13


				TAPER 40	TAPER 50	HSK 50	HSK 63	50 KM	63 KM		
132"	24"	87"	8	NCS8005	NCS8015	NCS8025	NCS8035	NCS8045	NCS8055	NCS8075	NCS8095
				108	72	144	108	144	108	-	0

36"	3"	1	4"	2	7"	2	9"	1	400lb	36"	13

5S STORAGE

Over the years, Rousseau has developed many different storage solutions to meet the standards of the 5S methodology. The aim of this Japanese technique is to continuously improve the work environment. It is designed to achieve better organization and an efficient work environment by ensuring each tool is in the right place, easy to find and well identified.

Furthermore, the storage solutions we offer help you to improve work conditions and morale for employees by reducing the time and energy they spend on unproductive tasks.




WALL-MOUNTED PANEL SYSTEM

Rousseau's 5S multi-purpose panel system can be used to store a broad range of items of different sizes, shapes and weights on a single surface.


Wall-Mounted Utility Panel

	18"	24"
16"	36"	WM57-1618
	48"	WM57-1624
	72"	WM57-1636
	72"	WM57-1648
24"	18"	WM57-1672
	24"	WM57-2418
	36"	WM57-2424
	48"	WM57-2436
	72"	WM57-2448
	72"	WM57-2472



Heavy-Duty Hooks

TYPE	DIMENSION	PRODUCT NO.	50 lb
Square	6"	WM9A-06	
	12"	WM9A-12	
Round	6"	WM9B-06	
	12"	WM9B-12	




Light-Duty Hooks

TYPE / PACKAGE	DIMENSION	PRODUCT NO.
Straight hooks / 20	1 1/2"D	WM9F-150
Single hooks / 20	1 1/2" dia.	WM9G-150
Single hooks / 20	2" dia.	WM9G-200
Double back single hooks / 10	3"D	WM9H-03
Double back single hooks / 10	5"D	WM9H-05
Double back double hooks / 10	3"D	WM9J-03
Double back double hooks / 10	5"D	WM9J-05
Drill holder / 1	5"W x 3 1/2"D	WM9L-01

DRAWER ACCESSORIES

We offer a wide variety of drawer accessories that integrate with each other to help you organize and locate small parts.

TYPE	PRODUCT NO.
Front to Back Partition	RG00
Left to Right Partition	RG01
Drawer Dividers	RG10
Label Holder	RG51
Plastic Bins	RG20
Plastic Bin Partition / Divider	RG22 / RG24
Label Holder for Plastic Bins	RG52
Foam for Tools	RG42
Groove Trays	RG35 / RG36 / RG39
Handle Protector	RF70



MULTITEK CART

The MultiTek Cart provides an ergonomic way to transport and handle items and tools of different sizes. Lightweight and highly durable, it comes with a wide range of configurations and accessories to suit the unique needs of each work activity.

With a maximum load capacity of 600lb. and unrivaled versatility, it is the ideal companion to help you perform your daily tasks.



MATERIAL HANDLING CART

36"	24"	42"	RV-VM4200K109
2"	3"	2	
	5"		

- For moving parts and tools over long distances
- Sold non-assembled



MAINTENANCE CART

31"	21"	37"	RV-NH37A2X104L3B
	3"	2	
	4"	2	
	3"		

- Sold assembled



PREPARATION AND CONTROL STATION

31"	21"	54"	MAX	
Taper 40	7	NRVM-NH420103L3B		
Taper 50	5	NRVM-NH420105L3B		
HSK 50	10	NRVM-NH420143L3B		
HSK 63	7	NRVM-NH420144L3B		
50 KM	10	NRVM-NH420152L3B		
63 KM	7	NRVM-NH420153L3B		
	-	NRVM-NH4201L3B		
	0	NRVM-NH420100L3B		



	3"	1
--	----	---

	4"	1
--	----	---


	23"	1
--	-----	---

	5"
--	----

- Includes utility panels and a document holder
- The inverted top shelf with protective polycarbonate top serves as a work surface
- Sold assembled

SHELF ACCESSORIES


Non-Slip PVC Liner for Shelf



Protective Foam for Shelf




Tool Foam for Shelf




DRAWER ACCESSORIES


PVC Drawer Liner



Protective Foam for Drawer



Tool Foam for Drawer



THINK INNOVATION DURABILITY QUALITY



ROUSSEAU METAL INC.

Since 1950 Rousseau has been designing, engineering and manufacturing modular and industrial storage systems for a variety of markets. Our facilities, covering 254,000 square feet in total and equipped with cutting-edge technology, are a sign of our growth and vitality.

We offer complete and integrated solutions for all your storage needs: drawers for shelving and cabinets, industrial shelving, Mini-Racking, workstations, hutches, carts, toolboxes, and much more.

Visit www.rousseau.com for more information.

COLORS

STANDARD COLORS

The colors may differ slightly from those illustrated.

Avalanche Blue 055	Everest Blue 051	Classic Blue 052	Midnight Blue 057	Glossy Sapphire Blue 560	Glossy EverGreen 1025	Black 091	Beige 041
Frost White 061	Light Gray 071	Modern Gray 745	Charcoal Gray 072	Glossy Carbon Black 741	White 616	Sienna Orange 085	Glossy Yellow 208
Flame Red 081	Glossy Carmine Red 806	Glossy Cranberry Red 815	Glossy Black 902				

HANDLE END CAPS

Black 031	Orange 021	Ocean Blue 011



Rousseau is continuously improving its products and reserves the right to make any modifications judged necessary.