
TEKZONE WORKSTATION HUTCH





Creates a secure, organized and personalized workspace.



Easy and tool-free reconfiguration allows your workstation to evolve in line with your needs.



Spacious and well-lit workspace.



Door opens and closes easily, smoothly and securely.



2017 EUROPEAN PRODUCT DESIGN AWARD

Order 7

BRONZE WINNER

INDEX PAGE(S)

TekZone Worl	(S1	tat	io	n I	Hι	ıtc	<u>h</u>		172
Preconfigured	М	loc	del	s				173	-174
Step by Step								175-	177
Accessories.								178-	-179

TEKZONE WORKSTATION HUTCH

With the TekZone workstation hutch, you can create a personalized and organized workspace.

The work area it provides is spacious and well lit. Each TekZone Hutch is equipped with an LED light with motion sensor so the workspace lights up as soon as you open the door.

A wide range of accessories helps you to stay tidy by freeing up the work surface, while keeping your essential tools close at hand.

The ingenious door mechanism allows you to open and close the hutch easily, smoothly and securely. With the full-width handle, you can open the door with any hand position. The door is fitted with a lock to protect the contents of the hutch.

The TekZone Hutch installs on heavy-duty cabinets, Rousseau workstations and most other workstations on the market. Treat yourself to a unique solution!

PRECONFIGURED MODELS



TEKZONE MOBILE WORKCENTER

PI	RODUCT NO.	W×D×I	-1
Tz	Z-C002X*	60"×27'	"×77½"
1	Multi-drawer m	obile cabir	net
			R5GKG-3018
1	Thin stainless s	teel top	RH11-6027
1	Hutch with pair LED light with r steel power fee outlets (12A) ar	motion sen d panel wi	sor, 1 painted th 3 power
1	Battery charger	shelf	RH54-26
1	Electronic table	et arm	WM06-62-01
2	Half width shel	ves	RH60-2412
2	Partial dividers		SH52-1206

60"W HUTCH

PRODUCT NO.

WM9C-12

TZ	Z-JKG40U2104P	60"×27'	'×40"
1	Hutch with pain LED light with n steel power fee outlets (12A) an	notion sen d panel wi	sor, 1 painted th 3 power
1	Battery charger	shelf	RH54-26
1	Electronic table	t arm	WM06-62-01
2	Half width shelv	/es	RH60-2412
2	Partial dividers		SH52-1206
1	Plastic bin rail		WM9C-12

W×D×H

NOTE: *The hutch is factory assembled on the cabinet with this model.



TEKZONE WORKCENTER

Plastic bin rail

PF	RODUCT NO.	W×D×H
TZ	Z-C040S*	48"×30"×76"
1	Multi-drawer cabi with 4"H base	net R5KHG-3030S
1	Pre-punched stainless steel top	RC35-4830-02
1	Hutch with stainle	ess steel utility panels.

1 Hutch with stainless steel utility panels, LED light with motion sensor, 1 stainless steel power feed panel with 3 power outlets (12A), 2 USB ports (1 A, 1 C), knockout and perforation

		1Z-JHG40U3002S
1	Electronic tablet arm	WM06-62-01
2	Half width shelves	RH60-2412
3	Partial dividers	SH52-1206
1	Can holder	WM9D-12
1	Wire spool and roll holders	s WM9P-1201

48"W HUTCH

PRODUCT NO.

_T2	Z-JHG40U3104S	48"×27"×40"
1		ninless steel utility panels, motion sensor, 1 stainless
	steel power fe	ed panel with 3 power 2 USB ports (1 A, 1 C),
	Knockout and	perioration

 $W \times D \times H$

		TZ-JHG40U3002S
1	Electronic tablet arm	WM06-62-01
2	Half width shelves	RH60-2412
3	Partial dividers	SH52-1206
1	Can holder	WM9D-12
1	Wire spool and roll holder	WM9P-1201

 ${\bf NOTE:} \quad {\bf ^*The\ hutch\ is\ factory\ assembled\ on\ the\ cabinet\ with\ this\ model}.$

PRECONFIGURED MODELS



TEKZONE CONSULTATION STATION

PF	RODUCT NO.	W×D×H
TZ	Z-C010P*	36"×27"×80"
1	Heavy-duty cabine with 4" base	et R5AEE-3414P
1	Pre-punched painted steel top	RC37-3627-02
1	Llutab with mainta	d stool utility papals

Hutch with painted steel utility panels, LED light with motion sensor, 1 painted steel power feed panel with 3 power outlets (12A) and 2 USB ports (1 A, 1 C)

		1Z-JEE4UX2UU2P
1	Monitor mount	RH52-15
1	Keyboard tray	RH53-25
1	Can holder	WM9D-09

36"W HUTCH

PF	RODUCT NO.	W×D×H
TZ	Z-JEE40X2102P	36"×24"×40"
1	LED light with steel power fe	inted steel utility panels, motion sensor, 1 painted ed panel with 3 power and 2 USB ports (1 A, 1 C) TZ-JEE40X2002P
1	Monitor moun	t RH52-15
1	Keyboard tray	RH53-25
1	Can holder	WM9D-09

NOTE: *The hutch is factory assembled on the cabinet with this model.



TEKZONE WORKSTATION

PF	RODUCT NO.	W×D×H
TZ	Z-C018PW	60"×30"×74"
1	Desk with closed le wood top, 1 power and 2 USB ports (1	, ,
1	Hutch with painted LED light with mot 1 L50 lock	d steel utility panels, ion sensor, TZ-UKH40U002PL50
1	Painted steel power 3 power outlets (12 (1 A, 1 C)	er feed panel with 2A) and 2 USB ports TZ-M060T2P
1	Battery charger she	elf RH54-26
1	Half width shelf	RH60-3008
1	Wire spool and roll holders	WM9P-2601
1	Laptop arm	WM06-42
1	Can holder	WM9D-09
1	Plastic bin rail	WM9C-09
1	Tool rail	RH47-6001
1	Balancer trolley	WM48-01
1	Tool balancer	WM49-01

60"W HUTCH


PRODUCT NO.

TZ	Z-JKG40U2104P	60"×27"×40"
1	Hutch with painted LED light with moti 1 L50 lock	steel utility panels, on sensor, TZ-UKH40U002PL50
1	Painted steel powe 3 power outlets (12 (1 A, 1 C)	r feed panel with PA) and 2 USB ports TZ-M060T2P
1	Battery charger she	elf RH54-26
1	Half width shelf	RH60-3008
1	Wire spool and roll holders	WM9P-2601
1	Laptop arm	WM06-42
1	Can holder	WM9D-09
1	Plastic bin rail	WM9C-09
1	Tool rail	RH47-6001
1	Balancer trolley	WM48-01
1	Tool balancer	WM49-01

 $W \times D \times H$

4 EASY STEPS


You can quickly and easily configure your own layout in just four steps.



STEP 1: CHOOSE PANELS

Choose the panels you want in the hutch: panels for plastic bins, utility panels or finishing panels.

To ensure your TekZone hutch remains bright, you can choose between stainless steel or painted steel panels. For painted steel panels, we recommend choosing one of the following five paint colors:



STEP 2: CHOOSE POWER FEED PANEL

Then you choose a power feed panel from the following five models:

PRODUCT NO.	DESCRIPTION
TZ-M0 00 _	Cover panel, no outlets
TZ-M0 T1 _	3 power outlets (12A), knockout and perforation
TZ-M0 T2 _	3 power outlets (12A), 2 USB ports (1 A, 1 C)
TZ-M0T3_	3 power outlets (12A), 2 USB ports (1 A, 1 C), knockout and perforation $$
TZ-M0 T4 _	3 power outlets (12A)

STEP 3: CHOOSE TOP

In this step you choose which type of work surface best meets your needs:

PAINTED STAINLESS LAMINATED NITRILE NEOPRENE	TOPS FOR R CABINETS					
174 1007 1000 1001						
Thin RH10 RH11	13/4"	RC37	RC35	WS14	-	=
	Thin	RH10	RH11	-	-	-
Mat RH91 RH90	Mat	-	-	-	RH91	RH90

		TOPS FOR R WORKSTATIONS				
		PAINTED STAINLESS LAMINATED NITRILE NEOPRE				NEOPRENE
	HEIGHT	STEEL	STEEL	HARDWOOD	3/16"	1/8"
	1¾"	RC37	RC35	WS14	-	-
	Mat	-	-	-	RH91	RH90
_						

	TOPS FOR WS WORKSTATIONS				
HEIGHT	PAINTED STEEL	STAINLESS STEEL	LAMINATED HARDWOOD	NITRILE 3/16"	NEOPRENI
13/4"	WS10	WS12	WS14	-	-
Mat	-	-	-	RH91	RH90

NOTE: The TekZone Hutch must be installed on a work surface.


STEP 4: ACCESSORIES


Finally, you can equip the hutch with accessories of your choice.

1 DIMENSIONS AND PANEL TYPES





UTILITY PANELS







UTILITY AND PLASTIC BINS PANELS





UTILITY AND FINISHING PANELS





BACK PANELS LOGIC

36" wide: Two full-width 15" high panels

 $48\mbox{\tt "},\,54\mbox{\tt "}$ and $60\mbox{\tt "}$ wide: Four half-width 15\mbox{\tt "} high panels

BACK AND SIDE PANELS CAPACITY

Panel capacity: 100lb per panel

2 POWER FEED PANEL

- The power feed panels include a 10' power cord
- The center panel can be used to manage power and network cables



FINISHING PANEL NO OUTLETS

TZ-M0__00_

STEP BY STEP

3 POWER OUTLETS (12A), KNOCKOUT AND PERFORATION

3 POWER OUTLETS (12A) AND 2 USB PORTS (1 A, 1 C)



TZ-M0 T1_

3 POWER OUTLETS (12A), 2 USB PORTS (1 A, 1 C), KNOCKOUT AND PERFORATION




TZ-M0__T3_

3 POWER OUTLETS (12A)

TZ-M0_T4_

TZ-M0 T2_

3 CHOICE OF TOP



THIN PAINTED STEEL TOP

THIN STAINLESS STEEL TOP



1 ¾" PAINTED STEEL TOP*

RH11-___ For R cabinets

1 3/4" STAINLESS STEEL TOP*



RC37-___-02

For R cabinets or R workstations

WS10-___-02 For WS workstations

RC35-___-02 For R cabinets or R workstations WS12-___-02 For WS workstations

1 3/4" LAMINATED HARDWOOD TOP*

WS14-___-02

For R cabinets, R workstations or WS workstations

PROTECTIVE MAT**

RH90-___ RH913/16" Oil resistant nitrile 1/8" Neoprene

NOTES: * These tops are pre-punched for easy installation of the TekZone Hutch.

**Top to be ordered separately.

The TekZone Hutch must be installed on a work surface.

4

ACCESSORIES

CAN HOLDER

- Ideal for storing cans and other containers of different sizes
- Compatible with side and back panels
- 3"D and 4"H

PRODUCT NO. WIDTH COMPA	ATIBILITY
WM9D-09 9" 24" D	
WM9D-12 12" 27" D	
WM9D-15 15" 30" D	

BATTERY CHARGER SHELF

Hooks onto back utility panels at the



WM9D

- desired height
- 25" usable width accommodates several chargers at once
- Includes a non-slip protective mat
- Includes a built-in power bar with six power outlets (15A / 120V, with switch, circuit breaker and 15' power cord)
- Includes storage space for cable management

PRODUCT NO.	WIDTH
RH54-26	26"

RH54

SLOPED TOP **RH89** PLASTIC BIN RAIL WM9C



- Keeps the workspace clean and safe while reducing clutter

PRODUCT NO.	W×D
RH89-362408	36"×24"
RH89-362708	36"×27"
RH89-363008	36"×30"
RH89-482408	48"×24"
RH89-482708	48"×27"
RH89-483008	48"×30"
RH89-542408	54"×24"
RH89-542708	54"×27"
RH89-543008	54"×30"
RH89-602408	60"×24"
RH89-602708	60"×27"
RH89-603008	60"×30"



- Plastic bins hook onto the rail for efficient storage of small parts
- Compatible with RG20 plastic bins (sold separately)

PRODUCT NO.	WIDTH	USE
WM9C-09	9"	for 24"D side panels
WM9C-12	12"	for 27"D side panels
WM9C-15	15"	for 30"D side panels
WM9C-20	20"	for half-width back panels on a 48"W hutch
WM9C-23	23"	for half-width back panels on a 54"W hutch
WM9C-26	26"	for half-width back panels on a 60"W hutch
		for full-width back panels on a 36"W hutch

WIRE SPOOL AND ROLL HOLDERS

WM9P

- Ideal for wire spools or paper towel rolls
- Tube diameter: ¾"
- · Load capacity: 50lb.

	PRODUCT NO.	WIDTH	USE
	WM9P-0901	9"	for 24"D side panels
	WM9P-1201	12"	for 27"D side panels
	WM9P-1501	15"	for 30"D side panels
	WM9P-2001	20"	for half-width back panels on a 48"W hutch
	WM9P-2301	23"	for half-width back panels on a 54"W hutch
	WM9P-2601	26"	for half-width back panels on a 60"W hutch
			for full-width back panels on a 36"W hutch

SHELF AND DIVIDER

RH60/RH61



Can be installed at a right angle or angled 15°

• Hooks onto back utility panels

at the desired height

- The shelf is reversible and its edge can act as a back stop for plastic bins and ring binders
- Load capacity: 100lb. (evenly distributed)
- Compatible with SH52-1206 dividers in 2" increments c/c
- Width compatibility:
- 36"W hutches: full-width shelf
- 48"W, 54"W and 60"W hutches: half-width shelf
- Add 08 to the product number for an 8"D shelf and 12 for a 12"D shelf.

PRODUCT NO.	WIDTH	COMPATIBILITY
RH60-24	20"	Half-width shelf for 48"W hutch
RH60-27	23"	Half-width shelf for 54"W hutch
RH60-30	26"	Half-width shelf for 60"W hutch
RH61-36	29"	Full-width shelf for 36"W hutch
SH52-1206		Divider

TABLET ARM

WM06



- Compatible with most tablets on the market
- The clamps and mount have a non-slip surface to keep the tablet stable
- The articulating arm with two joints provides extra adjustment options
- Tablet can be rotated and tilted
- Compatible tablet sizes:
- Small: 7%"W to 10"W
- Large: 91/8"W to 121/4"W

PRODUCT NO.	TABLET SIZE
WM06-62-01	Small
WM06-62-02	Large

LCD MONITOR ARM AND KEYBOARD & MOUSE ARM WM06



- Keyboard tray's usable area: 23%"W×81/2"D
- Includes an articulating arm with a single joint and an articulating arm with two joints providing extra adjustment options
- Compatible with most LCD monitors (max. 21") on the market
- Complies with VESA 75 and 100 monitor mounting standards
- Screen and tray can be rotated and tilted

PRODUCT NO.	VERSION
WM06-22	Complete Kit
WM06-02	LCD Monitor Arm
WM06-32	Keyboard & Mouse Arm

ACCESSORIES

MONITOR MOUNT RH52 KEYBOARD TRAY RH53



- Supports a monitor compliant with the VESA 75 and 100 standards
- Includes a central cutout for cable management from the rear of the mount
- Two positions: vertical or angled 10° forward to reduce reflections
- Compatible with utility panels and finishing panels only

PRODUCT NO.
RH52-15



TOOL RAIL

- Holds one or more WM48 balancer trolleys
- Color: black
- 25lb. load capacity
- For 48"W, 54"W and 60"W hutches

PRODUCT NO.	WIDTH
RH47-4801	48"
RH47-5401	54"
RH47-6001	60"

BALANCER TROLLEY

WM48

RH47



- Inserts into a RH47 tool rail
- · Color: black
- Holds a pneumatic connection

PRODUCT NO.
WM48-01

TOOL BALANCER

WM49



- For hanging tools over the work surface
- 6' metal cable with tension adjustment
- Color: black
- Load capacity: 3lb. max.

PRODUCT NO. WM49-01

ELECTRONIC LOCK SYSTEM

L50



- · Electronically locks the slide-up door
- · No key required
- Up to 20 different users can be programmed
- 4- to 8-digit access codes
- Simplifies access management
- To order, specify the lock in the model by <u>L50</u>. For a replacement lock, see page 295

PRODUCT NO. RH06-WW40L50



www.wwcannon.com



- Unique and heavy-duty design with palm rests
- 25"W to accommodate a keyboard and mouse
- Includes a non-slip protective mat

PRODUCT NO. RH53-25

LAPTOP ARM


WM06



- Tray's usable area: 14"W×12"D and it can be rotated and tilted
- Includes an articulating arm with two joints providing extra adjustment options

PRODUCT NO.
WM06-42

INTERMEDIATE SHELF AND BOTTOM SHELF RH64/RH65



- · Full-length and full-depth shelf
- 200 lb. load capacity (evenly distributed weight)
- Compatible with SH52-2106 dividers in 3" increments c/c
- RH64 Intermediate Shelf:
 - Attaches to RH35 side panels only
- Compatible with RH20 and RH21 back utility panels; the area next to the shelf will be unusable
- To add to a preconfigured TZ model, replace side panels with RH35 side panels
- Not compatible with RH22 and RH23 back panels for plastic bins
- Not compatible with the following side panels: RH32 panels for plastic bins, RH30 and RH31 utility panels and RH28 and RH29 finishing panels
- RH65 Bottom Shelf:
 - A top (see page 177) is required for joining the hutch to the cabinet underneath

PRODUCT NO.	WIDTH
RH3627	36"
RH4827	48"
RH5457	54"
RH6027	60"

NOTE: RH36 to RH41 power feed and cable management panels cannot be used with the bottom shelf.

LAMP WITH MAGNIFIER AND LED LIGHT



- Diopter: 5 (2.25x magnification)
- Installs on the back uprights with an RH50 lamp support

PRODUCT NO.	USE
RH50-01	Lamp support
70000640	Lamp with magnifier