

DRAWERS FOR SHELVING



"Bringing Order To Chaos"

www.Cannon, Inc.

Design. Layout. Build. Install.

1-800-442-3061

www.wwcannon.com

"Bringing Order To Chaos"

INDEX	PAGE(S)
Drawers for Shelving	130-131
Preconfigured Models . . .	132-133
Components	134-135
Accessories	136
Assembly and Security Recommendations . . .	137


MAXIMIZE USE OF SPACE

Say goodbye to poorly lit shelves, backaches and difficulty accessing materials caused by inadequate storage! Let us help you redesign your space.


As storage specialists, we recommend adding Rousseau drawers to your shelving units to maximize their potential. You will gain a hybrid and versatile system that has proved its effectiveness for over 30 years.

With their sturdy construction and distinctive design, Rousseau drawers add value to your existing equipment. Rousseau's modular drawers can be installed in over 35 brands of shelving on the market, so you can even keep your existing set-up. What's more, your new storage system can scale up or down in line with the needs of your business. A simple and economic solution; just imagine the possibilities!

THE ROUSSEAU DIFFERENCE




The drawers can also be installed in over 35 brands of shelving available on the market. Quick and easy hook-on assembly in most brands of shelving.



A range of dimensions available: 30"W, 36"W, 42"W and 48"W by 18"D and 24"D. Only one set of brackets required for all dimensions.



10 drawer heights and 7 drawer side heights available.



Quick and easy installation:
1. Hook brackets on
2. Hook rails on
3. Insert carriages and drawers



400lb. load capacity per drawer. Most durable drawer in the industry.

GENERAL DIMENSIONS



LIFETIME WARRANTY

The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

NOTE: Popular dimensions are shown in red.



RECLAIM EXISTING SPACE

Instead of building an addition, use high-density storage and optimize the investment you made in your original space.

Ask our expert consultants for a comprehensive analysis of your potential savings.



GUARANTEED EFFICIENT SPACE USE





CURRENT SITUATION

- 1 Top and bottom shelves are not properly filled, nor accessible.
- 2 Back of shelves are poorly lit and visible.
- 3 Visibility of various items is hampered by the shelves.
- 4 Vast amount of unused space between shelves.

RESULT

Arduous management and location of your inventory.



OUR RECOMMENDATIONS

- 1 Widely spaced shelves for the storage of larger items.
- 2 Close-set shelves positioned at eye-level.
- 3 Easily locate objects in a drawer that opens at 100%.
- 4 Optimized use of space based on the sizes of its stored items.

RESULT

Easier management of your inventory based on an organized storage method.

PRECONFIGURED MODELS

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF MODULAR DRAWERS FOR SHELVING


- Rousseau modular drawers can be installed in over 35 brands of commercially available shelving
- The preconfigured models in this section include brackets for Rousseau Spider® Shelving. For other types of shelving, please specify the brand and shelving type when ordering, see [page 135](#).

IMPORTANT

Drawer compartments are included in all models.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., R5LEC-1801 with
R5LEC-1802 without



Shelving with drawers must be anchored to the floor.



R5SEE-874811

DRAWER DIMENSIONS	NUMBER OF COMPARTMENTS (LAYOUT CODE)					
	36"W x 18"D	36"W x 24"D	42"W x 18"D	42"W x 24"D	48"W x 18"D	48"W x 24"D
3"H to 5"H	24 (0518)	30 (0524)	20 (0512)	30 (0524)	32 (0724)	40 (0732)
6"H to 8"H	8 (0304)	12 (0308)	12 (0308)	12 (0308)	10 (0405)	15 (0410)
9"H and higher	6 (0203)	9 (0206)	6 (0203)	8 (0304)	8 (0304)	8 (0304)

NOTE: For interior drawer dimensions, see [pages 220-222](#).

Shelving units must be ordered separately, see [pages 101-104](#).

18"H BANK OF DRAWERS FOR SHELVING



R5LEE-1801

- 4 drawers :
 - 3 drawers, 4"H
 - 1 drawer, 6"H

PRODUCT NO.	W x D
R5LEC-1801	36" x 18"
R5LEE-1801	36" x 24"
R5LGC-1801	42" x 18"
R5LGE-1801	42" x 24"
R5LHC-1801	48" x 18"
R5LHE-1801	48" x 24"

NOTE: Shelving units must be ordered separately.

24"H BANK OF DRAWERS FOR SHELVING



R5LEE-2401

- 5 drawers :
 - 3 drawers, 4"H
 - 2 drawers, 6"H

PRODUCT NO.	W x D
R5LEC-2401	36" x 18"
R5LEE-2401	36" x 24"
R5LGC-2401	42" x 18"
R5LGE-2401	42" x 24"
R5LHC-2401	48" x 18"
R5LHE-2401	48" x 24"

NOTE: Shelving units must be ordered separately.

36"H BANK OF DRAWERS FOR SHELVING



R5LEE-3601

- 7 drawers :
 - 3 drawers, 4"H
 - 4 drawers, 6"H

PRODUCT NO.	W x D
R5LEC-3601	36" x 18"
R5LEE-3601	36" x 24"
R5LGC-3601	42" x 18"
R5LGE-3601	42" x 24"
R5LHC-3601	48" x 18"
R5LHE-3601	48" x 24"

NOTE: Shelving units must be ordered separately.



R5LEE-3603

- 7 drawers :
 - 4 drawers, 4"H
 - 2 drawers, 6"H
 - 1 drawer, 8"H

PRODUCT NO.	W x D
R5LEC-3603	36" x 18"
R5LEE-3603	36" x 24"
R5LGC-3603	42" x 18"
R5LGE-3603	42" x 24"
R5LHC-3603	48" x 18"
R5LHE-3603	48" x 24"

NOTE: Shelving units must be ordered separately.

48"H BANK OF DRAWERS FOR SHELVING



R5LEE-4801

- 8 drawers :
 - 8 drawers, 6"H

PRODUCT NO.	W x D
R5LEC-4801	36" x 18"
R5LEE-4801	36" x 24"
R5LGC-4801	42" x 18"
R5LGE-4801	42" x 24"
R5LHC-4801	48" x 18"
R5LHE-4801	48" x 24"

NOTE: Shelving units must be ordered separately.



R5LEE-4803

- 9 drawers :
 - 4 drawers, 4"H
 - 4 drawers, 6"H
 - 1 drawer, 8"H

PRODUCT NO.	W x D
R5LEC-4803	36" x 18"
R5LEE-4803	36" x 24"
R5LGC-4803	42" x 18"
R5LGE-4803	42" x 24"
R5LHC-4803	48" x 18"
R5LHE-4803	48" x 24"

NOTE: Shelving units must be ordered separately.



R5LEE-4805

- 10 drawers :
 - 6 drawers, 4"H
 - 4 drawers, 6"H

PRODUCT NO.	W x D
R5LEC-4805	36" x 18"
R5LEE-4805	36" x 24"
R5LGC-4805	42" x 18"
R5LGE-4805	42" x 24"
R5LHC-4805	48" x 18"
R5LHE-4805	48" x 24"

NOTE: Shelving units must be ordered separately.




R5LEE-4807

- 11 drawers :
 - 4 drawers, 3"H
 - 3 drawers, 4"H
 - 4 drawers, 6"H

PRODUCT NO.	W x D
R5LEC-4807	36" x 18"
R5LEE-4807	36" x 24"
R5LGC-4807	42" x 18"
R5LGE-4807	42" x 24"
R5LHC-4807	48" x 18"
R5LHE-4807	48" x 24"

NOTE: Shelving units must be ordered separately.




R5LEE-4809

- 7 drawers :
 - 2 drawers, 3"H
 - 3 drawers, 4"H
 - 2 drawers, 6"H
- 1 front access roll-out shelf

PRODUCT NO.	W x D
R5LEC-4809	36" x 18"
R5LEE-4809	36" x 24"
R5LGC-4809	42" x 18"
R5LGE-4809	42" x 24"
R5LHC-4809	48" x 18"
R5LHE-4809	48" x 24"

NOTE: Shelving units must be ordered separately.



COMPONENTS

DRAWERS, SHELVES AND LOCKING/SECURITY MECHANISMS

HEAVY-DUTY MODULAR DRAWER



RF32 / RF36



- Painted steel drawer: RF32
- Drawer with stainless steel front and gray painted steel interior: RF36
- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Vast choice of accessories available to customize the drawer to your storage needs, [see pages 242-247](#);
- Drawer heights available: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14"
- For preconfigured modular drawer compartment layouts, [see pages 224-241](#);
- To order: Add the drawer height to the product number and specify the type of drawer front required (painted steel or stainless steel), e.g., RF32-362406

PRODUCT NO.	W × D
RF__-3018__	30" × 18"
RF__-3024__	30" × 24"
RF__-3618__	36" × 18"
RF__-3624__	36" × 24"
RF__-4218__	42" × 18"
RF__-4224__	42" × 24"
RF__-4818__	48" × 18"
RF__-4824__	48" × 24"

HEAVY-DUTY 3-SIDED-ACCESS ROLL-OUT SHELF



RF45



- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Galvanized steel with 1½"H back edge
- Total height: 5"
- Can be used as a work surface


PRODUCT NO.	W × D
RF45-3018	30" × 18"
RF45-3024	30" × 24"
RF45-3618	36" × 18"
RF45-3624	36" × 24"
RF45-4218	42" × 18"
RF45-4224	42" × 24"
RF45-4818	48" × 18"
RF45-4824	48" × 24"

DRAWER LOCK

L3



- Compatible with all drawer dimensions
- Does not reduce the drawer's storage space
- Easy to retrofit
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout, e.g., RF32-362406L3
- For replacement parts or to retrofit this mechanism, order an RY01-L3



PRODUCT NO.
L3

HEAVY-DUTY FRONT-ACCESS ROLL-OUT SHELF



RF41




- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Painted steel with 3"H edges on the sides and back
- Total height: 6"
- Full access to contents

PRODUCT NO.	W × D
RF41-3018	30" × 18"
RF41-3024	30" × 24"
RF41-3618	36" × 18"
RF41-3624	36" × 24"
RF41-4218	42" × 18"
RF41-4224	42" × 24"
RF41-4818	48" × 18"
RF41-4824	48" × 24"

LOCK-OUT MECHANISM

RF85




- For both drawers and roll-out shelves
- Locks drawers and roll-out shelves in an open position
- Activated manually, only when required
- Compatible with all drawer accessories
- Plastic bins in the back row may make it more difficult to activate the mechanism

PRODUCT NO.
RF85

SECURITY PANEL

RF91




- Compatible with drawer locks
- Blocks access between two drawers or two banks of drawers
- Usable space in the bank of drawers is reduced by 1"
- Installs between two drawers

PRODUCT NO.	W × D
RF91-3018	30" × 18"
RF91-3024	30" × 24"
RF91-3618	36" × 18"
RF91-3624	36" × 24"
RF91-4218	42" × 18"
RF91-4224	42" × 24"
RF91-4818	48" × 18"
RF91-4824	48" × 24"

MOUNTING BRACKETS

STANDARD MOUNTING BRACKETS

RE00





- Rousseau modular drawers can be installed in over 35 brands of commercially available shelving.
- Quick and easy hook-on assembly in most brands of shelving
 - Standard heights available: 18", 24", 36" and 48"
 - Mounting bracket kits are compatible with all Rousseau drawer widths (30", 36", 42" and 48")
 - Each kit includes two front and two rear mounting brackets and all hardware required
 - Includes holes spaced 1" apart c/c for easy adjustment of shelves
 - Two brackets can be stacked if a shelf is installed between them. The total height of the drawers must not exceed 60", e.g., 36"H + 18"H = 54"H (safe height), [see page 137](#)
 - To order non-standard mounting bracket heights, please contact Customer Service
 - To order: Complete the product number with the shelving brand code required, e.g., RE30-48 for Rousseau Spider® shelving

PRODUCT NO.	HEIGHT
RE__-18	18"
RE__-24	24"
RE__-36	36"
RE__-48	48"

SHELVING BRAND CODES		
COMPANY	BRAND	CODE
Aurora	Quik-Lok	RE04
Bilt Industries	Klip-Bilt II	RE18
Borroughs	Steel Shelving	RE02
Easyup	7000	RE31
Equipto	V-Grip	RE29
EZ Rect	Trim Line	RE26
EZ Rect	Type I	RE14
Hallowell	Hi-Tech Shelving	RE07
Inca	Inca-matic	RE10
Lyon	8000	RE16
Metalware	Interlok	RE05
Penco	Clipper	RE08
Penco	Erectomatic	RE07
Republic	Clip Shelving	RE20
Rousseau	«O»	RE01
Rousseau	Spider®	RE30
Spacesaver	4-post Shelving	RE04
Tennsco	L&T Shelving	RE04
Tennsco	Q-Line	RE43
Tri-Boro	Steel Shelving	RE33
Triple A	600	RE27
Western Pacific	Clip Shelving	RE22
Western Pacific	Deluxe	RE24

NOTES: Other mounting brackets are available. If your brand of shelving is not listed here, please contact Customer Service.
The brands listed are the property of their respective owners.

EXAMPLES OF COMPATIBLE UPRIGHTS



CUSTOM-ORDER MOUNTING BRACKETS

Rousseau can manufacture mounting brackets for new shelving upon request.
Please contact Customer Service for more information.



ACCESSORIES

VERTICAL SECURITY BAR

RE80



- Locks all drawers in a shelving unit with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 18"H to 48"H
- Quick and easy hook-on assembly
- More than one bar on the same mounting bracket can be installed (for different users)
- Installs on the right-hand side
- The 36"H bar is compatible with the 34"H mounting bracket, and the 48"H bar is compatible with the 46"H mounting bracket
- Compatible with Rousseau Spider® shelving only. For Spacesaver shelving, order RE81-HHL3A instead of RE80-HHL3A
- To order: Specify the type of lock required, for a safety hasp, add LP to the product number; for a standard lock, add L3 to the product number

PRODUCT NO.	HEIGHT
RE80-18__A	18"
RE80-24__A	24"
RE80-30__A	30"
RE80-36__A	36"
RE80-48__A	48"

FILLER








- Installs under the bank of drawers with an adhesive strip
- Fulfills aesthetic requirements of certain work environments (hospitals, offices, etc.)
- Compatible with Rousseau Spider® and Spacesaver shelving only
- For Spacesaver shelving, order RE90-WW02 instead of RE90-WW01

PRODUCT NO.	W x H
RE90-3001	30" x 5/8"
RE90-3601	36" x 5/8"
RE90-4201	42" x 5/8"
RE90-4801	48" x 5/8"

NOTES: Other accessories for Spider® shelving are available in the Spider® Shelving System section, [see pages 93-100](#).


To lock drawers in all other brands of shelving, use the L3 Drawer Lock, [see page 134](#).

REAL-WORLD EXAMPLES




STACKING BRACKETS

Two sets of mounting brackets can be stacked if a shelf is installed between the two banks of drawers, e.g., 36"H + 18"H.




ASSEMBLY

Assemble with standard tools in three easy steps:



THE MINIMUM SPACE REQUIRED FOR DRAWERS DEPENDS ON THE HEIGHT OF THE MOUNTING BRACKETS.



NOTE: * Subtract 1/2" for shelving with 1 1/2" adjustable shelves (c/c).

MINI-RACKING



INDEX	PAGE(S)
Mini-Racking	114-115
Preconfigured Models . . .	116-118
Accessories	119-121
Components	122-125

SPIDER® MINI-RACKING SYSTEM

With a wide range of dimensions and options available, industrial-quality Rousseau Mini-Racking units offer an efficient way to store bulky items in a scalable system that easily adapts to specific needs.

The Spider® Mini-Racking system is heavy duty, easy to assemble, and is the most versatile and complete solution of its type on the market.

Designed for intensive use, the system helps you to use the space you have available to its full potential, in areas such as warehouses, repair shops and distribution centers.




LIFETIME WARRANTY

The Rousseau drawer rolling mechanism is covered by a lifetime warranty.




R5XEC-2004


THE ROUSSEAU DIFFERENCE



Steel beams designed for several decking types: steel, wire mesh and wood.



The distinctive "claw" at the end of each beam hooks onto the front of the posts for extra structural rigidity and incredibly fast assembly.



The common post is compatible with Mini-Racking and industrial shelving.



Using a combination of modular drawers with a shelving unit joined to the Mini-Racking structure, bulky items and small parts can be stored together, see [pages 91-92](#).

NOTE: The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

GENERAL DIMENSIONS



SRE5127S

NOTE: Popular dimensions are shown in red.

PRECONFIGURED MODELS



WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS

	Starter Unit	Add-on Unit
BOLTED uprights	D	A
WELDED uprights	E	B

Decking Options:
S Steel decking
W Wire mesh decking
 . Without decking

Example: SR_5001_

e.g., SRD5001S
 For a starter unit with bolted uprights and steel decking.

MINI-RACKING WITH CHOICE OF DECKING

The beams are designed to support steel shelves (SR40, SH20), wire mesh decking (SR42) or wood panels at least 5/8" thick.

STEEL

- To order a unit with steel decking, add S to the product number

WIRE

- To order a unit with wire mesh decking, add W to the product number
- Not compatible with 18"D units

FOR WOOD PANELS

- To order a unit without decking (e.g., for use with wood decking), leave the product number as is



SR5127S
Starter unit



SRB5127S
Add-on unit



SRE5127W
Starter unit



SRB5127W
Add-on unit



SRE5127
Starter unit



SRB5127
Add-on unit



MINI-RACKING WITH MEDIUM-DUTY BEAMS

DIMENSIONS			NO. OF DECKING LEVELS	
W	D	H	3	4
48"	18"	75"	SR_5001_	SR_5021_
	24"		SR_5002_	SR_5022_
	36"*		SR_5003_	SR_5023_
	48"*		SR_5004_	SR_5024_
	18"	87"	SR_5005_	SR_5025_
	24"		SR_5006_	SR_5026_
	36"*		SR_5007_	SR_5027_
	48"*		SR_5008_	SR_5028_
60"	18"	75"	SR_5051_	SR_5071_
	24"		SR_5052_	SR_5072_
	36"*		SR_5053_	SR_5073_
	48"*		SR_5054_	SR_5074_
	18"	87"	SR_5055_	SR_5075_
	24"		SR_5056_	SR_5076_
	36"*		SR_5057_	SR_5077_
	48"*		SR_5058_	SR_5078_
72"	18"	75"	—	SR_5080_
	24"		—	SR_5081_
	36"*		—	SR_5082_
	48"*		—	SR_5082_
	18"	87"	SR_5101_	SR_5121_
	24"		SR_5102_	SR_5122_
	36"*		SR_5103_	SR_5123_
	48"*		SR_5104_	SR_5124_
96"	18"	75"	SR_5105_	SR_5125_
	24"		SR_5106_	SR_5126_
	36"*		SR_5107_	SR_5127_
	48"*		SR_5108_	SR_5128_
	18"	87"	—	SR_5130_
	24"		—	SR_5131_
	36"*		—	SR_5131_
	48"*		—	SR_5132_

NOTE: *Mini-Racking units in these sizes can be joined to back-to-back shelving units of the same depth.

TIE BARS

- Preconfigured models include one to three tie bars depending on their dimensions.

DEPTH	NO. OF TIE BARS		
	STEEL	WIRE MESH	WOOD
18"	1	NA	1
24"	1	1	1
36"	1	1	2
48"	1	1	3

NOTE: For load capacity table, [see page 123](#).

MINI-RACKING WITH HEAVY-DUTY BEAMS

DIMENSIONS			NO. OF DECKING LEVELS	
W	D	H	3	4
48"	18"	75"	SR_5151_	SR_5171_
	24"		SR_5152_	SR_5172_
	36"*		SR_5153_	SR_5173_
	48"*		SR_5154_	SR_5174_
	18"	87"	SR_5155_	SR_5175_
	24"		SR_5156_	SR_5176_
	36"*		SR_5157_	SR_5177_
	48"*		SR_5158_	SR_5178_
60"	18"	75"	—	SR_5180_
	24"		—	SR_5181_
	36"*		—	SR_5182_
	48"*		—	SR_5182_
	18"	87"	SR_5201_	SR_5221_
	24"		SR_5202_	SR_5222_
	36"*		SR_5203_	SR_5223_
	48"*		SR_5204_	SR_5224_
72"	18"	75"	SR_5205_	SR_5225_
	24"		SR_5206_	SR_5226_
	36"*		SR_5207_	SR_5227_
	48"*		SR_5208_	SR_5228_
	18"	87"	—	SR_5230_
	24"		—	SR_5231_
	36"*		—	SR_5231_
	48"*		—	SR_5232_

NOTE: *Mini-Racking units in these sizes can be joined to back-to-back shelving units of the same depth.

TIE BARS

- Preconfigured models include one to three tie bars depending on their dimensions

WIDTH	DEPTH	NO. OF TIE BARS		
		STEEL	WIRE MESH	WOOD
72"	18"	1	NA	2
	24"	1	1	2
	36"	1	1	3
	48"	1	1	3
96"	18"	1	NA	2
	24"	1	1	2
	36"	1	1	3
	48"	2	2	3

NOTE: For load capacity table, [see page 123](#).

PRECONFIGURED MODELS

MINI-RACKING FOR STANDARD-SIZED WOOD DECKING



SRD7031
Starter unit



SRA7031
Add-on unit

MINI-RACKING FOR STANDARD-SIZED WOOD DECKING

- These dimensions are designed to limit the need to cut the wood decking
- Four long-span levels with heavy-duty beams
- Bolted uprights (requires assembly)

STARTER UNIT	ADD-ON UNIT	W×D×H
SRD7031	SRA7031	72" × 48½" × 87"
SRD7032	SRA7032	72" × 48½" × 99"
SRD7033	SRA7033	96½" × 24" × 87"
SRD7034	SRA7034	96½" × 24" × 99"
SRD7035	SRA7035	96½" × 48" × 87"
SRD7036	SRA7036	96½" × 48" × 99"
SRD7037	SRA7037	96½" × 48½" × 87"
SRD7038	SRA7038	96½" × 48½" × 99"

NOTE: Wood decking is not available from Rousseau.



TIRE RACK BEAMS

SR20



- Sold in pairs
- Load capacity: 340lb. per pair
- For storing tires of different sizes up to 17" dia. (light truck and SUV)
- Designed with a sloped surface to prevent tire deformation
- 72"W beams require an SR25 tie bar installed in the center
- 15"D units recommended for tires
- 12"D units recommended for rims

PRODUCT NO.	WIDTH
SR20-36	36"
SR20-48	48"
SR20-60	60"
SR20-72	72"

BATTERY SHELF




- Shelf includes 2 heavy-duty beams and 13 tie bars
- Includes a front stop and two side rails to prevent batteries from falling accidentally
- 15° slope for first in first out (FIFO) battery handling
- Galvanized steel

PRODUCT NO.	W×D	NO. OF BATTERIES (MEDIUM SIZE)
SRP9094	36"×36"	15
SRP9093	36"×48"	21
SRP9091	48"×36"	20
SRP9092	48"×48"	28

HANGING RAIL

SR62



- Load capacity: 300lb. per rail
- Hooks onto Spider® posts; no bolts required
- Includes a security mechanism to prevent accidental unhooking
- Three installation positions possible: one in the middle and two closer to the edges
- Compatible with SR63-02 hooks (not included)
- The hooks can rotate once installed on the rail. They can be installed and removed at any time, even when the rail is secured in place
- Rail and adapters made of galvanized steel

SINGLE RAIL	W×D	DOUBLE RAIL	W×D
SR62-601801	60"×18"	SR62-602402	60"×24"
SR62-602401	60"×24"	SR62-603602	60"×36"
SR62-603601	60"×36"	SR62-722402	72"×24"
SR62-721801	72"×18"	SR62-723602	72"×36"
SR62-722401	72"×24"	SR62-962402	96"×24"
SR62-723601	72"×36"	SR62-963602	96"×36"
SR62-961801	96"×18"		
SR62-962401	96"×24"		
SR62-963601	96"×36"		

NOTE: When a Mini-Racking unit is joined to a back-to-back shelving unit, call Customer Service for SR62 hanging rail compatibility information.

RAIL HOOK

SR63



- Load capacity: 50lb. per hook
- Hook can rotate once installed on a SR62 rail
- Can be installed and removed at any time, even when the rail is secured in place

PRODUCT NO.	D×H
SR63-02	2½"D×5"H



ACCESSORIES

LAMINATED HARDWOOD TOP FOR SHELVING SR90



- For installation between two shelving units
- Must be ordered with a pair of SH74 supports or used in a storage unit with a work surface

PRODUCT NO.	W × D
SR90-6024A	60" × 24"
SR90-7224A	72" × 24"
SR90-9624A	96" × 24"

WOOD TOP SUPPORT SH74



- Sold in pairs
- Hooks onto the sides of SH or SR uprights; no tools required
- Supports an SR90 hardwood top between two shelving units

PRODUCT NO.	WIDTH
SH74-24	24"

LABEL HOLDER NC32



- Sold in pairs
- Attaches to SR21 medium-duty or SR22 heavy-duty beams
- For use with self-adhesive labels only

PRODUCT NO.	WIDTH
NC32-3601	36"
NC32-4201	42"
NC32-4801	48"
NC32-6001	60"
NC32-6601	66"
NC32-7201	72"
NC32-9601	96"

DIVIDING RODS SH56



- Sold in pairs
- 1/4" dia. stainless steel rods
- Includes a 90° bend at one end to keep it in place
- Excellent chemical and corrosion resistance
- Superior rigidity to the plastic rods often found on the market for this type of application

PRODUCT NO.	HEIGHT
SH56-72	72"
SH56-84	84"
SH56-96	96"

WALL SPACERS SR45



- Sold in pairs
- Creates a 9" space between the rack and wall
- Hooks into the delta holes of SR posts without tools; must be secured in place with a plastic clip (included)
- Galvanized steel


PRODUCT NO.	DEPTH
SR45-09	9"

BACK-TO-BACK SPACERS SR48



- Sold in pairs
- Used for joining two Mini-Racking sections back to back with a 1" space between posts for beam adjustment

PRODUCT NO.
SR48



POST SPACERS SR48



- Sold in pairs
- Creates an 18" space between two back-to-back tire racks
- Hooks into the delta holes of SR posts without tools; must be secured in place with plastic clips (included)
- Galvanized steel

PRODUCT NO.	DEPTH
SR48-18	18"

DOUBLE DIVIDER

SR60



- Supports parts and boxes stored vertically in a Mini-Racking unit. The parts lean against the "D" of the divider
- Installs on two medium-duty (SR21) or two heavy-duty beams (SR22)
- The space between the two beams must be 14" c/c
- Divider can be adjusted laterally (left to right) without tools
- Compatible with 24"D shelving and deeper
- Designed to support a lateral load

PRODUCT NO.	D × H
SR60-2415	24" × 15"



SRE4542M

SINGLE DIVIDER

SR61



- Divides objects and parts that lean vertically against the back of a Mini-Racking unit
- Installs on medium-duty (SR21) or heavy-duty (SR22) beams
- Divider can be adjusted laterally (left to right) without tools
- Compatible with 24"D shelving and deeper

PRODUCT NO.	DEPTH
SR61-2401	24"

SIDE UTILITY PANEL

SH68



- The Side Utility Panel can be installed on either the inside or outside of the upright
- Simple tool-free assembly
- Six widths available: 15" (12 holes), 18" (14 holes), 24" (22 holes), 30" (26 holes), 36" (32 holes) and 48" (44 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the depth required: 15", 18", 24", 36" or 48"

PRODUCT NO.	HEIGHT
SH68-__14	14"
SH68-__20	20"
SH68-__32	32"





FULL-HEIGHT HEAVY-DUTY UTILITY PANEL

SH69



- Heavy-duty utility panel for end-of-aisle units
- Holes spaced 1" apart c/c
- Quick and easy hook-on assembly
- Creates a neater appearance
- Five widths available: 15" (13 holes), 18" (15 holes), 24" (21 holes), 30" (27 holes) and 36" (33 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 500lb. max. per panel, load evenly distributed
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 15", 18", 24", 30" or 36"

PRODUCT NO.	HEIGHT
SH69-__51	51"
SH69-__75	75"
SH69-__87	87"



COMPONENTS

STRUCTURAL COMPONENTS

POST



SR10



SR

- Tubular T shape provides up to seven fixing zones
- Includes front holes spaced 2" apart c/c for easy adjustment of beams
- 14ga steel

PRODUCT NO.	HEIGHT
SR10-039	39"
SR10-051	51"
SR10-075	75"
SR10-087	87"
SR10-099	99"
SR10-111	111"
SR10-123	123"



R5XEE-4001

WELDED MINI-RACKING UPRIGHT ASSEMBLY



SR13



- Two heavy-duty ladder braces factory welded onto two universal posts
- Other sizes are available. Contact your customer service representative for more information

PRODUCT NO.	D × H
SR13-180752	18" × 75"
SR13-180872	18" × 87"
SR13-240752	24" × 75"
SR13-240872	24" × 87"
SR13-240992	24" × 99"
SR13-300752	30" × 75"
SR13-300872	30" × 87"
SR13-300992	30" × 99"
SR13-360752	36" × 75"
SR13-360872	36" × 87"
SR13-360992	36" × 99"
SR13-480752	48" × 75"
SR13-480872	48" × 87"
SR13-480992	48" × 99"

MINI-RACKING LADDER BRACES

SR30 / SR32



Single ladder brace for 15"D to 24"D units



Double interlocked ladder brace for 30"D to 48 1/2"D units

- Sold in pairs
- Recommendations:
 - One pair per 99"H upright and shorter
 - For uprights higher than 99"H, please contact your customer service representative
- For 30"D, 36"D, 48"D and 48 1/2"D units, the ladder braces interlock as shown
- The pair of ladder braces supplied with these models are double ladder braces

PRODUCT NO.	DEPTH
SR30-15	15"
SR30-16	16"
SR30-18	18"
SR30-24	24"
SR30-30	30"
SR30-32	32"
SR30-36	36"
SR30-48	48"
SR32-4801*	48 1/2"

NOTES: * The SR32 ladder brace is designed to support 48"D wood panels without cutting.


15"D, 16"D, 30"D and 32"D ladder braces are suitable for record storage, see page 260.



BEAMS AND TIE BARS

MEDIUM-DUTY BEAMS

SR21




- Sold in pairs
- 14ga steel
- Install on the front of posts.
- Height can be adjusted in 2" increments c/c
- Held in place with two safety clips

PRODUCT NO.	W x H
SR21-36	36" x 2"
SR21-42	42" x 2"
SR21-48	48" x 2"
SR21-60	60" x 2"
SR21-66	66" x 2"
SR21-72	72" x 2"

NOTE: 42"W and 66"W beams are suitable for record storage, see page 260.

HEAVY-DUTY BEAMS

SR22 / SR23



- Sold in pairs
- 12ga steel
- Install on the front of posts.
- Height can be adjusted in 2" increments c/c
- Held in place with two safety clips

PRODUCT NO.	W x H
SR22-60	60" x 2 1/2"
SR22-72	72" x 2 1/2"
SR22-96	96" x 2 1/2"
SR23-96*	96 3/4" x 2 1/2"

NOTE: * SR23 beams can support 96"W wood panels without cutting.

MEDIUM-DUTY TIE BAR

SR25 / SR26



- Hooks onto the inside of SR21 beams
- Galvanized steel

PRODUCT NO.	DEPTH
SR25-15	15"
SR25-16	16"
SR25-18	18"
SR25-24	24"
SR25-30	30"
SR25-32	32"
SR25-36	36"
SR25-48	48"
SR26-4801*	48 1/2"

NOTES: * The SR26 tie bar with SR32 ladder braces is designed to support 48"D wood panels without cutting.
15"D, 16"D, 30"D and 32"D tie bars are suitable for record storage, see page 260.

HEAVY-DUTY TIE BAR

SR27 / SR28



- Hooks onto the inside of SR22 and SR23 beams
- Galvanized steel


PRODUCT NO.	DEPTH
SR27-15	15"
SR27-18	18"
SR27-24	24"
SR27-30	30"
SR27-32	32"
SR27-36	36"
SR27-48	48"
SR28-4801*	48 1/2"

NOTE: * The SR28 tie bar with SR32 ladder braces is designed to support 48"D wood panels without cutting.

BEAM LOAD CAPACITIES

Shelving load capacity tests are based on ANSI MH28.2 Shelving Manufacturer Association (SMA) standards.

These load capacities include a safety factor and are valid for an evenly distributed load. The capacities specified are in pounds.



MEDIUM-DUTY BEAMS

DECKING TYPE	DEPTH	WIDTH						NO. OF TIE BARS
		36"	42"	48"	60"	66"	72"	
Wood*	15" to 24"	1000	1000	975	800	725	650	1
	30" to 32"	1075	1025	925	775	700	625	2
	36"	850	875	900	750	700	625	2
	48"	875	825	775	775	750	650	3
Steel*	15" to 24"	900	900	900	800	750	650	1
	30" to 48"	1125	1125	1000	800	750	650	1
Wire Mesh	24" to 48"	600	700	800	800	750	650	1

HEAVY-DUTY BEAMS


DECKING TYPE	DEPTH	WIDTH			NO. OF TIE BARS
		60"	72"	96"	
Wood*	15" to 24"	1650	1600	1225	2
	30" to 32"	1850	1575	1225	2
	36"	1750	1600	1225	3
	48"	1225	1225	1225	3
Steel*	15" to 24"	1350	1350	1225	1
	30" to 48"	1925	1600	1225**	1
Wire Mesh	24" to 48"	1000	1200	1200**	1

** 96"W x 48"D steel or wire mesh decking require two tie bars.


COMPONENTS

MINI-RACKING DECKING

STEEL DECKING



- SH20: Formed with a quadruple bend at the front and back and a single bend on the sides
- SR40: Formed with a triple bend on the sides and single bend at the front and back
- Steel decking provides extra shelf rigidity



To order for your specific unit dimensions, order the appropriate number of shelves and the product number(s) specified in the chart for each level of shelving.

FOR A STANDALONE MINI-RACKING UNIT OR TWO JOINED TOGETHER


Mini-Racking units in these sizes can be standalone or joined to another Mini-Racking unit.



UPRIGHT ASSEMBLY DEPTH	BEAM WIDTH													
	36"		42"		48"		60"		66"		72"		96"	
	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.
15"	2	SR40-1815	1+	SR40-1815	2	SR40-2415	2+	SR40-1815	1+	SR40-1815	3	SR40-2415	4	SR40-2415
			1	SR40-2415			1	SR40-2415	2	SR40-2415				
16"	2	SR40-1816	1+	SR40-1816	2	SR40-2416	2+	SR40-1816	1+	SR40-1816	3	SR40-2416	4	SR40-2416
			1	SR40-2416			1	SR40-2416	2	SR40-2416				
18"	2	SR40-1818	1+	SR40-1818	2	SR40-2418	2+	SR40-1818	1+	SR40-1818	3	SR40-2418	4	SR40-2418
			1	SR40-2418			1	SR40-2418	2	SR40-2418				
24"	2	SR40-1824	1+	SR40-1824	2	SR40-2424	2+	SR40-1824	1+	SR40-1824	3	SR40-2424	4	SR40-2424
			1	SR40-2424			1	SR40-2424	2	SR40-2424				
30"	2	SH20-3018	1+	SH20-3018	4	SH20-3012	4	SH20-3015	1+	SH20-3018	4	SH20-3018	4	SH20-3024
			1	SH20-3024					2	SH20-3024				
32"	2	SR40-1832	1+	SR40-1832	2	SR40-2432	2+	SR40-1832	1+	SR40-1832	3	SR40-2432	4	SR40-2432
			1	SR40-2432			1	SR40-2432	2	SR40-2432				
36"	2	SH20-3618	1+	SH20-3618	4	SH20-3612	4	SH20-3615	1+	SH20-3618	4	SH20-3618	4	SH20-3624
			1	SH20-3624					2	SH20-3624				
48"	2	SH20-4818	1+	SH20-4818	4	SH20-4812	4	SH20-4815	1+	SH20-4818	4	SH20-4818	4	SH20-4824
			1	SH20-4824					2	SH20-4824				

FOR A MINI-RACKING UNIT JOINED TO TWO SHELVING UNITS

Mini-Racking units in these sizes can be joined to back-to-back shelving units of the same depth.



UPRIGHT ASSEMBLY DEPTH	BEAM WIDTH					
	60"		72"		96"	
	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.
30"	5	SH20-3012	1+	SH20-3012	1+	SH20-3024
			4	SH20-3015	4	SH20-3018
36"	5	SH20-3612	1+	SH20-3612	1+	SH20-3624
			4	SH20-3615	4	SH20-3618
48"	5	SH20-4812	1+	SH20-4812	1+	SH20-4824
			4	SH20-4815	4	SH20-4818

FOR A MINI-RACKING UNIT JOINED TO FOUR SHELVING UNITS


Mini-Racking units in these sizes can be joined to two back-to-back shelving units of the same depth, one on each side of the Mini-Racking unit.

UPRIGHT ASSEMBLY DEPTH	BEAM WIDTH			
	72"		96"	
	QTY	PRODUCT NO.	QTY	PRODUCT NO.
30"	6	SH20-3012	2+	SH20-3012
			4	SH20-3018
36"	6	SH20-3612	2+	SH20-3612
			4	SH20-3618
48"	6	SH20-4812	2+	SH20-4812
			4	SH20-4818



WIRE MESH DECKING

SR42



- Grid-pattern shelves made from 1/4" dia. painted steel rods welded together
- Color: Modern Gray 745
- Product meets fire code standards
- Wire mesh decking is a great alternative to steel decking




To order for your specific unit dimensions, order the appropriate number of shelves and the product number(s) specified in the chart for each level of shelving.


FOR A STANDALONE MINI-RACKING UNIT
OR TWO JOINED TOGETHER



FOR A MINI-RACKING UNIT
JOINED TO TWO SHELVING UNITS



FOR A MINI-RACKING UNIT
JOINED TO FOUR SHELVING UNITS




UPRIGHT ASSEMBLY DEPTH	BEAM WIDTH													
	36"		42"		48"		60"		66"		72"		96"	
	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.	QTY	PRODUCT NO.
24"	2	SR42-1824	1+	SR42-1824	2	SR42-2424	2+	SR42-1824	1+	SR42-1824	3	SR42-2424	4	SR42-2424
			1	SR42-2424			1	SR42-2424	2	SR42-2424				
30"	2	SR42-1830	1+	SR42-1830	2	SR42-2430	2+	SR42-1830	1+	SR42-1830	3	SR42-2430	4	SR42-2430
			1	SR42-2430			1	SR42-2430	2	SR42-2430				
36"	2	SR42-1836	1+	SR42-1836	2	SR42-2436	2+	SR42-1836	1+	SR42-1836	3	SR42-2436	4	SR42-2436
			1	SR42-2436			1	SR42-2436	2	SR42-2436				
48"	2	SR42-1848	1+	SR42-1848	2	SR42-2448	2+	SR42-1848	1+	SR42-1848	3	SR42-2448	4	SR42-2448
			1	SR42-2448			1	SR42-2448	2	SR42-2448				

WOOD DECKING DIMENSIONS

- 30"D, 36"D and 48"D Mini-Racking units can be joined to two back-to-back shelving units (except 96 1/2"W). Please see technical guide S52 for exact wood decking dimensions for your specific installation.

IMPORTANT

Wood decking is not available from Rousseau.
Our beams are designed to support plywood or particle board panels at least 3/8" thick.



w.w.Cannon, Inc.

Design. Layout. Build. Install.

1-800-442-3061
www.wwcannon.com

SHELVING WITH SLOPED SHELVES



INDEX	PAGE(S)
Shelving with Sloped Shelves	106
Preconfigured Models . . .	107-109
Components	110-113

SHELVING WITH SLOPED SHELVES

Rousseau shelving with sloped shelves provides superior-quality gravity flow storage that integrates perfectly with other products in our Spider® range. This unique product on the market is available in a wide range of dimensions to fulfill your exact requirements.

With an average slope of 15 degrees, sloped shelves are perfect for rear-loading applications (flow rack). These units help to create a "first in, first out" (FIFO) system. Shelving units without rear access are also available for more conventional storage.

Sloped shelves provide optimum visibility for items stored on shelves above the user's eye level. For shelves below this level, the extra angle reduces visibility of the shelf contents. If visibility is more important than flow in your system, we recommend installing lower shelves at right angles (SH20 / 21).



SRE1F-EE750501 + SRG1F-EE750501



SRE1T-EE750502*

WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS

H for posts with a smooth surface
R for posts with a perforated surface

SH SR

BOLTED uprights
WELDED uprights

Starter Unit
D
E

Add-on Unit
A
B

S **T** - EE750401

1 for open shelving
2 for closed shelving

e.g., SHD1T - EE750401

For an open shelving starter unit with smooth surface posts, bolted uprights 36"W, 24"D, 75"H and with four sloped shelves.

NOTE: A sloped shelf (SH27) can be replaced with a right-angled BOX shelf (SH20/21), see page 110.

OPEN AND CLOSED SHELVING

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and sloped shelves
- The shelves have perforations for SH52 dividers and SH57 guides in 1½" increments c/c. Extra perforations have also been added on each side for aligning an SH52 divider or an SH57 guide with the side of the post (this part acts as a side edge and prevents interference between stored items and the post fold)
- SH52 dividers are available for 18"D and 24"D shelving only
- A sloped shelf can be replaced with a right-angled BOX shelf, see page 110
- The closed shelving preconfigured models in this section include back panels and a front base
- The open shelving preconfigured models in this section include a back brace

OPEN SHELVING



SRE1T-EE750501
Starter unit



SRB1T-EE750501
Add-on unit

CLOSED SHELVING



SRE2T-EE750501
Starter unit



SRB2T-EE750501
Add-on unit

DIMENSIONS				NUMBER OF SHELVES		
W	D	H		4	5	6
36"	18"	75"		S__T-EC750401	S__T-EC750501	S__T-EC750601
	24"			S__T-EE750401	S__T-EE750501	S__T-EE750601
	30"			S__T-EH750401	S__T-EH750501	S__T-EH750601
	36"			S__T-EJ750401	S__T-EJ750501	S__T-EJ750601
	18"	87"		S__T-EC870401	S__T-EC870501	S__T-EC870601
	24"			S__T-EE870401	S__T-EE870501	S__T-EE870601
	30"			S__T-EH870401	S__T-EH870501	S__T-EH870601
	36"			S__T-EJ870401	S__T-EJ870501	S__T-EJ870601
	18"	99"		S__T-EC990401	S__T-EC990501	S__T-EC990601
	24"			S__T-EE990401	S__T-EE990501	S__T-EE990601
	30"			S__T-EH990401	S__T-EH990501	S__T-EH990601
	36"			S__T-EJ990401	S__T-EJ990501	S__T-EJ990601
42"	18"	75"		S__T-GC750401	S__T-GC750501	S__T-GC750601
	24"			S__T-GE750401	S__T-GE750501	S__T-GE750601
	30"			S__T-GH750401	S__T-GH750501	S__T-GH750601
	36"			S__T-GJ750401	S__T-GJ750501	S__T-GJ750601
	18"	87"		S__T-GC870401	S__T-GC870501	S__T-GC870601
	24"			S__T-GE870401	S__T-GE870501	S__T-GE870601
	30"			S__T-GH870401	S__T-GH870501	S__T-GH870601
	36"			S__T-GJ870401	S__T-GJ870501	S__T-GJ870601
	18"	99"		S__T-GC990401	S__T-GC990501	S__T-GC990601
	24"			S__T-GE990401	S__T-GE990501	S__T-GE990601
	30"			S__T-GH990401	S__T-GH990501	S__T-GH990601
	36"			S__T-GJ990401	S__T-GJ990501	S__T-GJ990601
48"	18"	75"		S__T-HC750401	S__T-HC750501	S__T-HC750601
	24"			S__T-HE750401	S__T-HE750501	S__T-HE750601
	30"			S__T-HH750401	S__T-HH750501	S__T-HH750601
	36"			S__T-HJ750401	S__T-HJ750501	S__T-HJ750601
	18"	87"		S__T-HC870401	S__T-HC870501	S__T-HC870601
	24"			S__T-HE870401	S__T-HE870501	S__T-HE870601
	30"			S__T-HH870401	S__T-HH870501	S__T-HH870601
	36"			S__T-HJ870401	S__T-HJ870501	S__T-HJ870601
	18"	99"		S__T-HC990401	S__T-HC990501	S__T-HC990601
	24"			S__T-HE990401	S__T-HE990501	S__T-HE990601
	30"			S__T-HH990401	S__T-HH990501	S__T-HH990601
	36"			S__T-HJ990401	S__T-HJ990501	S__T-HJ990601

PRECONFIGURED MODELS

BACK-TO-BACK OPEN AND CLOSED SHELVING

HERE ARE SOME OF OUR MOST POPULAR
PRECONFIGURED MODELS OF SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and sloped shelves
- The shelves have perforations for SH52 dividers and SH57 guides in 1½" increments c/c. Extra perforations have also been added on each side for aligning an SH52 divider or an SH57 guide with the side of the post (this part acts as a side edge and prevents interference between stored items and the post fold)
- SH52 dividers are available for 18"D and 24"D shelving only
- A sloped shelf can be replaced with a right-angled BOX shelf, [see page 110](#)
- The closed shelving preconfigured models in this section include back panels and front bases
- The open shelving preconfigured models in this section include a back brace

OPEN SHELVING



SRE1T-EE751001B
Starter unit

SRB1T-EE751001B
Add-on unit

CLOSED SHELVING



SRE2T-EE751001B
Starter unit

SRB2T-EE751001B
Add-on unit

DIMENSIONS			NUMBER OF SHELVES		
W	D*	H	8	10	12
36"	36"	75"	S__T-EC750801B	S__T-EC751001B	S__T-EC751201B
	48"		S__T-EE750801B	S__T-EE751001B	S__T-EE751201B
	60"		S__T-EH750801B	S__T-EH751001B	S__T-EH751201B
	72"		S__T-EJ750801B	S__T-EJ751001B	S__T-EJ751201B
	36"	87"	S__T-EC870801B	S__T-EC871001B	S__T-EC871201B
	48"		S__T-EE870801B	S__T-EE871001B	S__T-EE871201B
	60"		S__T-EH870801B	S__T-EH871001B	S__T-EH871201B
	72"		S__T-EJ870801B	S__T-EJ871001B	S__T-EJ871201B
	36"	99"	S__T-EC990801B	S__T-EC991001B	S__T-EC991201B
	48"		S__T-EE990801B	S__T-EE991001B	S__T-EE991201B
	60"		S__T-EH990801B	S__T-EH991001B	S__T-EH991201B
	72"		S__T-EJ990801B	S__T-EJ991001B	S__T-EJ991201B
42"	36"	75"	S__T-GC750801B	S__T-GC751001B	S__T-GC751201B
	48"		S__T-GE750801B	S__T-GE751001B	S__T-GE751201B
	60"		S__T-GH750801B	S__T-GH751001B	S__T-GH751201B
	72"		S__T-GJ750801B	S__T-GJ751001B	S__T-GJ751201B
	36"	87"	S__T-GC870801B	S__T-GC871001B	S__T-GC871201B
	48"		S__T-GE870801B	S__T-GE871001B	S__T-GE871201B
	60"		S__T-GH870801B	S__T-GH871001B	S__T-GH871201B
	72"		S__T-GJ870801B	S__T-GJ871001B	S__T-GJ871201B
	36"	99"	S__T-GC990801B	S__T-GC991001B	S__T-GC991201B
	48"		S__T-GE990801B	S__T-GE991001B	S__T-GE991201B
	60"		S__T-GH990801B	S__T-GH991001B	S__T-GH991201B
	72"		S__T-GJ990801B	S__T-GJ991001B	S__T-GJ991201B
48"	36"	75"	S__T-HC750801B	S__T-HC751001B	S__T-HC751201B
	48"		S__T-HE750801B	S__T-HE751001B	S__T-HE751201B
	60"		S__T-HH750801B	S__T-HH751001B	S__T-HH751201B
	72"		S__T-HJ750801B	S__T-HJ751001B	S__T-HJ751201B
	36"	87"	S__T-HC870801B	S__T-HC871001B	S__T-HC871201B
	48"		S__T-HE870801B	S__T-HE871001B	S__T-HE871201B
	60"		S__T-HH870801B	S__T-HH871001B	S__T-HH871201B
	72"		S__T-HJ870801B	S__T-HJ871001B	S__T-HJ871201B
	36"	99"	S__T-HC990801B	S__T-HC991001B	S__T-HC991201B
	48"		S__T-HE990801B	S__T-HE991001B	S__T-HE991201B
	60"		S__T-HH990801B	S__T-HH991001B	S__T-HH991201B
	72"		S__T-HJ990801B	S__T-HJ991001B	S__T-HJ991201B

NOTE: * The depth includes two units. e.g., 36"D = two 18"D units



SRK1F-EE750502*

**WHEN ORDERING, MODEL NUMBERS
MUST BE COMPLETED AS FOLLOWS**

	Standalone Unit	Starter Unit	Add-on Unit	End Unit
BOLTED uprights	J	D	A	C
WELDED uprights	K	E	B	G

SR_1F-EE750401

e.g., SRJ1F-EE750401

For an open shelving standalone unit with perforated posts, bolted uprights 36"W, 24"D, 75"H and with four sloped shelves.

NOTE: A sloped shelf (SH27) can be replaced with a right-angled BOX shelf (SH20/21), see page 110.

FIFO OPEN SHELVING

HERE ARE SOME OF OUR MOST POPULAR
PRECONFIGURED MODELS OF SHELVING UNITS

- The preconfigured models in this section include open uprights and sloped shelves. These preconfigured models include two dividing guides per shelf. The guides can be adjusted in 1½" increments c/c.
- The shelves have perforations for SH52 dividers and SH57 guides in 1½" increments c/c. Extra perforations have also been added on each side for aligning an SH52 divider or an SH57 guide with the side of the post (this part acts as a side edge and prevents interference between stored items and the post fold)
- SH52 dividers are available for 18"D and 24"D shelving only
- A sloped shelf can be replaced with a right-angled BOX shelf, see page 110
- These preconfigured models include single or double corner gussets (depending on configuration)



SRK1F-DC750401
Standalone Unit



SRE1F-DC75041 Starter unit SRB1F-DC750401 Add-on unit SRG1F-DC750401 End unit

DIMENSIONS			NUMBER OF SHELVES		
W	D	H	4	5	6
36"	18"	75"	SR_1F-EC750401	SR_1F-EC750501	SR_1F-EC750601
	24"		SR_1F-EE750401	SR_1F-EE750501	SR_1F-EE750601
	30"		SR_1F-EH750401	SR_1F-EH750501	SR_1F-EH750601
	36"		SR_1F-EJ750401	SR_1F-EJ750501	SR_1F-EJ750601
	18"	87"	SR_1F-EC870401	SR_1F-EC870501	SR_1F-EC870601
	24"		SR_1F-EE870401	SR_1F-EE870501	SR_1F-EE870601
	30"		SR_1F-EH870401	SR_1F-EH870501	SR_1F-EH870601
	36"		SR_1F-EJ870401	SR_1F-EJ870501	SR_1F-EJ870601
	18"	99"	SR_1F-EC990401	SR_1F-EC990501	SR_1F-EC990601
	24"		SR_1F-EE990401	SR_1F-EE990501	SR_1F-EE990601
	30"		SR_1F-EH990401	SR_1F-EH990501	SR_1F-EH990601
	36"		SR_1F-EJ990401	SR_1F-EJ990501	SR_1F-EJ990601
42"	18"	75"	SR_1F-GC750401	SR_1F-GC750501	SR_1F-GC750601
	24"		SR_1F-GE750401	SR_1F-GE750501	SR_1F-GE750601
	30"		SR_1F-GH750401	SR_1F-GH750501	SR_1F-GH750601
	36"		SR_1F-GJ750401	SR_1F-GJ750501	SR_1F-GJ750601
	18"	87"	SR_1F-GC870401	SR_1F-GC870501	SR_1F-GC870601
	24"		SR_1F-GE870401	SR_1F-GE870501	SR_1F-GE870601
	30"		SR_1F-GH870401	SR_1F-GH870501	SR_1F-GH870601
	36"		SR_1F-GJ870401	SR_1F-GJ870501	SR_1F-GJ870601
	18"	99"	SR_1F-GC990401	SR_1F-GC990501	SR_1F-GC990601
	24"		SR_1F-GE990401	SR_1F-GE990501	SR_1F-GE990601
	30"		SR_1F-GH990401	SR_1F-GH990501	SR_1F-GH990601
	36"		SR_1F-GJ990401	SR_1F-GJ990501	SR_1F-GJ990601
48"	18"	75"	SR_1F-HC750401	SR_1F-HC750501	SR_1F-HC750601
	24"		SR_1F-HE750401	SR_1F-HE750501	SR_1F-HE750601
	30"		SR_1F-HH750401	SR_1F-HH750501	SR_1F-HH750601
	36"		SR_1F-HJ750401	SR_1F-HJ750501	SR_1F-HJ750601
	18"	87"	SR_1F-HC870401	SR_1F-HC870501	SR_1F-HC870601
	24"		SR_1F-HE870401	SR_1F-HE870501	SR_1F-HE870601
	30"		SR_1F-HH870401	SR_1F-HH870501	SR_1F-HH870601
	36"		SR_1F-HJ870401	SR_1F-HJ870501	SR_1F-HJ870601
	18"	99"	SR_1F-HC990401	SR_1F-HC990501	SR_1F-HC990601
	24"		SR_1F-HE990401	SR_1F-HE990501	SR_1F-HE990601
	30"		SR_1F-HH990401	SR_1F-HH990501	SR_1F-HH990601
	36"		SR_1F-HJ990401	SR_1F-HJ990501	SR_1F-HJ990601

COMPONENTS

SHELVES AND SHELF ACCESSORIES

SLOPED SHELF

SH27



- For gravity flow storage ("first in, first out" – FIFO)
- Approx. 15° angle slope
- Includes a heavy-duty front edge to keep stored items in place. Front edge height: 1 3/8"
- 20ga steel shelves (painted steel)
- Shelf is placed on galvanized steel side supports (included)
- Includes perforations for SH52 dividers and SH57 dividing guides in 1 1/2" increments c/c
- SH52 dividers are available for 18"D and 24"D shelving only
- Extra perforations have been added to the sides to optimize alignment of the divider or guide with the post and to prevent stored items from falling
- Height can be adjusted in 1" increments, except if SR35 or SR36 corner gussets are used (in which case, can be adjusted in 2" increments)
- Sloped shelves and non-sloped SH20 and SH21 BOX shelves can be combined in the same unit

- Sloped shelf load capacity: 450lb.
- Compatible with:
 - SH99 base for mobile shelving
 - SH41, SH43, SH91 and SH93 doors with frame*
 - SH85 flipper door directly underneath an SH27 shelf*
 - Drawers directly underneath an SH27 shelf*
 - SH28 base
 - SH81 and SH82 label holders
 - SH37, SH38, SH66, SH68, SH69 and SR79 panels

PRODUCT NO.	W × D	PRODUCT NO.	W × D
SH27-3018	30" × 18"	SH27-4218	42" × 18"
SH27-3024	30" × 24"	SH27-4224	42" × 24"
SH27-3030	30" × 30"	SH27-4230	42" × 30"
SH27-3036	30" × 36"	SH27-4236	42" × 36"
SH27-3618	36" × 18"	SH27-4818	48" × 18"
SH27-3624	36" × 24"	SH27-4824	48" × 24"
SH27-3630	36" × 30"	SH27-4830	48" × 30"
SH27-3636	36" × 36"	SH27-4836	48" × 36"

NOTES: Not compatible with the following products: SH50 divider, SH56 dividing rod, SH65 and SH67 panels for plastic bins, SH35 corner gussets.

*Not compatible with SR35 and SR36 corner gussets.

One SH2A reinforcements increase the BOX shelf's rigidity (but do not increase the shelf's load capacity).

BOX SHELF

SH20 / SH21



SH60

- BOX-type shelf with roll-formed and welded front and back edges
- 20ga steel. Thickness: 1 1/4"
- Includes four sturdy and compact SH60 clips
- Includes perforations spaced 3" apart c/c for installing SH52 dividers
- SH52 dividers are available for 18"D and 24"D shelving only
- To order: Complete the product number with the width required: 30", 36", 42" or 48"
- SH20: Reinforcements are available for these shelves. For load capacities, [see page 110](#)
- SH21: To see load capacities and shelf reinforcements available, refer to the following table

PRODUCT NO.	DEPTH
SH20-__18	18"
SH20-__24	24"
SH21-__30*	30"
SH21-__36*	36"

NOTE: * Double bend on the sides.

SH21 SHELF LOAD CAPACITY

Visual distortion is reduced if an SH26 reinforcement and two SH23 reinforcements are used on the shelf.

SHELVES	CAPACITY WITHOUT REINFORCEMENT	CAPACITY WITH SH23 REINFORCEMENT	CAPACITY WITH SH23 & SH26 REINFORCEMENT
SH21-3030	575	925	—
SH21-3036	425	825	—
SH21-3630	600	800	—
SH21-3636	425	800	—
SH21-4230	625	—	850
SH21-4236	525	—	775
SH21-4830	500	—	800
SH21-4836	500	—	800

GUIDES



- Guides for sloped shelves (version 01) can be used to guide items all the way down the shelf
 - Width can be adjusted in 1½" increments
 - The front of the guide slots into the bend at the front of the shelf
 - The guide is held at the back by a plastic end piece that screws into the shelf holes
 - 18"D and 24"D guides use aluminum rods, while 30"D and 36"D guides use stainless steel rods

- Dividing guides for BOX shelves (version 02) can be used to separate items
 - Width can be adjusted in 3" increments
 - The guide is held at the front and back by a plastic end piece that screws into the shelf holes
 - 18"D and 24"D guides use aluminum rods, while 30"D and 36"D guides use stainless steel rods
- Heavy-duty black plastic end pieces

DIMENSIONS		PRODUCT NO.	
DEPTH	SLOPED SHELF	BOX SHELF	
18"	SH57-1801	SH57-1802	
24"	SH57-2401	SH57-2402	
30"	SH57-3001	SH57-3002	
36"	SH57-3601	SH57-3602	

STRUCTURAL COMPONENTS

POST



SR10 / SH10



- Tubular T shape provides up to seven fixing zones
- Includes perforations spaced 1" apart c/c on each side for easy adjustment of shelves
- 14ga steel
- Options:
 - SR10 universal post with perforated front surface for adding mini-racking units. Compatible with SR35 and SR36 corner gussets
 - SH10 shelving post with smooth front surface for a neater finish. Not compatible with SR35 and SR36 corner gussets

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR10-039	SH10-039	39"
SR10-051	SH10-051	51"
SR10-075	SH10-075	75"
SR10-087	SH10-087	87"
SR10-099	SH10-099	99"
SR10-111	SH10-111	111"
SR10-123	SH10-123	123"

NOTES: The maximum height for FIFO use (with SR35 and SR36 corner gussets) is 99".
The unique design of the Spider® post is a trademark of Rousseau Metal Inc.



WELDED OPEN UPRIGHT



SR11 / SH11



- Upright with factory-welded side braces
- Enables faster assembly
- To order: Complete the product number with the depth required: 18", 24", 30" or 36"
- Options:
 - SR11 open upright with perforated front surface for adding mini-racking units. Compatible with SR35 and SR36 corner gussets
 - SH11 open upright with smooth front surface for a neater finish. Not compatible with SR35 and SR36 corner gussets

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR11-__0752	SH11-__0752	75"
SR11-__0872	SH11-__0872	87"
SR11-__0992	SH11-__0992	99"

NOTE: The maximum height for FIFO use (with SR35/SR36 corner gussets) is 99".

WELDED CLOSED UPRIGHT



SR12 / SH12



- Upright with full-height factory-welded panel
- Enables faster assembly
- To order: Complete the product number with the depth required: 18", 24", 30" or 36"
- Options:
 - SR12 closed upright with perforated front surface for adding mini-racking units. Compatible with SR35 and SR36 corner gussets
 - SH12 closed upright with smooth front surface for a neater finish. Not compatible with SR35 and SR36 corner gussets

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR12-__075	SH12-__075	75"
SR12-__087	SH12-__087	87"
SR12-__099	SH12-__099	99"

NOTE: The maximum height for FIFO use (with SR35 and SR36 corner gussets) is 99".

COMPONENTS

SHELF FRONT OR FRONT BASE

SH28



- Same component used for both applications
- Quick and easy hook-on installation
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH28-__02	2"
SH28-__05	5"

NOTE: The 2"H front base is always included with closed shelving preconfigured models (except the ones with sliding panels).

BACK PANEL

SH31

- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
 - 111"H posts (39"H + 39"H + 39"H)
 - 123"H posts (39"H + 39"H + 51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH31-__39	39"
SH31-__51	51"

SIDE PANEL

SH30

- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
 - 111"H posts (39"H + 39"H + 39"H)
 - 123"H posts (39"H + 39"H + 51"H)
- To order: Complete the product number with the depth required: 18", 24", 30" or 36"

PRODUCT NO.	HEIGHT
SH30-__39	39"
SH30-__51	51"

BACK SWAY BRACE

SH33



- X-shaped factory-assembled brace
- Easy to install
- Recommendations:
 - For 99"H uprights and shorter: one brace
 - For uprights higher than 99": two braces

PRODUCT NO.	WIDTH
SH33-30	30"
SH33-36	36"
SH33-42	42"
SH33-48	48"

NOTES: Please refer to technical guide S58 or contact your customer service representative for exact placement of the brace.
Do not use with FIFO shelving. Replace with SR35 and SR36 corner gusset kits.

SIDE BRACES

SH34



- Sold in pairs
- Enables uprights to be attached in a "ladder" for easier assembly
- Recommendations:
 - 99"H uprights or shorter: one pair of side braces
 - For uprights higher than 99"H: please refer to technical guide S58 or contact your customer service representative

PRODUCT NO.	DEPTH
SH34-18	18"
SH34-24	24"
SH34-30	30"
SH34-36	36"

SINGLE CORNER GUSSET KIT

SR35



- Replaces a back sway brace to provide full access to the front and rear of the shelving
- For use with an end-of-aisle post or a common post with shelves side by side and offset by at least 4" in height
- Does not allow two shelves side by side at the same height
- Installs at the front and back of the post Compatible with SH20, SH21 and SH27 shelves
- For use with SR uprights and posts only
- Not compatible with doors with frame, drawers, roll-out shelves and flipper doors

PRODUCT NO.	
SR35-02	1 pair
SR35-04	2 pairs

NOTES: A minimum of three kits of two SR35 or SR36 gussets per post is required to provide proper lateral bracing.
Not to be used for shelving over 99"H, multi-level shelving or double shelf reinforcements (SHC2).

DOUBLE CORNER GUSSET KIT

SR36



- Replaces sway brace to provide full access to the front and rear of the shelving
- For use with a common post with shelves side by side at the same height
- Installs at the front and back of the post
- Compatible with SH20, SH21 and SH27 shelves
- For use with SR uprights and posts only
- Not compatible with doors with frame, drawers, roll-out shelves and flipper doors

PRODUCT NO.


SR36-02 1 pair

NOTES: A minimum of three kits of two SR35 or SR36 gussets per common post is required to provide proper lateral bracing.

Not to be used for shelving over 99"H, multi-level shelving or double shelf reinforcements (SHC2).

STRUCTURAL BACK UTILITY PANEL

SH79



- Utility panel for the backs of shelving
- Forms an integral part of the shelving structure
- Holes spaced 1" apart c/c
- Load capacity: maximum 250lb. per panel
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO. HEIGHT

SH79-__39 39"

SH79-__51 51"

NOTE: Used without SH31 back panels.

INSTALLATION ACCESSORIES

FLOOR ANCHOR PLATE

SH45




- Sold individually
- Attaches to the post for anchoring shelving sections to the ground. Distributes the load over a larger surface and protects the floor
- 12ga galvanized steel

PRODUCT NO.

SH45

WALL SPACER

SR47



- Anchors shelving to the wall
- Adjusts from 3" to 4"
- Wall anchoring hardware not included (holes are 5/16" dia.)

PRODUCT NO.

SR47-0304

SHIM PLATE

SH46



- Sold individually
- Levels shelving units on uneven surfaces
- Slides under SH45 floor anchor plates
- 12ga or 16ga galvanized steel

PRODUCT NO. THICKNESS

SH46-12 12 gauge (0,100")

SH46-16 16 gauge (0,060")

LEVELING GLIDES KIT

SR49



- Sold in pairs
- Adjusts the height of Spider® Shelving units from 1¼" to 2½" on uneven surfaces
- Load capacity: maximum 750lb. per glide
- Restrictions:
 - Only compatible with 99"H shelving or shorter
 - Only compatible with SR uprights and posts
 - Not compatible with RF32 and RF36 modular drawers, RF41 and RF45 roll-out shelves and SH28 bases

PRODUCT NO.

SR49-01

FLOOR ANCHORING HARDWARE

SH47



- Used for anchoring shelving to the floor;
- Includes 4 cement screws.

PRODUCT NO.

SH47-04





INDEX	PAGE(S)
Spider® Shelving System	86-87
Preconfigured Models	88-92
Accessories	93-100
Components	101-105

THE MOST VERSATILE SHELVING SYSTEM ON THE MARKET

Quick to assemble and built for heavy-duty industrial use, the Spider® Shelving System meets all of your storage needs. With its vast range of accessories, it is the most versatile and flexible shelving system on the market.

- By combining shelving and Mini-Racking, you can extend the range of possibilities available
- By adding modular drawers, you can organize your small parts more efficiently
- Vertical expansion is also possible with our multi-level shelving system

Designed for intensive use, our modular storage system uses the space you have available to its full potential, in areas such as warehouses, parts departments, repair shops and distribution centers.

Trust in our expertise and enjoy peace of mind, knowing all your current and future storage needs will be met.



R5SEE-871809

THE ROUSSEAU DIFFERENCE




R drawers can be installed in Rousseau's Spider® Shelving System but also in over 35 commercially available shelving brands.



Easy assembly: The shelves are installed on the posts with four 14-gauge steel compression clips for quick and easy reconfiguration.



Mini-Racking can be added to maximize storage options.




The multipurpose common post is a key structural component. Its unique tubular T shape provides up to seven fixing zones for different applications. It also has a hollow center to prevent interference between sections.



Each component has been designed to be easy to use.

NOTE: The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

GENERAL DIMENSIONS



NOTE: Popular dimensions are shown in red.

PRECONFIGURED MODELS



SRE1023



SRE2023

WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS

H for posts with a smooth surface
R for posts with a perforated surface

SH **SR** BOLTED uprights
 WELDED uprights

Starter Unit **D**
 Add-on Unit **A**
E **B**

S **001**

1 for open shelving
2 for closed shelving

e.g., **SHD1001**

For an open shelving starter unit with smooth surface posts and bolted uprights.

36"W, 42"W AND 48"W SINGLE SHELVING UNITS, OPEN AND CLOSED

OPEN SHELVING

SRE1011
Starter unitSRB1011
Add-on unit

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF OPEN AND CLOSED SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and BOX shelves
- The closed shelving preconfigured models in this section include back panels and a front base
- The open shelving preconfigured models in this section include a back brace

DIMENSIONS				NUMBER OF SHELVES				
W	D	H		5	6	7	8	9
36"	12"	75"		S__001	S__007	S__013	S__019	S__225
	18"			S__002	S__008	S__014	S__020	S__226
	24"			S__003	S__009	S__015	S__021	S__227
	12"	87"		S__004	S__010	S__016	S__022	S__228
	18"			S__005	S__011	S__017	S__023	S__229
	24"			S__006	S__012	S__018	S__024	S__230
	12"	99"		S__401	S__407	S__413	S__419	S__625
	18"			S__402	S__408	S__414	S__420	S__626
	24"			S__403	S__409	S__415	S__421	S__627
42"	12"	75"		S__131	S__137	S__143	S__149	S__255
	18"			S__132	S__138	S__144	S__150	S__256
	24"			S__133	S__139	S__145	S__151	S__257
	12"	87"		S__134	S__140	S__146	S__152	S__258
	18"			S__135	S__141	S__147	S__153	S__259
	24"			S__136	S__142	S__148	S__154	S__260
	12"	99"		S__531	S__537	S__543	S__549	S__555
	18"			S__532	S__538	S__544	S__550	S__556
	24"			S__533	S__539	S__545	S__551	S__557
48"	12"	75"		S__031	S__037	S__043	S__049	S__355
	18"			S__032	S__038	S__044	S__050	S__356
	24"			S__033	S__039	S__045	S__051	S__357
	12"	87"		S__034	S__040	S__046	S__052	S__358
	18"			S__035	S__041	S__047	S__053	S__359
	24"			S__036	S__042	S__048	S__054	S__360
	12"	99"		S__431	S__437	S__443	S__449	S__455
	18"			S__432	S__438	S__444	S__450	S__456
	24"			S__433	S__439	S__445	S__451	S__457

NOTES: For more information about drawers in shelving, [see page 130](#).

Shelving with drawers must be anchored to the ground with a floor anchoring kit (SH45/SH47).

CLOSED SHELVING

SRE2011
Starter unitSRB2011
Add-on unit

36"W, 42"W AND 48"W BACK-TO-BACK SHELVING, OPEN AND CLOSED

OPEN SHELVING



SRE1011B
Starter unit



SRB1011B
Add-on unit

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF BACK-TO-BACK, OPEN AND CLOSED SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and BOX shelves
- The closed shelving preconfigured models in this section include back panels and front bases
- The open shelving preconfigured models in this section include a back brace

DIMENSIONS				NUMBER OF SHELVES			
W	D*	H		10	12	14	16
36"	24"	75"		S_001B	S_007B	S_013B	S_019B
	36"			S_002B	S_008B	S_014B	S_020B
	48"			S_003B	S_009B	S_015B	S_021B
	24"	87"		S_004B	S_010B	S_016B	S_022B
	36"			S_005B	S_011B	S_017B	S_023B
	48"			S_006B	S_012B	S_018B	S_024B
	24"	99"		S_401B	S_407B	S_413B	S_419B
	36"			S_402B	S_408B	S_414B	S_420B
	48"			S_403B	S_409B	S_415B	S_421B
	24"	75"		S_131B	S_137B	S_143B	S_149B
42"	36"			S_132B	S_138B	S_144B	S_150B
	48"			S_133B	S_139B	S_145B	S_151B
	24"	87"		S_134B	S_140B	S_146B	S_152B
	36"			S_135B	S_141B	S_147B	S_153B
	48"			S_136B	S_142B	S_148B	S_154B
	24"	99"		S_531B	S_537B	S_543B	S_549B
	36"			S_532B	S_538B	S_544B	S_550B
	48"			S_533B	S_539B	S_545B	S_551B
	24"	75"		S_031B	S_037B	S_043B	S_049B
	36"			S_032B	S_038B	S_044B	S_050B
48"	48"			S_033B	S_039B	S_045B	S_051B
	24"	87"		S_034B	S_040B	S_046B	S_052B
	36"			S_035B	S_041B	S_047B	S_053B
	48"			S_036B	S_042B	S_048B	S_054B
	24"	99"		S_431B	S_437B	S_443B	S_449B
	36"			S_432B	S_438B	S_444B	S_450B
	48"			S_433B	S_439B	S_445B	S_451B

NOTES: * The depth includes two units. e.g., 24" = two 12" units

For more information about drawers in shelving, [see page 130](#).

Shelving with drawers must be anchored to the ground with a floor anchoring kit (SH45/SH47).

CLOSED SHELVING



SRE2011B
Starter unit



SRB2011B
Add-on unit

87"H CLOSED SHELVING WITH ACCESSORIES

Some of our most popular shelving units are shown below

NOTES: The 2" front base is always included with closed shelving preconfigured models.

For help on completing the product number, [see page 88](#).



SRE3009

SHELVING WITH DIVIDERS

- 8 shelves
- 28 slots:
 - 28 slots 12"W×9"H
- 21 dividers, 5½"H



SRE3022

SHELVING WITH DIVIDERS

- 8 shelves
- 19 slots:
 - 18 slots 12"W×12"H
 - 1 slot 36"W×12"H
- 12 dividers, 12"H
- 6 shelf fronts



SRE3062

SHELVING WITH DIVIDERS FOR X-RAY STORAGE

- 6 shelves
- 60 slots:
 - 48 slots 3"W×16"H
 - 12 slot 3"W×20"H
- 44 dividers, 16"H
- 11 dividers, 20"H

PRODUCT NO.	W×D
S_3008	36"×12"
S_3009	36"×18"
S_3010	36"×24"

PRODUCT NO.	W×D
S_3021	36"×12"
S_3022	36"×18"
S_3023	36"×24"


PRODUCT NO.	W×D
S_3062	36"×18"

PRECONFIGURED MODELS




SHELVING WITH SLIDING PANELS

OPEN SHELVING



SRE1C-EE870103
Starter unit



SRB1C-EE870103
Add-on unit


CLOSED SHELVING



SRE2C-EE870103
Starter unit



SRB2C-EE870103
Add-on unit




SHE1C-EE870103*

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF SLIDING PANELS.

- The preconfigured models in this section include open or closed uprights, sliding panels (with handles), panel support and a BOX shelf
- The closed shelving preconfigured models in this section include back panels and the open shelving preconfigured models in this section include a back brace
- For storing a wide range of items: tools, straps, cables, pipes, gaskets, etc.
- Load capacity: 300lb. per panel (weight evenly distributed)
- Refer to technical guide S84 for spacing between panels
- For 5S accessories, [see pages 214-215](#)

DIMENSIONS					
W	D	H	PRODUCT NO.	NO. OF PANELS	NO. OF HOLES
30"	18"	75"	S__C-DC750102	2	15
	24"		S__C-DE750102	2	21
	18"	87"	S__C-DC870102	2	15
	24"		S__C-DE870102	2	21
36"	18"	75"	S__C-EC750103	3	15
	24"		S__C-EE750103	3	21
	18"	87"	S__C-EC870103	3	15
	24"		S__C-EE870103	3	21
42"	18"	75"	S__C-GC750104	4	15
	24"		S__C-GE750104	4	21
	18"	87"	S__C-GC870104	4	15
	24"		S__C-GE870104	4	21
48"	18"	75"	S__C-HC750105	5	15
	24"		S__C-HE750105	5	21
	18"	87"	S__C-HC870105	5	15
	24"		S__C-HE870105	5	21

WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS



The panel support must be anchored to the ground to ensure stability (anchoring kit included).

NOTE: *5S accessories not included.

SHELVING WITH MODULAR DRAWERS

Some of our most popular shelving units with drawers are shown below.

- The preconfigured models in this section include welded closed uprights and hook-on mounting brackets for Spider® shelving for quick and easy assembly
- Additional accessories available: utility panels, plastic bin panels, finishing panels, shelf dividers, doors, etc., [see pages 94-100](#)
- To order an add-on unit, add **A** to the product number




R5SEE-871817

IMPORTANT

Drawer compartments are included in all models.

See number of compartments and proposed layouts in the chart below.



To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., R5SEC-751801 with
R5SEC-751802 without

NUMBER OF COMPARTMENTS (LAYOUT CODE)

DRAWER DIMENSIONS	3"H TO 5"H	6"H TO 8"H	9"H AND HIGHER
36"W x 18"D	24 (0518)	8 (0304)	6 (0203)
36"W x 24"D	30 (0524)	12 (0308)	9 (0206)
42"W x 18"D	18 (0512)	12 (0308)	6 (0203)
42"W x 24"D	30 (0524)	12 (0308)	8 (0304)
48"W x 18"D	32 (0724)	10 (0405)	8 (0304)
48"W x 24"D	40 (0732)	15 (0410)	8 (0304)

NOTE: For interior drawer dimensions, [see pages 226-228](#)



Shelving units with drawers must be anchored to the ground (anchoring kit included).

SHELVING WITH 18"H, 24"H, 36"H AND 48"H BANKS OF MODULAR DRAWERS

SHELVING WITH 18"H BANK OF MODULAR DRAWERS



R5SEE-871801

- 4 drawers:
 - 3 drawers, 4"H
 - 1 drawer, 6"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W x D	75"H	87"H
36" x 18"	R5SEC-751801_	R5SEC-871801_
36" x 24"	R5SEE-751801_	R5SEE-871801_
42" x 18"	R5SGC-751801_	R5SGC-871801_
42" x 24"	R5SGE-751801_	R5SGE-871801_
48" x 18"	R5SHC-751801_	R5SHC-871801_
48" x 24"	R5SHE-751801_	R5SHE-871801_

SHELVING WITH 24" OF MODULAR DRAWERS



R5SEE-872401

- 5 drawers:
 - 3 drawers, 4"H
 - 2 drawers, 6"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W x D	75"H	87"H
36" x 18"	R5SEC-752401_	R5SEC-872401_
36" x 24"	R5SEE-752401_	R5SEE-872401_
42" x 18"	R5SGC-752401_	R5SGC-872401_
42" x 24"	R5SGE-752401_	R5SGE-872401_
48" x 18"	R5SHC-752401_	R5SHC-872401_
48" x 24"	R5SHE-752401_	R5SHE-872401_

SHELVING WITH 36"H BANK OF MODULAR DRAWERS



R5SEE-873601

- 7 drawers:
 - 3 drawers, 4"H
 - 4 drawers, 6"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W x D	75"H	87"H
36" x 18"	R5SEC-753601_	R5SEC-873601_
36" x 24"	R5SEE-753601_	R5SEE-873601_
42" x 18"	R5SGC-753601_	R5SGC-873601_
42" x 24"	R5SGE-753601_	R5SGE-873601_
48" x 18"	R5SHC-753601_	R5SHC-873601_
48" x 24"	R5SHE-753601_	R5SHE-873601_



R5SEE-873603

- 7 drawers:
 - 4 drawers, 4"H
 - 2 drawers, 6"H
 - 1 drawer, 8"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W x D	75"H	87"H
36" x 18"	R5SEC-753603_	R5SEC-873603_
36" x 24"	R5SEE-753603_	R5SEE-873603_
42" x 18"	R5SGC-753603_	R5SGC-873603_
42" x 24"	R5SGE-753603_	R5SGE-873603_
48" x 18"	R5SHC-753603_	R5SHC-873603_
48" x 24"	R5SHE-753603_	R5SHE-873603_

PRECONFIGURED MODELS

SHELVING WITH 48"H BANK OF MODULAR DRAWERS



R5SEE-874801

- 8 drawers:
 - 8 drawers, 6"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754801_	R5SEC-874801_
36"×24"	R5SEE-754801_	R5SEE-874801_
42"×18"	R5SGC-754801_	R5SGC-874801_
42"×24"	R5SGE-754801_	R5SGE-874801_
48"×18"	R5SHC-754801_	R5SHC-874801_
48"×24"	R5SHE-754801_	R5SHE-874801_



R5SEE-874803

- 9 drawers:
 - 4 drawers, 4"H
 - 4 drawers, 6"H
 - 1 drawer, 8"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754803_	R5SEC-874803_
36"×24"	R5SEE-754803_	R5SEE-874803_
42"×18"	R5SGC-754803_	R5SGC-874803_
42"×24"	R5SGE-754803_	R5SGE-874803_
48"×18"	R5SHC-754803_	R5SHC-874803_
48"×24"	R5SHE-754803_	R5SHE-874803_



R5SEE-874805

- 10 drawers:
 - 6 drawers, 4"H
 - 4 drawers, 6"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754805_	R5SEC-874805_
36"×24"	R5SEE-754805_	R5SEE-874805_
42"×18"	R5SGC-754805_	R5SGC-874805_
42"×24"	R5SGE-754805_	R5SGE-874805_
48"×18"	R5SHC-754805_	R5SHC-874805_
48"×24"	R5SHE-754805_	R5SHE-874805_



R5SEE-874807

- 11 drawers:
 - 4 drawers, 3"H
 - 3 drawers, 4"H
 - 4 drawers, 6"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754807_	R5SEC-874807_
36"×24"	R5SEE-754807_	R5SEE-874807_
42"×18"	R5SGC-754807_	R5SGC-874807_
42"×24"	R5SGE-754807_	R5SGE-874807_
48"×18"	R5SHC-754807_	R5SHC-874807_
48"×24"	R5SHE-754807_	R5SHE-874807_



R5SEE-874809

- 7 drawers:
 - 2 drawers, 3"H
 - 3 drawers, 4"H
 - 2 drawers, 6"H
- 1 front-access roll-out shelf
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754809_	R5SEC-874809_
36"×24"	R5SEE-754809_	R5SEE-874809_
42"×18"	R5SGC-754809_	R5SGC-874809_
42"×24"	R5SGE-754809_	R5SGE-874809_
48"×18"	R5SHC-754809_	R5SHC-874809_
48"×24"	R5SHE-754809_	R5SHE-874809_



DIVIDERS

SHELF DIVIDER

SH50



- The dividers are installed by inserting into other dividers
- Two nylon clips are provided with each divider
- Sizes given are nominal dimensions (c/c shelves)
- Painted steel



PRODUCT NO.	D × H
SH50-1206	12" × 6"
SH50-1209	12" × 9"
SH50-1212	12" × 12"
SH50-1215	12" × 15"
SH50-1218	12" × 18"
SH50-1506	15" × 6"
SH50-1512	15" × 12"
SH50-1806	18" × 6"
SH50-1809	18" × 9"
SH50-1812	18" × 12"
SH50-1815	18" × 15"
SH50-1818	18" × 18"
SH50-1824	18" × 24"

PRODUCT NO.	D × H
SH50-2406	24" × 6"
SH50-2409	24" × 9"
SH50-2412	24" × 12"
SH50-2415	24" × 15"
SH50-2418	24" × 18"
SH50-2424	24" × 24"

DIVIDERS FOR X-RAY STORAGE

PRODUCT NO.	D × H
SH50-1816	18" × 16"
SH50-1820	18" × 20"

NOTE: Other sizes are available. Contact your customer service representative for more information.



SHE3062

PARTIAL DIVIDER

SH52



- Unique patented design for easy position changes
- Height: 5½"
- Easy tool-free installation

PRODUCT NO.	DEPTH	FOR SHELVES
SH52-1206	7¼"	12"D
SH52-1506	10⅞"	15"D
SH52-1806	13¼"	18"D
SH52-2406	19⅞"	24"D

Includes pictograms for easy installation



DIVIDING RODS

SH56



- Sold in pairs
- ¼" dia. stainless steel rod
- Includes a 90° bend at one end to keep it in place
- Superior rigidity to the plastic rods often found on the market for this type of application
- Excellent corrosion and chemical resistance

PRODUCT NO.	HEIGHT
SH56-72	72"
SH56-84	84"
SH56-96	96"



SRP0410

LABEL HOLDERS

MAGNETIC LABEL HOLDER

SH82



- Magnetic plastic
- Comes in 6" lengths and can be cut to desired length with scissors or a knife

PRODUCT NO.	W × H
SH82-600	6" × 1"

NOTE: For use with paper labels (not included). Label must be ¼" high.

SELF-ADHESIVE LABEL HOLDER

SH81



- Attaches with a self-adhesive strip
- Full-width label holder for use with paper labels

PRODUCT NO.	W × H
SH81-36	36" × 1"
SH81-42	42" × 1"
SH81-48	48" × 1"

NOTE: Paper labels (not included).

ACCESSORIES

PANELS

FINISHING PANEL

SH37



- Finishing panel for end-of-aisle shelving units
- Quick and easy hook-on assembly
- Creates a neater appearance
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH37-__075	75"
SH37-__087	87"

SIDE UTILITY PANEL

SH68




- The SH68 Side Utility Panel can be installed on either the inside or outside of the upright
- Simple tool-free assembly
- Four widths available: 12" (8 holes), 15" (12 holes), 18" (14 holes) and 24" (20 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH68-__14	14"
SH68-__20	20"
SH68-__32	32"

FULL-HEIGHT HEAVY-DUTY UTILITY PANEL

SH69




- Full-height heavy-duty utility panel for end-of-aisle shelving units
- Holes spaced 1" apart c/c
- Quick and easy hook-on assembly
- Creates a neater appearance
- Four widths available: 12" (9 holes), 15" (13 holes), 18" (15 holes) and 24" (21 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Also compatible with WM9C rails; WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 500lb. max. per panel
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH69-__51	51"
SH69-__75	75"
SH69-__87	87"

BACK UTILITY PANEL

SR79




- Utility panel for the backs of shelving
- Load capacity: 250lb. per panel
- Easy to install
- Installs at the back of an existing shelving unit
- Holes spaced 1" apart c/c
- Compatible with SH31 back panels
- Four widths available: 30" (26 holes), 36" (32 holes), 42" (38 holes) and 48" (44 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with SR uprights that have perforated sides
- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SR79-__39	39"
SR79-__51	51"

NOTE: SR79 panels are not reversible

BACK (INTERIOR) OR SIDE PLASTIC BIN PANEL

SH65 / SH66



- SH65 Back Plastic Bin Panel: installs inside a shelving unit between two shelves
- SH66 Side Plastic Bin Panel: can be installed on either the inside or outside of the upright
- Simple tool-free assembly
- Used for hanging RG20 bins
- Compatible with all brands of plastic bins with hanging lip on the market

BACK	W x H	SIDE	D x H
SH65-3020	30" x 20"	SH66-1220	12" x 20"
SH65-3032	30" x 32"	SH66-1232	12" x 32"
SH65-3620	36" x 20"	SH66-1520	15" x 20"
SH65-3632	36" x 32"	SH66-1532	15" x 32"
SH65-4220	42" x 20"	SH66-1820	18" x 20"
SH65-4232	42" x 32"	SH66-1832	18" x 32"
SH65-4820	48" x 20"	SH66-2420	24" x 20"
SH65-4832	48" x 32"	SH66-2432	24" x 32"

NOTE: For SH65 installation, allow a minimum 4" c/c between shelves.

BACK UTILITY PANEL (INTERIOR)

SH67



- The SH67 Back Utility Panel installs inside a shelving unit between two shelves
- Simple tool-free assembly
- Four widths available: 30" (26 holes), 36" (32 holes), 42" (38 holes) and 48" (44 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH67-__14	14"
SH67-__20	20"
SH67-__32	32"

NOTE: For SH67 installation, allow a minimum 4" c/c between shelves.

LED LIGHTS

LED LIGHT FOR SPIDER® SHELVING

SH95



- Brightens shaded areas under shelves
- Can be installed under SH20 shelves
- Brighter and more energy efficient than a fluorescent tube
- Color temperature: 6000-7000K (cool)
- Rigid aluminum housing
- Includes a 10-foot power cord

PRODUCT NO.	FOR
SH95-01	30"W or 36"W shelves
SH95-02	42"W or 48"W shelves



DOORS, HANDLES AND LOCKS

ROTATING HANDLE

Door opens by turning handle to the left or the right.



LOCK POSITION

The hasp or lock are positioned so they do not impede the hand.



DOUBLE LOCK

Add a second lock to your door.



ELECTRONIC LOCK

Easier management of door access permissions.



- Two locks can be used for maximum security
- To order: Specify the type of lock required, e.g., SH43-3075L3 + CZ06-LP to add an LP lock as well as the lock ordered

PRODUCT NO.	DESCRIPTION
CZ05-L3	To add an L3 lock
CZ06-LP	To add an LP lock

NOTE: To add a second lock to an existing door, please contact Customer Service.


ACCESSORIES

SOLID DOORS WITH FRAME

SH41



SRE3205



- The doors open 180° and have a recessed lock and handle
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock
- Quick and easy installation
- Integrated spacer frame for installation of Rousseau modular drawers
- Frame is 2" deep
- Compatible with Rousseau Spider® shelving only
- Widths available: 30", 36", 42" and 48"
- Heights available: 39", 41", 51", 53", 63", 75", 87" and 99"
- To order: Specify the width and height of the door, e.g., SH41-3075L3


PRODUCT NO.	LOCK TYPE
SH41-___L3	Standard Lock
SH41-___LP	Safety Hasp
SH41-___L50	Electronic Lock

POLYCARBONATE DOORS WITH FRAME

SH43



SRE3204




- Polycarbonate front panels provide visibility of the shelving contents
- Excellent impact resistance
- The doors open 180° and have a recessed lock and handle
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock
- Quick and easy installation
- Integrated spacer frame for installation of Rousseau modular drawers
- Frame is 2" deep
- Compatible with Rousseau Spider® shelving only
- Widths available: 30", 36", 42" and 48"
- Heights available: 39", 41", 51", 53", 63", 75", 87" and 99"
- To order: Specify the width and height of the door, e.g., SH43-3075L3

PRODUCT NO.	LOCK TYPE
SH43-___L3	Standard Lock
SH43-___LP	Safety Hasp
SH43-___L50	Electronic Lock

NOTE: When two doors are installed side-by-side, the maximum opening is just over 90° and allows full access to the contents.

STACKED DOORS, SOLID OR POLYCARBONATE

SH91 / SH93



- Solid stacked doors: SH91
- Polycarbonate stacked doors: SH93
- The doors open 180° and have a recessed lock and handle
- Quick and easy installation
- Compatible with Rousseau Spider® shelving only
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock

NOTES: Choose SH41/SH43 doors if the doors are full height or start at the bottom and end at the center. Choose SH91/SH93 doors if the doors start at the top and end at the center.

Consult data sheet S64 to see all dimensions and possible configurations.

When two doors are installed side-by-side, the maximum opening is just over 90° and allows full access to the contents.



SH91

SH41

R5SEE-871811




SH93

SH43

R5SEE-871807

FLIPPER DOOR

SH85



- Full-width handle provides a comfortable grip
- Add L3 to the product number for a standard lock, and L50 for an electronic lock
- 14"H c/c door for folder storage 16"H c/c door for binder storage
- Installs between two SH20 shelves
- Compatible with SH52 dividers
- Door heights available: 14", 16", 17" or 18"
- To order: Specify the height and type of lock required, e.g., SH85-361816L3 for a 16"H door with standard lock

PRODUCT NO.	W × D	USABLE DEPTH
SH85-3018___	30" × 18"	15"
SH85-3024___	30" × 24"	21"
SH85-3618___	36" × 18"	15"
SH85-3624___	36" × 24"	21"
SH85-4218___	42" × 18"	15"
SH85-4224___	42" × 24"	21"
SH85-4818___	48" × 18"	15"
SH85-4824___	48" × 24"	21"

MISCELLANEOUS RAILS AND HOLDERS

PLASTIC BIN RAIL

SH62



- Ideal for ends of aisles. Quick and easy hook-on assembly
- Ideal for all brands of 5"H to 7"H bins
- Bins sold separately

PRODUCT NO.	DEPTH
SH62-18	18"
SH62-24	24"

SPOOL HOLDER

SH72




- Efficient spool storage for shelving
- One or two rods available
- Load capacity: 50lb. per rod, 100lb. total per double rod
- 3/4" dia. rods compatible with most spools
- Designed so the bar can be pivoted to help with changing spools
- Different spool sizes can be combined on the same rod
- To order: Complete the product number with the number or rods required: 01 or 02

12"	18"	24"
6 1/2"	6 1/2"	6 1/2"
8 1/2"	8 1/2"	8 1/2"
10 1/2"	10 1/2"	10 1/2"
	6 1/2" 6 1/2"	8 1/2" 8 1/2"
	8 1/2" 8 1/2"	10 1/2" 10 1/2"

PRODUCT NO.	W x D
SH72-3012-01	30" x 12"
SH72-3018-__	30" x 18"
SH72-3024-__	30" x 24"
SH72-3612-01	36" x 12"
SH72-3618-__	36" x 18"
SH72-3624-__	36" x 24"
SH72-4212-01	42" x 12"
SH72-4218-__	42" x 18"
SH72-4224-__	42" x 24"
SH72-4812-01	48" x 12"
SH72-4818-__	48" x 18"
SH72-4824-__	48" x 24"

CLOTHES HANGING RAIL

SH70



- Load capacity: 80lb. per rail
- Quick and easy installation
- Hooks onto the shelving posts
- Includes a 1" dia. rod and two brackets
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
SH70-__18	18"
SH70-__24	24"

NOTE: Because space is required under the clothes hanging rail, this product is not recommended for multi-level shelving.

PLASTIC BIN



RG20



- For easier storing, moving and managing of small parts
- Lightweight and durable
- 45° angled rim for easy identification of bin contents and removal of bins
- Compatible with SH65 and SH66 plastic bin panels, and SH62 and WM9C plastic bin rails
- 6" plastic bins can be subdivided

DIMENSIONS			PRODUCT NO.		
W	D	H	BIN	PARTITION	DIVIDER
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

NOTE: Height 2" = 1 1/2" real
Height 3" = 2 1/2" real

HEAVY-DUTY SQUARE HOOK

WM9A



- Used with utility panels (SH67, SH68, SH69, SH77, SH79 and SR79) to hang accessories and tools
- Flat surface on top
- Raised end to prevent accessories or tools from sliding off
- Hook-on installation
- Includes side notches for extra stability
- 50lb. load capacity
- Sold individually
- 1"W (two holes)
- Color: black

PRODUCT NO.	LENGTH
WM9A-03	3"
WM9A-06	6"
WM9A-12	12"

HEAVY-DUTY ROUND HOOK

WM9B



- Used with utility panels (SH67, SH68, SH69, SH77, SH79 and SR79) to hang accessories and tools
- 3/4" dia. tube
- Tools and accessories slide on and off easily
- Hook-on installation
- Includes side notches for extra stability
- 50lb. load capacity
- Sold individually
- Hook base: 2"W (three holes) x 5"H
- Color: black


PRODUCT NO.	LENGTH
WM9B-03	3"
WM9B-06	6"
WM9B-12	12"

ACCESSORIES

PLASTIC BIN RAIL



WM9C




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Plastic bins hook onto the rail for efficient storage of small parts
- Includes side notches for extra stability
- Compatible with all brands of plastic bins with hanging lip on the market
- Compatible with RG20 plastic bins
- Bins sold separately
- Widths available: 6" (7 holes), 9" (10 holes), 12" (13 holes), 15" (16 holes), 20" (21 holes), 23" (24 holes) and 26" (27 holes)
- To order: specify the width required

PRODUCT NO.	HEIGHT
WM9C-__	3"

SCREWDRIVER HOLDER

WM9N




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Holds 6-12 screwdrivers
- Color: black

PRODUCT NO.	VERSION	W x D x H
WM9N-01	Single	9" x 1½" x 2"
WM9N-02	Double	9" x 3½" x 2"

LONG TOOL HOLDER

WM9Q




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Holds up to three long tools
- Color: black

PRODUCT NO.	W x D x H
WM9Q-08	8" x 3" x 4"

VINYL RUB-ON IDENTIFICATION DECAL


WM91



- For easy identification of where tools should be stored on utility panels (SH67, SH68, SH69, SH77, SH79 and SR79)
- Contrasting color so it is easy to notice when a tool is missing and what kind of tool it is
- Ideal for 5S method tool management
- Sold in rolls of 2'W x 8'L

PRODUCT NO.
WM91-01J

LIGHT DUTY HOOKS




- You can store many different parts, tools and accessories using our family of light-duty hooks
- They are compatible with most panels currently available on the market (¼" dia. holes) as well as Rousseau utility panels (SH67, SH68, SH69, SH77, SH79 and SR79)
- Color: black

CAN HOLDER



WM9D




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Ideal for storing various items of different sizes, such as aerosol cans
- Hook-on installation
- Includes side notches for extra stability
- Widths available: 6" (7 holes), 9" (10 holes), 12" (13 holes), 14" (15 holes), 15" (16 holes) and 20" (21 holes)
- To order: specify the width required

PRODUCT NO.	D x H
WM9D-__	3" x 4"

PLIERS HOLDER

WM9M



- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Holds up to six pliers
- Color: black

PRODUCT NO.	W x D x H
WM9M-01	9" x 2½" x 2"

TILTABLE SHELF FOR UTILITY PANEL

WM21




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Includes slots spaced 2" apart c/c for installing SH52 dividers
- Includes two side brackets which can be placed at right angles or at a 15° angle
- The shelf is reversible and its edge can act as a back stop for plastic bins or binders
- Load capacity: 50lb. (evenly distributed)
- Three widths available: 13" (14 holes), 15" (16 holes) and 31" (32 holes)


PRODUCT NO.	W x H
WM21-1308	13" x 8"
WM21-1312	13" x 12"
WM21-1508	15" x 8"
WM21-1512	15" x 12"
WM21-3108	31" x 8"
WM21-3112	31" x 12"

TYPE / PACKAGE	DIMENSION	PRODUCT NO.
Straight hooks/20	1 ½"D	WM9F-150
Single hooks/20	1 ½" dia.	WM9G-150
Single hooks/20	2" dia.	WM9G-200
Double back single hooks/10	3"D	WM9H-03
Double back single hooks/10	5"D	WM9H-05
Double back double hooks/10	3"D	WM9J-03
Double back double hooks/10	5"D	WM9J-05
Drill holder/1	5"W x 3½"D	WM9L-01

MODULAR DRAWERS AND ROLL-OUT SHELVES



MOUNTING BRACKETS FOR SPIDER® SHELVING RE30



- Quick and easy hook-on assembly
- Standard heights available: 18", 24", 30", 34", 36", 46" and 48"
- Mounting bracket kits are compatible with all Rousseau drawer widths (30", 36", 42" and 48")
- Each kit includes two front and two rear mounting brackets and all hardware required
- Includes holes spaced 1" apart c/c for easy adjustment of shelves
- 34"H brackets are used with 39"H posts or doors
- Two brackets can be stacked if a shelf is installed between them, [see page 137](#)
- To order non-standard mounting bracket heights, please contact Customer Service

PRODUCT NO.	HEIGHT
RE30-18	18"
RE30-24	24"
RE30-30	30"
RE30-34	34"
RE30-36	36"
RE30-46	46"
RE30-48	48"



Shelving units with drawers must be anchored to the ground.

FILLER

RE90



- Installs under the bank of drawers with an adhesive strip
- Fulfills aesthetic requirements of certain work environments (hospitals, offices, etc.)
- Compatible with Rousseau Spider® and Spacesaver shelving only
- For Spacesaver shelving, order RE90-WW02 instead of RE90-WW01

PRODUCT NO.	W × H
RE90-3001	30" × 5/8"
RE90-3601	36" × 5/8"
RE90-4201	42" × 5/8"
RE90-4801	48" × 5/8"

HEAVY-DUTY MODULAR DRAWER



RF32 / RF36



- Painted steel drawer: RF32
- Drawer with stainless steel front and gray painted steel interior: RF36
- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Vast choice of accessories available to customize the drawer to your storage needs, [see pages 242-247](#)
- Drawer heights available: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14"
- To order: Add the drawer height to the product number and specify the type of drawer front required (painted steel or stainless steel), e.g., RF32-362406
- For preconfigured modular drawers with compartments, [see pages 224-241](#);

PRODUCT NO.	W × D
RF__-3018__	30" × 18"
RF__-3024__	30" × 24"
RF__-3618__	36" × 18"
RF__-3624__	36" × 24"
RF__-4218__	42" × 18"
RF__-4224__	42" × 24"
RF__-4818__	48" × 18"
RF__-4824__	48" × 24"

HEAVY-DUTY FRONT ACCESS ROLL-OUT SHELF



RF41



- 400lb capacity, 100% extension;
- Heavy-duty construction;
- Easy to install;
- Painted steel with 3" edges on sides and back;
- Height: 6";
- Full access to contents;
- Complete the product number by choosing the desired width: 30", 36", 42" or 48".

PRODUCT NO.	DEPTH
RF41-_18	18"
RF41-_24	24"

HEAVY-DUTY 3-SIDED ACCESS ROLL-OUT SHELF



RF45



- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Galvanized steel with 1½"H edge on the back
- Total height: 5"
- Full access to contents
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
RF45-_18	18"
RF45-_24	24"

ACCESSORIES

LOCKING AND SECURITY MECHANISMS

VERTICAL SECURITY BAR

RE80




- Locks all drawers in a shelving unit with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 18"H to 48"H
- Quick and easy hook-on assembly
- More than one bar on the same mounting bracket can be installed (for different users)
- Installs on the right-hand side
- The 36"H bar is compatible with the 34"H mounting bracket, and the 48"H bar is compatible with the 46"H mounting bracket
- Compatible with Rousseau Spider® shelving only. For Spacesaver shelving, order RE81-HHL3A instead of RE80-HHL301
- To order: Specify the type of lock required, for a standard lock, add L3 to the product number; for a safety hasp, add LP to the product number



PRODUCT NO.	HEIGHT
RE80-18__A	18"
RE80-24__A	24"
RE80-30__A	30"
RE80-36__A	36"
RE80-48__A	48"

LOCK-OUT MECHANISM

RF85



- For both drawers and roll-out shelves
- Locks drawers and roll-out shelves in an open position
- Activated manually, only when required
- Compatible with all drawer accessories
- Plastic bins in the back row may make it more difficult to activate the mechanism

PRODUCT NO.
RF85

SECURITY PANEL

RF91



- Blocks access between two drawers or two banks of drawers
- Usable space in the bank of drawers is reduced by 1"
- Installs between two drawers
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
RF91-__18	18"
RF91-__24	24"

INTEGRATED LOCK-IN MECHANISM

A



- Automatically activated when lifting the handle up
- The drawer or roll-out shelf can be opened with one hand only
- Closes with a simple push
- Stops drawer or roll-out shelf from opening on their own
- Easy to retrofit
- To order: Add A to the product number for the drawer, preconfigured compartment layout or roll-out shelf, e.g., RF32-362406A
- For replacement parts or to retrofit this mechanism, order an RY08-WWA

PRODUCT NO.

A

ECONO LOCK-IN MECHANISM

B



- Automatically activated when lifting the handle up
- The drawer or roll-out shelf can be opened with one hand only
- Closes with a simple push
- Stops drawer or roll-out shelf from opening on their own
- Easy to retrofit
- To order: Add B to the product number for the drawer, preconfigured compartment layout or roll-out shelf, e.g., RF32-362406B
- For replacement parts or to retrofit this mechanism, order an RY01-B

PRODUCT NO.

B

DRAWER LOCK

L3



- Compatible with all drawer dimensions
- Does not reduce the drawer's storage space
- Easy to retrofit
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout, e.g., RF32-362406L3
- For replacement parts or to retrofit this mechanism, order an RY01-L3



PRODUCT NO.

L3

STRUCTURAL COMPONENTS

POST



SR10 / SH10



- Tubular T shape provides up to seven fixing zones
- Includes perforations spaced 1" apart c/c on each side for easy adjustment of shelves
- 14ga steel
- Options:
 - SR10 universal post with perforated front surface for adding Mini-Racking or multi-level shelving
 - SH10 shelving post with smooth front surface for a neater finish

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR10-039	SH10-039	39"
SR10-051	SH10-051	51"
SR10-075	SH10-075	75"
SR10-087	SH10-087	87"
SR10-099	SH10-099	99"
SR10-111	SH10-111	111"
SR10-123	SH10-123	123"


NOTES: Other sizes are available. Contact your customer service representative for more information.

The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

WELDED OPEN UPRIGHT



SR11 / SH11



- Upright with factory-welded side braces
- Enables faster assembly
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR11-__0752	SH11-__0752	75"
SR11-__0872	SH11-__0872	87"
SR11-__0992	SH11-__0992	99"

NOTE: Other sizes are available. Contact your customer service representative for more information.

WELDED CLOSED UPRIGHT



SR12 / SH12



- Upright with full-height factory-welded panel
- Enables faster assembly
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR12-__075	SH12-__075	75"
SR12-__087	SH12-__087	87"
SR12-__099	SH12-__099	99"

NOTE: Other sizes are available. Contact your customer service representative for more information.

SHELF FRONT OR FRONT BASE

SH28



- Same component used for both applications
- Quick and easy hook-on installation
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH28-__02	2"
SH28-__05	5"

NOTE: The 2" front base is always included with closed shelving preconfigured models.

SIDE PANEL

SH30




- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
 - 111"H posts (39"H + 39"H + 39"H)
 - 123"H posts (39"H + 39"H + 51"H)
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH30-__39	39"
SH30-__51	51"

BACK PANEL

SH31



- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
 - 111"H posts (39"H + 39"H + 39"H)
 - 123"H posts (39"H + 39"H + 51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH31-__39	39"
SH31-__51	51"

COMPONENTS

BACK SWAY BRACE

SH33



- X-shaped factory-assembled brace
- Easy to install
- Recommendations:
 - For 99"H uprights and shorter: one brace
 - For uprights higher than 99": two braces, please refer to technical guide S58 or contact your customer service representative for exact placement of the brace

PRODUCT NO.	WIDTH
SH33-30	30"
SH33-36	36"
SH33-42	42"
SH33-48	48"

SIDE BRACES

SH34



- Sold in pairs
- Enables uprights to be attached in a "ladder" for easier assembly
- Recommendations:
 - For 99"H uprights or shorter: one pair of side braces
 - For uprights higher than 99"H: please refer to technical guide S58 or contact your customer service representative

PRODUCT NO.	DEPTH
SH34-12	12"
SH34-15	15"
SH34-18	18"
SH34-24	24"
SH34-30	30"

CORNER GUSSETS

SH35




- Replaces a back sway brace to provide full access to the front and rear of the shelving
- 14ga steel
- Each kit includes four gussets. Minimum of three kits required per shelving unit

PRODUCT NO.
SH35

NOTE: Not to be used for shelving over 99"H, multi-level shelving or SHC2 double shelf reinforcements.

STRUCTURAL BACK UTILITY PANEL

SH79




- Utility panel for the backs of shelving
- Forms an integral part of the shelving structure
- Holes spaced 1" apart c/c
- Load capacity: maximum 250lb. per panel
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Panel combinations:
 - 75"H posts (39"H + 39"H)
 - 87"H posts (39"H + 51"H)
 - 99"H posts (51"H + 51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH79-__39	39"
SH79-__51	51"

NOTE: Used without SH31 back panels.





- For storing a wide range of items: tools, straps, cables, pipes, gaskets, etc.
- Compatible with Spider® shelving, both open and closed
- Refer to technical guide S84 for spacing between panels
- SB92 handles available as an optional add-on
- Panel:
 - Available heights: 63", 75" and 87"; depths: 18" and 24"
 - Holes spaced 1" apart c/c
 - Width adjustable in 1" increments c/c
 - Load capacity: 300lb. per panel (weight evenly distributed)
 - Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
 - Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Support:
 - Available widths: 30", 36", 42" and 48"
 - One support kit per shelving
 - The bottom beam also serves as a kick plate
 - To order: Specify the width of the support required

PRODUCT NO.	D×H	NO. OF HOLES
SH77-1863	18"×63"	15
SH77-2463	24"×63"	21
SH77-1875	18"×75"	15
SH77-2475	24"×75"	21
SH77-1887	18"×87"	15
SH77-2487	24"×87"	21
SH76-__	Panel support	
SB92-01	Handles	



The panel support must be anchored to the ground to ensure stability (anchoring kit included).

NOTES: If the shelving unit is used on its own, the sliding panels must be the same height as the shelving.
If the shelving with sliding panels is used in combination with two shelving units, you can put storage shelves above the panels.

INSTALLATION ACCESSORIES

FLOOR ANCHOR PLATE

SH45




- Sold individually
- Attaches to the post for anchoring shelving sections to the ground. Distributes the load over a larger surface and protects the floor
- 12ga galvanized steel

PRODUCT NO.
SH45

SHIM PLATE

SH46



- Sold individually
- Levels shelving units on uneven surfaces
- Slides under SH45 floor anchor plates
- 12ga or 16ga galvanized steel

PRODUCT NO.	THICKNESS
SH46-12	12 gauge (0.100")
SH46-16	16 gauge (0.060")

LEVELING GLIDE KIT

SR49



- Sold in pairs
- Adjusts the height of Spider® Shelving units from 1¼" to 2½" on uneven surfaces
- Load capacity: maximum 750lb. per glide
- Restrictions:
 - Only compatible with 99"H shelving or shorter
 - Only compatible with SR uprights and posts
 - Not compatible with RF32/RF36 modular drawers, RF41/RF45 roll-out shelves and SH28 bases

PRODUCT NO.
SR49-01

FLOOR ANCHORING HARDWARE

SH47




- Anchors shelving to the ground
- Includes four bolts for concrete floors

PRODUCT NO.
SH47-04

WALL SPACER

SR47



- Anchors shelving to the wall
- Adjusts from 3" to 4"
- Wall anchoring hardware not included (holes are ⅝" dia.)

PRODUCT NO.
SR47-0304

COMPONENTS

SHELVES AND SHELF ACCESSORIES

BOX SHELF

SH20



SH60

- Box-type shelf with front and rear edges roll-formed and welded
- 20 gauge steel, 1¼" thick
- 4 sturdy and compact SH60 clips included
- Perforations for dividers (SH52) at every 3"c/c

PRODUCT NO.	W × D
SH20-3012	30" × 12"
SH20-3015	30" × 15"
SH20-3018	30" × 18"
SH20-3024	30" × 24"
SH20-3612	36" × 12"
SH20-3615	36" × 15"
SH20-3618	36" × 18"
SH20-3624	36" × 24"

PRODUCT NO.	W × D
SH20-4212	42" × 12"
SH20-4215	42" × 15"
SH20-4218	42" × 18"
SH20-4224	42" × 24"
SH20-4812	48" × 12"
SH20-4815	48" × 15"
SH20-4818	48" × 18"
SH20-4824	48" × 24"


NOTE: Other sizes are available. Contact your Customer Service representative for more information.

SHELF LOAD CAPACITY

Shelving load capacity tests are based on ANSI MH28.1 Shelving Manufacturer Association (SMA) standards.

These load capacities include a safety factor and are valid for an evenly distributed load. The capacities specified are in pounds.

NOTE: SH22, SH24 and SHC reinforcements are not factory installed on SH20 BOX shelves.

DIMENSIONS W × D	  		
	MEDIUM-DUTY CAPACITY WITHOUT REINFORCEMENT	HEAVY-DUTY CAPACITY CENTRAL REINFORCEMENT	EXTRA HEAVY-DUTY CAPACITY DOUBLE REINFORCEMENT
30" × 12"	750	—	—
30" × 15"	775	—	—
30" × 18"	800	—	—
30" × 24"	450	—	—
36" × 12"	750	—	—
36" × 15"	775	—	—
36" × 18"	800	1000	1100
36" × 24"	625	1050	1100
42" × 12"	650	—	—
42" × 15"	650	—	—
42" × 18"	650	850	1050
42" × 24"	650	875	1050
48" × 12"	550	—	—
48" × 15"	550	—	—
48" × 18"	575	725	1025
48" × 24"	600	750	1050



CENTER SHELF REINFORCEMENT (HEAVY-DUTY) SHC



- One SH24 front reinforcement combined with two SH22 side reinforcements
- Galvanized steel

PRODUCT NO.	W × D
SHC1009	30" × 18"
SHC1010	30" × 24"
SHC1003	36" × 18"
SHC1004	36" × 24"
SHC1007	42" × 18"
SHC1008	42" × 24"
SHC1005	48" × 18"
SHC1006	48" × 24"

DOUBLE SHELF REINFORCEMENT (EXTRA HEAVY-DUTY) SHC



- Combination of two front reinforcements (SH24) with two side reinforcements (SH22);
- Galvanized steel.

PRODUCT NO.	W × D
SHC2009	30" × 18"
SHC2010	30" × 24"
SHC2003	36" × 18"
SHC2004	36" × 24"
SHC2007	42" × 18"
SHC2008	42" × 24"
SHC2005	48" × 18"
SHC2006	48" × 24"

NOTE: Required when the shelves need to support higher loads, concentrated loads or when aesthetics are important.

SIDE SHELF REINFORCEMENTS SH22



- Two L-shaped reinforcements that attach on each side of the shelf
- These side reinforcements increase the load capacity of 36"W × 24"D shelves to 800lb.
- Galvanized steel

PRODUCT NO.	DEPTH
SH22-18	18"
SH22-24	24"

FRONT SHELF REINFORCEMENT SH24



- C-shaped reinforcement
- Required when the shelves need to support loads concentrated at the front
- Galvanized steel

PRODUCT NO.	WIDTH
SH24-30	30"
SH24-36	36"
SH24-42	42"
SH24-48	48"

NOTE: This reinforcement increases rigidity, not load capacity.



MOBILE SHELVING AND MINI-RACKING



INDEX	PAGE(S)
Mobile Shelving and Mini-Racking	126
Preconfigured Models . . .	127-128
Components	129

MOBILE SHELVING AND MINI-RACKING

Mobile storage allows you to complete your tasks quickly and effectively while keeping equipment close at hand.

Our heavy-duty base has been specially designed so you can easily and safely move a load of up to 1,000lb. per unit!

By adding a mobile base to your shelving or Mini-Racking, you can:

- Clear the floor area to facilitate cleaning under shelving
- Quickly reconfigure your department
- Move parts closer to workstations

You can also add accessories, such as handles to help with moving units, or protective plastic bumpers to prevent damage from impacts.



SRE4006M




SRE4522SM



SRE4003M

WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS



e.g., SHD4001

For a mobile shelving unit with smooth surface posts and bolted uprights.

MOBILE SHELVING

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF MOBILE SPIDER® SHELVING UNITS

- The preconfigured models in this section include a mobile base for Spider® Shelving and four 4" casters, including two swivel casters with total-lock brakes and two rigid casters
- To calculate the actual width of the base, add 3³/₁₆" to the nominal width
- To calculate the actual depth of the base, add 3/4" to the nominal depth
- The preconfigured models in this section include open shelving uprights, braces and BOX shelves
- Load capacity: 1,000lb. per base
- All preconfigured models are quick and easy to assemble and can be disassembled when not in use

DIMENSIONS				NUMBER OF SHELVES
W	D	H	ACTUAL H	6
36"	18"	63"	68 1/4"	S_4001M
	24"	63"	68 1/4"	S_4002M
		75"	80 1/4"	S_4003M
42"	18"	63"	68 1/4"	S_4004M
	24"	63"	68 1/4"	S_4005M
		75"	80 1/4"	S_4006M
48"	18"	63"	68 1/4"	S_4007M
	24"	63"	68 1/4"	S_4008M
		75"	80 1/4"	S_4009M

NOTES: For a side-to-side double shelving unit, see SH99 Mobile Base for Mini-Racking, [see page 129](#).
 Not compatible with drawers or roll-out shelves in shelving and SH41, SH43, SH91 and SH93 doors.



SRD9002M




SRE4010M

PRECONFIGURED MODELS – MOBILE MINI-RACKING

MOBILE MINI-RACKING

HERE ARE SOME OF OUR MOST POPULAR
PRECONFIGURED MODELS
OF MOBILE MINI-RACKING UNITS

- Can be ordered with steel decking, wire mesh decking or without decking
- The preconfigured models in this section include a mobile base for Mini-Racking and four 4" casters, including two swivel casters with total-lock brakes and two rigid casters
- Models with a 30"D base or deeper include a mobile Mini-Racking handle
- 36"W to 72"W models include medium duty-beams, whereas 96"W models include heavy-duty beams
- To calculate the actual width of the base, add 3 $\frac{3}{4}$ " to the nominal width
- To calculate the actual depth of the base, add $\frac{3}{4}$ " to the nominal depth
- Load capacity: 1,000lb. per base
- All preconfigured models are quick and easy to assemble and can be disassembled when not in use



STEEL

- To order a unit with steel decking, add S to the product number

WIRE MESH

- To order a unit with wire mesh decking, add W to the product number
- Not compatible with 18"D units

DIMENSIONS				NO. OF DECKING LEVELS
W	D	H	ACTUAL H	4
36"	18"	63"	68 $\frac{1}{4}$ "	SR_4501_M
	24"	63"	68 $\frac{1}{4}$ "	SR_4502_M
		75"	80 $\frac{1}{4}$ "	SR_4503_M
42"	18"	63"	68 $\frac{1}{4}$ "	SR_4504_M
	24"	63"	68 $\frac{1}{4}$ "	SR_4505_M
		75"	80 $\frac{1}{4}$ "	SR_4506_M
48"	18"	63"	68 $\frac{1}{4}$ "	SR_4507_M
	24"	63"	68 $\frac{1}{4}$ "	SR_4508_M
		75"	80 $\frac{1}{4}$ "	SR_4509_M
60"	24"	63"	68 $\frac{1}{4}$ "	SR_4510_M
		75"	80 $\frac{1}{4}$ "	SR_4511_M
	30"	63"	68 $\frac{1}{4}$ "	SR_4512_M
		75"	80 $\frac{1}{4}$ "	SR_4513_M
	36"	63"	68 $\frac{1}{4}$ "	SR_4514_M
		75"	80 $\frac{1}{4}$ "	SR_4515_M
66"	48"	63"	68 $\frac{1}{4}$ "	SR_4516_M
		75"	80 $\frac{1}{4}$ "	SR_4517_M
	24"	63"	68 $\frac{1}{4}$ "	SR_4518_M
		75"	80 $\frac{1}{4}$ "	SR_4519_M
	30"	63"	68 $\frac{1}{4}$ "	SR_4520_M
		75"	80 $\frac{1}{4}$ "	SR_4521_M
	36"	63"	68 $\frac{1}{4}$ "	SR_4522_M
		75"	80 $\frac{1}{4}$ "	SR_4523_M
	48"	63"	68 $\frac{1}{4}$ "	SR_4524_M
		75"	80 $\frac{1}{4}$ "	SR_4525_M

FOR WOOD DECKING

- To order a unit without decking (e.g., for use with wood decking), leave the product number as is

DIMENSIONS				NO. OF DECKING LEVELS
W	D	H	ACTUAL H	4
72"	24"	63"	68 $\frac{1}{4}$ "	SR_4526_M
		75"	80 $\frac{1}{4}$ "	SR_4527_M
	30"	63"	68 $\frac{1}{4}$ "	SR_4528_M
		75"	80 $\frac{1}{4}$ "	SR_4529_M
	36"	63"	68 $\frac{1}{4}$ "	SR_4530_M
		75"	80 $\frac{1}{4}$ "	SR_4531_M
96"	48"	63"	68 $\frac{1}{4}$ "	SR_4532_M
		75"	80 $\frac{1}{4}$ "	SR_4533_M
	24"	63"	68 $\frac{1}{4}$ "	SR_4534_M
		75"	80 $\frac{1}{4}$ "	SR_4535_M
	30"	63"	68 $\frac{1}{4}$ "	SR_4536_M
		75"	80 $\frac{1}{4}$ "	SR_4537_M
	36"	63"	68 $\frac{1}{4}$ "	SR_4538_M
		75"	80 $\frac{1}{4}$ "	SR_4539_M
	48"	63"	68 $\frac{1}{4}$ "	SR_4540_M
		75"	80 $\frac{1}{4}$ "	SR_4541_M



SRE4515WM

NOTE: Handles are not included with 18"D and 24"D models.

MOBILITY

MOBILE BASE FOR SPIDER® SHELVING

SH99



!
Does not include casters, handles or bumpers. They must be ordered separately.

- Required for installing casters under a Rousseau Spider® Shelving unit
- Compatible with 4" and 6" casters (sold separately)
- The shelving unit must have exactly the same dimensions as the base
- For a side-to-side double shelving unit, see SH99 Mobile Base for Mini-Racking
- Compatible with 18"D and 24"D, and 36"W, 42"W and 48"W shelving
- The 18"D base is compatible with 63"H shelving and under
- The 24"D base is compatible with 75"H shelving and under
- Load capacity: 1,000lb. per base
- To order: Complete the product number with the depth required: 18" or 24"

PRODUCT NO.	WIDTH	ACTUAL WIDTH
SH99-36__	36"	39 ³ / ₁₆ "
SH99-42__	42"	45 ³ / ₁₆ "
SH99-48__	48"	51 ³ / ₁₆ "

NOTES: With SB81 casters, total height = 5¹/₄"; With SB84 casters, total height = 7¹/₂".
Not compatible with back-to-back shelving configurations.
Not compatible with drawers or roll-out shelves in shelving and SH41, SH43, SH91 and SH93 doors.

MOBILE BASE FOR MINI-RACKING

SH99



!
Does not include casters, handles or bumpers. They must be ordered separately.

- Required for installing casters under a Rousseau Mini-Racking unit
- Compatible with 4" and 6" casters (sold separately)
- Compatible with 24"D, 30"D, 36"D and 48"D; 48"W, 60"W, 66"W, 72"W and 96"W; and 63"H and 75"H Mini-Racking
- Can support a side-by-side double shelving unit or Mini-Racking unit depending on the mobile base width:
 - 48"W (not compatible)
 - 60"W (30"W unit + 30"W unit)
 - 66"W (not compatible)
 - 72"W (36"W unit + 36"W unit)
 - 96"W (48"W unit + 48"W unit)
- With double shelving or Mini-Racking units, order an extra pair of rigid casters for the middle (under the adjoining posts)
- Load capacity: 1,000lb. per base
- To order: Complete the product number with the depth required: 24", 30", 36" or 48"

PRODUCT NO.	WIDTH	ACTUAL WIDTH
SH99-48__	48"	51 ³ / ₁₆ "
SH99-60__	60"	63 ³ / ₁₆ "
SH99-66__	66"	69 ³ / ₁₆ "
SH99-72__	72"	75 ³ / ₁₆ "
SH99-96__	96"	99 ³ / ₁₆ "

NOTES: With SB81 casters, total height = 5¹/₄"; With SB84 casters, total height = 7¹/₂".
Not compatible with back-to-back shelving configurations.

4" CASTERS

SB81



- Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Load capacity: 440lb. per caster
- Total height: 5¹/₂"
- Dark gray, non-marking polyurethane tread. Superior industrial quality
- Installs under a mobile base for shelving or Mini-Racking, one caster under each post

PRODUCT NO.	CASTER TYPE
SB81-01	Rigid
SB81-02	Swivel
SB81-03	Swivel with total-lock brake



HANDLES FOR MOBILE SHELVING AND MINI-RACKING

SH97



- Recommended for shelving or Mini-Racking units 30"D or deeper
- The handles install on the sides of the shelving or Mini-Racking units and must be installed horizontally
- To order: Complete the product number with the depth required: 18", 24", 30", 36" or 48"

PRODUCT NO.
SH97-__01

6" CASTERS

SB84



- Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Load capacity: 1100lb. per caster
- Total height: 7¹/₂"
- Dark gray, ultra-quiet polyurethane tread. Superior industrial quality
- Installs under a mobile base for shelving or Mini-Racking, one caster under each post

PRODUCT NO.	CASTER TYPE
SB84-01	Rigid
SB84-02	Swivel
SB84-03	Swivel with total-lock brake

BUMPERS FOR MOBILE SHELVING AND MINI-RACKING

SH98



- Sold in kits of four
- Made of high-density plastic
- Color: gray
- Installs on all four corners of the base for protection from impacts

PRODUCT NO.
SH98-01