



**ww.Cannon, llc.**

Design. Layout. Build. Install.

1-800-442-3061

[www.wwcannon.com](http://www.wwcannon.com)

## AUTOMOTIVE PARTS & STORAGE

Parts Department, Bins, Drawers, Racks, Mezzanines, Custom Curtains,  
Fencing, Modula Storage Solutions



**800-442-3061**

**WWW.WWCANNON.COM**



## TOOL BOXES

### QUALITY - DURABILITY - VERSATILITY




Richmond Hill Toyota (ON)

Forget everything you think you know, Rousseau toolboxes are in a class of their own. Those who try them never look back!

You will love their distinctive looks and impressive versatility. Whether you need just one unit or one hundred, our specialists will help you build your ideal configuration.


#### Rousseau: a vast range of solutions:

- Many different dimensions available;
- Different work surface options;
- A choice of 20 standard colors;
- Duotone available;
- A wide variety of accessories.




**Rousseau toolboxes are designed, developed and manufactured in North America.**  
Choose one of our proposed configurations or build your own.


#### UNDER THE WORK SURFACE




#### SIDE




#### MOBILE



#### DRAWER ACCESSORIES



#### TOOLBOX ACCESSORIES



 Whether ordering one or one hundred tool boxes, our Specialists will help you build your perfect Tool Box.

(800)442-3061

## TEKZONE WORKSTATION HUTCH

TEKZONE: KEEPING YOUR WORKSPACE ORGANIZED AND YOUR TOOLS SECURE



TZ-C010P



TZ-C020X



TZ-C004X



TZ-C038S




TZ-C012S

## TOOL BOXES

### 34" H

6 Drawers



A1  
GT-5A\_G30002\_

7 Drawers




A2  
GT-5A\_G30004\_

6 Drawers



A3  
GT-5A\_G30006\_

5 Drawers



A4  
GT-5A\_G30008\_

7 Drawers



A5  
GT-5A\_G30010\_

4 Drawers



A6  
GT-5A\_G30020\_

4 Drawers



A7  
GT-5A\_G30032\_

2 Drawers



A8  
GT-5A\_G30042\_



(800)442-3061

## TOOL BOXES

**38" H**

5 Drawers



GT-5A\_G34006\_

5 Drawers



GT-5A\_G34008\_

3 Drawers



GT-5A\_G34010\_

4 Drawers



GT-5A\_G34012\_

10 Drawers



GT-5K\_G34002\_ (Note 2)

8 Drawers



GT-5K\_G34004\_ (Note 2)

8 Drawers



GT-5K\_G34006\_ (Note 2)

9 Drawers



GT-5K\_G34008\_ (Note 3)

Integrated Swinging  
Doors - 2 Shelves



GT-5A\_G34014\_ (Note 4)

Integrated Sliding  
Doors - 2 Shelves



GT-5A\_G34018\_ (Note 1)

10 Drawers



GT-5K\_G34010\_ (Note 3)

11 Drawers




GT-5K\_G34012\_ (Note 3)

14 Drawers




Width: 72"  
GT-5KLG34002\_

14 Drawers



Width: 96"  
GT-5KRG34002\_

14 Drawers



Width: 84"  
GT-5KUG34002\_

(800)442-3061



**www.Cannon, Inc.**  
Design. Layout. Build. Install.  
1 800 442 3061  
www.wwwcannon.com

## TOOL BOXES

6 Drawers



Height: 37 1/2" (with casters)  
GT-5G\_G30010P\_ (Note 1)

9 Drawers



Height: 41 1/2" (with casters)  
GT-5G\_G34008P\_ (Note 1)

9 Drawers



Height: 45 1/2" (with casters)  
GT-5G\_G38012P\_ (Note 1)

11 Drawers



Height: 45 1/2" (with casters)  
GT-5G\_G38014P\_ (Note 1)

12 Drawers



Height: 37 1/2" (with casters)  
Width: 72"  
GT-5GLG30002P\_

13 Drawers



Height: 37 1/2" (with casters)  
Width: 84"  
GT-5GUG30002P\_

13 Drawers



Height: 37 1/2" (with casters)  
Width: 96"  
GT-5GRG30002P\_

14 Drawers



Height: 41 1/2" (with casters)  
Width: 78"  
GT-5GVG34002P\_

14 Drawers



Height: 41 1/2" (with casters)  
Width: 72"  
GT-5GLG34002P\_

13 Drawers



Height: 41 1/2" (with casters)  
Width: 96"  
GT-5GRG34002P\_

15 Drawers



Height: 45 1/2" (with casters)  
Width: 78"  
GT-5GVG38002P\_

13 Drawers



Height: 45 1/2" (with casters)  
Width: 96"  
GT-5GRG38002P\_

16 Drawers



Height: 45 1/2" (with casters)  
Width: 108"  
GT-5GSG38002P\_



## BASIC WORKBENCHES



### Workbench with "L" Compact Cabinet - Fixed or Mobile

The "L" compact cabinet is perfect for storing small items and office supplies. With its painted or stainless steel top, this workbench fits in well with the entire storage solution.

- Includes 2 - 3" drawers, 1 - 6" drawer and 1 - 12" drawer;
- Add a **G** to the number for a cabinet 21" deep, an **H** for a cabinet 27" deep and an **J** for the mobile model (includes one pair of 4" rigid casters and one pair of 4" swivel casters with total-lock brake);
- Height: Fixed model = 34"; Mobile model= 35 ";
- Numerous drawer accessories also available.

W x D	Painted Steel	Stainless Steel
60" x 30"	L_8131L3C	L_7131L3C
72" x 30"	L_8132L3C	L_7132L3C
72" x 36"	LH8133L3C	LH7133L3C



### Workbench with Multi-drawer Tool Box

Workbench with multi-drawer tool box allows many different tools to be stored efficiently and has the advantage of a power feed panel.

- Has 1 - 6" full width drawer at the top with 10 semi-width drawers (6 - 3", 2 - 4" and 2 - 6");
- Height: 34";
- Available with either painted or stainless steel top.

W x D	Painted Steel	Stainless Steel
48" x 27"	GT-XHG0018P	GT-XHG0018S
60" x 27"	GT-XKG0018P	GT-XKG0018S



### Workbench for Small and Medium Parts

Ideal for combining the storage of tools in different sizes and dimensions in the same unit.

- 2 Tool Boxes: 1 - 36" wide with 1 - 4", 2 - 5" and 1 - 12" drawer; 1 - 24" wide with 2 roll-out shelves and an integrated door;
- Width of worksurface: 60";
- Height: 34";
- Available with either painted or stainless steel top.

W x D	Painted Steel	Stainless Steel
60" x 30"	GT-XKG0004P	GT-XKG0004S



### Workbench with 12 Drawers

Workbench that allows the storage of numerous tools and items to maxime your floor space.

- 48" W Tool Box: with 1 - 4" full width drawer at the top with 6 semi-width drawers (1 - 3", 2 - 6", 1 - 7", 1 - 8" and 1 - 12");
- 24" W Tool Box: with 2 - 4" and 3 - 6" drawers;
- The rubber mat is oil resistant and protects the top of the tool boxes;
- Height: 34";
- Available with either painted or stainless steel base.

W x D	Painted Steel	Stainless Steel
72" x 27"	GT-XLG0010P	GT-XLG0010S

(800)442-3061



# SMALL AND MEDIUM PARTS STORAGE

## DRAWER BENEFITS

With the Rousseau solution, you eliminate problems such as poorly-lit, under-used shelving and lost and misplaced items caused by inadequate storage. Let us help you organize your parts!



The Rousseau drawer is the ideal solution for the storage of small parts and high-turnover items. With this system, a wide variety of parts can be stored and readily accessible while maximizing the use of available space. This decreases the amount of time walking to get your parts, so you also save valuable time.

To maximize the possibilities of the system, use the drawer for all parts measuring 4" W x 4" H or less (Ex.: spark plugs, lightbulbs, oil filters). This way, there is no wasted space behind your shelves. By maximizing the use of your drawers, you will recover up to 70% of the space where shelving alone is used.

The unique shape of the R drawer is a Rousseau Metal Inc. trademark.

### How can you economize by using drawers?

- By using the total height between the shelves;
- By using the entire depth of the shelving.



(800)442-3061

## SMALL AND MEDIUM PARTS STORAGE

### Shelving with Drawers

As storage specialists, we recommend using shelving with drawers for small and high-turnover parts. The Rousseau drawer can be installed in more than 35 brands of shelving on the market, allowing you to keep your existing shelving while benefiting from increased storage capacity.

If you are planning a new installation, our Spider® Shelving system is the most integrated and adaptable product of its kind on the market. The unique design makes it easy to assemble and easy to use.

The unique shape of the Spider® post is a Rousseau Metal inc. trademark.



10 Drawers  
• 6 - 4" drawers  
• 4 - 6" drawers



8 Drawers  
• 2 - 3" drawers  
• 3 - 4" drawers  
• 3 - 6" drawers  
• 1 roll-out shelf



9 Drawers  
• 4 - 4" drawers  
• 4 - 6" drawers  
• 1 - 8" drawer



7 Drawers  
• 3 - 4" drawers  
• 4 - 6" drawers  
• 1 roll-out shelf

### Cabinets with Drawers

Do you need maximum flexibility? Constantly rearranging or need to remodel your parts department? No problem! Choose a solution that will make your job easier: the cabinet with drawers. With our selection of forklift bases, you are assured of fast, efficient and safe operations.



8 Drawers  
• 5 - 6" drawers  
• 3 - 8" drawers



10 Drawers  
• 2 - 3" drawers  
• 1 - 4" drawer  
• 2 - 5" drawers  
• 3 - 6" drawers  
• 2 - 8" drawers



11 Drawers  
• 1 - 3" drawer  
• 4 - 4" drawers  
• 3 - 5" drawers  
• 2 - 6" drawers  
• 1 - 8" drawer

### Stacking Cabinets

The stacking cabinet enables you to add storage space for your medium parts above your small parts storage. For parts that require safekeeping, our doors with locks give you the security you need.




Includes 1 adjustable shelf (adjustable at every 1" c/c) and one bottom shelf;  
Available with or without door (lock included on every door).



## SMALL AND MEDIUM PARTS STORAGE

### Drawer Accessories


Our drawers come with a wide array of accessories, all of which are compatible with each other, facilitating the organization and identification of parts. We have an accessory to accomodate the storage of parts, no matter what their shape or size!



#### Foam for Tools (RG42)


- Missing tools can be spotted quickly with oil-resistant and non-absorbent foam;
- The blue foam is  $\frac{1}{4}$ " and the black self-adhesive foam is  $\frac{1}{2}$ ".

*Note: Sold without cut-outs.*



#### Foam for Protection (RG41)

- The foam is  $\frac{1}{4}$ " thick and protects stored material from impact and from damage caused by metal rubbing against metal;
- Oil-resistant and non-absorbent.



#### PVC Drawer Liner (RG40)

- The non-skid surface protects stored material (compatible with partitions and dividers);
- Thickness:  $\frac{3}{32}$ ".
- Sold by drawer dimensions or in rolls 7' wide x 100' long.



#### Partitions and Dividers (RG00 / RG01 / RG10)

- Our front to back and left to right partitions have dividers that are clipped in place;
- The layout connection system (snap-on) keeps the dividers in place (clipped in without screws) and reduces noise caused by vibrations.



#### Plastic Bins (RG20)

- Our plastic bins simplify storing, moving and management of small items;
- The 45 degree angle allows for easy identification and removal of bins;
- They have been designed for 3" and 4" high drawers.

*Note: partitions and dividers also available (RG22 / RG24).*



#### Label Holder for Dividers or Plastic Bins (RG51 / RG52 / RG54 / RG55)

- Can be used with dividers or plastic bins;
- Once in place, the label holders adhere well and do not come off when removing objects;
- Contents of each compartment can be easily identified.

*Note: Paper strips (RG53) are available in packs of 200.*




#### Lock-In Mechanism (A)

- Stops drawer from opening on its own;
- Designed to make it easy to open and close the drawer with one hand only.



#### Drawer Lock (L3)

- Allows one drawer to be locked;
- Compatible with all drawer dimensions.



#### Storage Trays (RG35)

- Useful in storing and protecting long objects;
- Blue color for easy retrieval of parts;
- Designed for 3" and 4" high drawers.



#### Handle Protector (RF70)


- Protects identification labels from dust, grease and dirt;
- Made of transparent matte finished plastic that eliminates glare;
- Installs by clipping onto the drawer or roll-out shelf handle.



(800)442-3061

## LABEL HOLDERS AND HANDLE PROTECTOR

## 1" H LABEL HOLDER



RG51

- Made of transparent, matte plastic that eliminates glare and makes labels easy to read
- Once clipped in place, the label holder is securely attached and does not come off when removing items
- Includes a flap to protect the label from damage
- Two standard widths available: 2" for all applications, and 2 3/4" for 3"W accessories and wider
- Can be attached to drawer partitions and dividers

PRODUCT NO.	W × H
RG51-200	2" × 1"
RG51-275	2 3/4" × 1"

NOTE: Cardboard labels are not included with label holders but are available in packs of 200.

## 1 3/4" H LABEL HOLDER



RG54

- Made of transparent, matte plastic that eliminates glare and makes labels easy to read
- Once clipped in place, the label holder is securely attached and does not come off when removing items
- Includes a flap to protect the label from damage
- Two standard widths available: 2" and 4"
- Attaches to drawer dividers

PRODUCT NO.	W × H
RG54-200	2" × 1 3/4"
RG54-400	4" × 1 3/4"

NOTE: Cardboard labels are not included with label holders.

## HANDLE PROTECTOR

RF70



- Clips onto the handle of the drawer or roll-out shelf
- Made of transparent, matte plastic that eliminates glare and makes labels easy to read
- Protects identification labels from dust, grease and dirt
- Easy to remove

PRODUCT NO.	WIDTH
RF70-18	18"
RF70-24	24"
RF70-30	30"
RF70-36	36"
RF70-42	42"
RF70-48	48"
RF70-54	54"
RF70-60	60"

## 1" H LABEL HOLDER WITH ADHESIVE STRIP FOR PLASTIC BINS

RG52



- Made of transparent, matte plastic that eliminates glare and makes labels easy to read
- Includes an adhesive strip for attaching to RG20 plastic bins. Also attaches to the back of the drawer for identification of the last compartment
- Includes a flap to protect the label from damage

PRODUCT NO.	W × H
RG52-200	2" × 1"

NOTE: Cardboard labels are not included with label holders but are available in packs of 200.

## CARDBOARD LABELS (PACKS OF 200)

RG53

PRODUCT NO.	W × H
RG53-275875	2 3/4" × 7/8"

## 1 3/4" H LABEL HOLDER WITH ADHESIVE STRIP

RG55



- Made of transparent, matte plastic that eliminates glare and makes labels easy to read
- Includes an adhesive strip that attaches to the back of the drawer for identification of the last compartment
- Includes a flap to protect the label from damage
- Two standard widths available: 2" and 4"

PRODUCT NO.	W × H
RG55-200	2" × 1 3/4"
RG55-400	4" × 1 3/4"

NOTE: Cardboard labels are not included with label holders.

## HANDLE LABELS

RF71



- Labels to be attached to handles under the handle protector (RF70)
- 22 labels per page (10 pages)
- Print your own labels. A template is available on [www.rousseaumetal.com](http://www.rousseaumetal.com) under Information Center > Documents

PRODUCT NO.	W × H
RF71-425100	4 1/2" × 1"

## SPECIALIZED STORAGE



### A SOLUTION FOR EVERY NEED

How can you store mufflers, bumpers, body parts, batteries, tires and other parts of varied shapes? The solution is simple: Rousseau specialized storage units. These storage units provide efficient and orderly organization of your parts department.



**Hanging Rack for Various Parts**

Perfect for hanging exhaust pipe and all other types of objects.

SRP0404



**Double Hanging Rack for Various Parts**

Easily find what you are looking for! The two level hanging rack accommodates storage of parts of different shapes and sizes.

SRP2404



**Single Mat Rack**

Designed to hook mats on one level.

SRP0473



**Double Mat Rack**

Designed to hook mats on two levels.

SRP2473

## MEDIUM PARTS STORAGE

### MUCH MORE THAN A SIMPLE SHELVING

Our Spider® Shelving system is perfect for most requested items, special orders, as well as parts under warranty. Its unique design guarantees easy configuration and easy to add accessories.

#### Shelving for Medium Parts

Adding drawers gives you a combined storage system that allows you to store both small and bulky parts;

Box type shelves adjust at every 1" c/c.



SRP0142



SRP0144

#### Shelving with Sloped Shelves

- The 15-degree angle provides excellent visibility of stored items and is ideal for gravity flow storage.
- Includes a heavy-duty front edge to keep stored items in place.
- Sloped shelves and non-slope SH20 BOX shelves can be combined in the same unit.

**Open**



SRE1T-EE750501

**Closed**



SRE2T-EE750501

**FIFO**



SRK1F-EE750501

## SPECIALIZED STORAGE



SRP0420



SRP0430



SRP0450

### Bumper and Pipe Rack

For storage of pipes and bumpers while making full use of space on top.

### Sheet Metal Rack

Designed to support parts and boxes that are stored vertically in the unit.

### Hood Rack

This rack is designed to hold heavy boxes. As there is no bottom level, there is no need to lift heavy items being stored.



SRP0410

### Moulding Rack

The dividing rods are designed to assure efficient storage for the majority of mouldings.



SRP0482

### High Density Mat Rack

Equipped with divider rods, this unit will store a large number of mats.



SRP0442

### Tire Rack

The Rousseau tire rack offers you storage, fast identification and quick access to your tires. A winning solution!



### Windshield Rack

Comes with dividing rods, the rack offers a secure way to store windshields.



SRP0461

### Battery Rack

The battery platforms are angled 15° in order to improve the rotation of the batteries (first in - first out).



R5SEE-871202

### Key Cutting Station

This unit makes cutting keys easy with everything within hands reach.



WMP1000

### Wall-mounted Bumper Cover Rack

The wall-mounted rack can hold up to 6 bumper covers.



WMA3510

### Double Bumper Cover Rack

The double rack can hold up to 12 bumper covers. Several models are available, fixed and mobile.




## SERVICE COUNTERS

### MAXIMIZE YOUR SERVICE



In order to provide rapid and efficient service to your internal and external clients, make sure you have the most asked-for parts on hand, directly at the service counter! Adding drawers under the work surface provides high-density storage. You can also reach more parts without having to move. Moreover, we suggest that you combine shelves and drawers to maximize the efficiency of the storage for parts with a high turnover.

Rousseau service counters have been designed to be welcoming for your customers while also providing an efficient and ergonomic workspace. You will love the distinctive look of our new corner service counters. With an attractive finish and the option to personalize stainless steel front panels, you can proudly display your logo and highlight your brand image. See page 85 for more details.



#### Corner service counter, configuration 1830: 15 drawers

This counter allows you to keep frequently used parts within arm's reach. With a 24" wide leg space, it is easy to work at the counter or store the chair as needed.


- Left bank (24"W):
  - 3- 4" drawers
  - 1- 6" drawer
  - 1- 8" drawer
- Center section (24"W):
  - Leg
- Right bank (2 x 36"W):
  - 3-4" drawers x 2 = 6- 4" drawers
  - 1- 6" drawer x 2 = 2- 6" drawers
  - 1- 8" drawer x 2 = 2- 8" drawers

Type of Top		
D x H	Stainless Steel	Painted Steel
30" x 36"	RS-C096S	RS-C096P

#### Center section only, including the corner top



Stainless Steel RS-J18303420S	Painted Steel RS-J18303420P
----------------------------------	--------------------------------



#### Corner service counter, configuration 1830: 17 drawers, 1 shelf

With multiple drawers of different dimensions and a secure storage space with door, you can store high-demand parts whatever their size and shape.

- Left bank (24"W):
  - 3- 4" drawers
  - 1- 6" drawer
  - 1- 8" drawer
- Center bank (24"W):
  - 2- 4" drawers
  - 1- 18" door
  - 1- shelf level
- Right bank (2 x 36"W):
  - 3-4" drawers x 2 = 6- 4" drawers
  - 1- 6" drawer x 2 = 2- 6" drawers
  - 1- 8" drawer x 2 = 2- 8" drawers

Type of Top		
D x H	Stainless Steel	Painted Steel
30" x 36"	RS-C094S	RS-C094P

#### Center section only, including the corner top



Stainless Steel RS-J18303418S	Painted Steel RS-J18303418P
----------------------------------	--------------------------------

**Important:** The corner workstation must be anchored to two cabinets of the same height and depth, one on each side (RA30 or RA35).



Our corner service counters are available in configurations 0030, 0630, 1230 and 1830. Please contact customer service for more details.

(800)442-3061



## SERVICE COUNTERS



### Storage Unit with Work Surface: 6 drawers


This workstation provides high-density storage, bulky storage and a work surface. You have everything you need at your disposal!

Perfect for storing small items and parts, this counter includes several drawers and shelves to give you storage that is tailored to your needs.

Left bank (R5ADE-3004):  
2 adjustable shelves  
1 bottom shelf

Middle bank (R5AEE-3020):  
2 - 3" drawers  
2 - 10" drawers

Right bank (R5ADE-3004):  
2 adjustable shelves  
1 bottom shelf



### Counter Cabinets: 14 drawers, 3 shelves

This counter will be of great use in your parts department to store your small to medium parts while being used as a customer service counter.

Left bank (R5AEE-3816):  
2 - 3" drawers  
7 - 4" drawers

Right bank (R5AEE-3820):  
3 - 6" drawers  
2 - 8" drawers


Middle bank (R5AEE-3818):  
2 - adjustable shelves  
1 - bottom shelf

### Counter Cabinets: 1 drawer, 3 shelves and 2 roll-out shelves

Including two roll-out shelves, this service counter will be of great use to you when handling and storing heavy parts. Moreover, the drawer with lock can be very useful to store valuable items or even insert the cashier drawer.

Left bank (R5AEE-3404):  
2 adjustable shelves  
1 bottom shelf

Right bank (R5AEE-3402):  
1 - 3" drawer  
2 roll-out shelves



(800)442-3061

• CURTAIN WALLS • WELD CURTAINS/SCREENS • BUG BLOCKING MESH DOORS •

**w.w.Cannon, llc.**

Design. Layout. Build. Install.

1-800-442-3061

[www.wwcannon.com](http://www.wwcannon.com)

# CURTAINS

• VINYL ROLL-UP DOORS • STRIP DOORS • NOISE CONTROL CURTAINS •




Curtain Walls



Oversized/Aero Curtains



Climate Curtains



Outdoor/Super Exterior Curtains



Roll-Up Curtains



Welding Curtains



Bug Blocking Mesh Roll-up Doors



Vinyl Roll-up Doors



Weld Screens



Noise Control Products



Vinyl Roll-up Doors



Food Processing Curtains



Trailer Doors



Side Seal Doors



Strip Doors



Privacy Screens

# BUY ONLINE TODAY

800-442-0631  
[buy.wwcannon.com](http://buy.wwcannon.com)

## FAST & CONVENIENT YOUR ONLINE EQUIPMENT STORE

Get your material handling and storage equipment fast, easy, and online.



Chat with a sales specialist to get answers or help with an order.



CABINETS



AUTOMOTIVE



PARTITIONS & CAGES



STEEL SHELVING SYSTEMS



GUARDRAIL & PROTECTORS



WORK BENCHES



PALLET RACK

## EXPERIENCE EXCELLENCE



Fast Shipping  
Bulk Pricing  
Freight Quotes  
Live Online Chat  
& Customer Service



National  
Distribution  
Center



Product	Mezzanine
Application	Storage mezzanine for automobile distribution center

Triple your floor space and increase your warehouse capacity fast like BMW National Distribution Center did when they installed a Cogan mezzanine. Whether you need a little or a lot more floor space, our team of engineers will work closely with you to transform unused vertical space into a profitable storage and racking area. No contractors. No architects. Just send us your additional space requirements and we will return an AutoCAD drawing showing precisely how your mezzanine will be configured within the existing layout of your warehouse, matching its exact height, area and load requirements. Best of all, each Cogan mezzanine comes with a lifetime structural warranty for your peace of mind.

 **Cogan** A Tradition of Quality Since 1901.




**w.w.Cannon, llc.**

Design. Layout. Build. Install.

1-800-442-3061

[www.wwcannon.com](http://www.wwcannon.com)

800-442-3061



# Automotive Mezzanine

Increase your parts department or wholesale warehousing capacity fast. Double your floorspace without incurring moving, renovation or new construction costs.


Increase your manufacturing capacity fast with a high-performance Cogan mezzanine. Whether

you need a little or a lot more floor space, Cogan has the perfect mezzanine solution to fit your needs, your timing, and your budget. Our engineers will work closely with you to transform unused vertical space into a profitable storage area. Just send us your additional space requirements and we will return an AutoCAD drawing showing precisely how your mezzanine will be configured within the existing layout of your facility, matching its exact height, area and load requirements.

# F SERIES

# 4-POST MECHANICAL LIFT

**Transports multiple pallets, oversized materials, large carts or heavy machinery between two or more levels. Ideal for high-speed, high-cycle or automated systems.**



- Lifts loads up to 50,000 lbs.
- Customization available for heavier loads.
- Unlimited carriage sizes.
- Unlimited vertical rise.
- Standard travel speed is 20 FPM.
- Indoor or outdoor use.
- Lifetime structural warranty.

## GENERAL

Principal components of the F Series are guide columns, carriage and a mechanical lifting mechanism.

## STRUCTURE

Guide columns are built from wide-flange beams. Carriage is fabricated of heavy-duty structural steel members and deck plate. Other deck surfaces available.

## OPERATION

Carriage is lifted and lowered by roller chain attached to an electric motor-reducer assembly mounted on the guide columns. Standard units employ 2 HP to 15 HP TEFC brake motors.

## ELECTRICAL

Standard power requirements are 230/460VAC, 3-phase. Control voltage is 110VAC. Standard control panels and push button stations are NEMA 12 rated. Push button stations provided at each level include momentary contact, call/send operators and mushroom head emergency stop.

## SAFETY FEATURES

Travel of the carriage is controlled by a limit switch. When switch is tripped or power is lost, the motor shuts off and the mechanically actuated brake engages. Overload protection provided by a relay that measures motor current. If the current exceeds the amount required to move the maximum load, it will shut the unit down and engage the brake. Chain sensors shut down the lift if chain tension is lost. Chain tensioners and guides prevent chains from jumping on sprockets. NO RIDER signs posted at each point of operation.

## CARRIAGE SIDE GUARDS

Carriage is equipped with safety rails on non-operating sides, and a safety chain, drop bars or gates on operating ends. Optional expanded metal or sheet metal carriage side guards available.

## SAFETY ENCLOSURES / GATES

Safety codes (ASME B20.1) require interlocked gates with enclosures on all sides of the lift. Enclosures must be a minimum of 8' high and reject a ball 2" in diameter. See page 23 for additional information.



# 21 SERIES | 2-POST HYDRAULIC LIFT

**Transports materials between two levels. Carriage remains level regardless of load placement.**



- Lifts loads up to 8,000 lbs. Carriage sizes up to 12' x 10'.
- Vertical rise to 22'. Standard vertical travel is 24 FPM.
- Straddle or cantilever.
- Indoor or outdoor use.
- Lifetime structural warranty.
- ASME B20.1 compliant.



## GENERAL

Principal components of the 21 Series are guide columns, carriage and hydraulic actuating mechanism.

## STRUCTURE

Guide columns are 6" wide flange. Carriage is fabricated of heavy-duty structural members with steel deck plate. Other deck surfaces available. Straddle or cantilever carriage available, depending on application.

## OPERATION

Carriage is lifted and lowered by two hydraulic cylinders mounted on guide columns. Cylinders are actuated by a remote mounted hydraulic pump. Transmission of the lifting force is through roller chain attached to the cylinders and carriage. A torsion bar links the two cylinders to equalize the load and ensure carriage remains level at all times.

## ELECTRICAL

Standard power requirements are 208/230/460VAC, 3-phase (single-phase available). Control voltage is 24VAC. Push button stations and pump mounted pre-wired control panel are NEMA 12 rated. Push button stations provided at each level and include call/send operators and mushroom head emergency stop. Quick connect pre-wiring is optional.

## SAFETY FEATURES

Upward travel of carriage limited by mechanical stops that ensure positive leveling with upper deck. Positive mechanical stops prevent overtravel. Pressure builds to "lock" carriage into position at upper level. NO RIDER signs posted at each point of operation. DeckLock Safety System available for added security at critical upper levels.

## CARRIAGE SIDE GUARDS

Carriage is equipped with safety rails on non-operating sides, and a safety chain, drop bars or gates on operating ends. Optional expanded metal or sheet metal carriage side guards are available.

## SAFETY ENCLOSURES / GATES

Safety codes (ASME B20.1) require interlocked gates with enclosures on all sides of the lift. Enclosures must be a minimum of 8' high and reject a ball 2" in diameter. See page 23 for additional information.




**Motorcycle Lift – 21 Series Hydraulic VRC**  
Transports motorcycles and parts between service and storage levels. 2,000 lbs. lifting capacity.




**Mini Dealership Lift – F Series Mechanical VRC**  
Shaftway application uses 14' x 20' carriage to move vehicles. 10,000 lbs. lifting capacity.

# WireCrafters®



## safe & secure



800-442-3061

**MADE IN  
USA**

# when safety & security matter

WireCrafters...The nation's leading manufacturer of woven and welded wire partitions & other related material handling products.

## THE PROVEN STYLE OF TODAY'S WIRE PARTITION

For 50 years, WireCrafters has manufactured the "Very Best Wire Partitions in the Industry". Contrary to traditional systems, our woven & welded wire partitions are based on the simple idea that panels stack one on top of the other between tubular posts to reach the finished partition height. This all-welded, modular stackable system has benefits unequaled in the industry.

## WireCrafters Partitions

### • MODULAR DESIGN

Twenty basic panels and our "building block" approach accomplish virtually any layout.

### • STRONG

Panels bolt directly to support posts. Standard 3/8" wedge anchors hold partition firmly in place. Base plates welded on posts allow direct floor anchoring.

### • SECURE

Utilizes the heaviest assembly hardware in the industry. Bolts are only accessible from inside.

### • FAST INSTALLATION

Fewer parts than other partition systems. Angle frames give clear access to all mounting hardware.

### • CLEAN DESIGN

Straight lines and clean exterior make for a handsome finishing touch.

### • FLEXIBLE

Easy to reconfigure as needs change.

### • QUICK-SHIP

Stock items are available for shipment within 48 hours of your order.




# panels, posts & ceilings

## PANELS

### MODULAR PANELS

- Ten widths, 1' to 10' in one foot increments.
- Two heights: 4'-0" and 5'-0".
- Full height partition walls are built by stacking two or more panels between posts.
- Custom size panels available.
- Mesh specs available, see page 13 and back cover.




### ADJUSTABLE PANEL

- Solid sheet metal panel.
- Fill small gaps in runs.
- Allows for adjustment from 1" to 11".
- Ideal for hard to measure areas.
- Two heights: 4' and 5' match panel heights.



## POSTS

- Stock sizes: 8'-5 1/4", 10'-5 1/4", 12'-5 1/4".
- Hole layout allows for 3-1/4" sweep-space.
- Posts project 2" above top of panel.
- Baseplate with holes for anchors welded to posts.
- Special height posts are available up to 40'.
- Floor anchors (3/8") are included with your order.




## CLEAR-SPAN CEILINGS

- Ceiling panels interchangeable with wall panels.
- Attach to partition walls with slotted angle.
- Clear spanned up to 30'.
- Large ceilings supported by horizontal ceiling tubes.
- Add to existing partition without changing layout.
- All ceilings are non-load bearing.
- Ceiling cutouts or drop down doors available.


800-442-3061




# hinged & sliding doors



HINGED DOOR



DOUBLE-HINGED DOOR



SLIDING DOOR

## Hinged Doors

- 3' or 4' wide by 7' 3-1/4" high opening.
- Transom panel sized to match partition height.
- Three 4" x 4" 10 gauge tight pin hinges.
- Padlock lug standard, cylinder locks available.
- Complete with two door posts and hardware.
- Universal construction, works for left or right hand, inside or outside swing.
- Custom sizes available.

## Double-Hinged Doors

- 6' or 8' wide by 7' 3-1/4" high opening.
- Inactive leaf secured by cane bolt (base) and chain bolt (top).
- Padlock lug standard, cylinder locks available.
- Complete with two door posts and hardware.
- Transom panel sized to match partition height.
- Universal construction with inside or outside swing.
- Custom size and no overhead obstruction doors available.


## Sliding Doors

- 3', 4', 5', 6', 8' or 10' widths.
- Full height partition openings of 8' and 10'.
- Padlock lug standard, cylinder locks available.
- Complete with two door posts, two 4 wheel trolley trucks, 16 gauge track, and hardware.
- Universal construction, works for left or right hand, inside or outside slide.
- Custom sizes available.
- Patented tamper-resistant, sliding door receiver. U.S. Patent # 6196034B1



**w.w.Cannon, Inc.**  
Design, Layout, Build, Install.  
1-800-442-3061  
[www.wwcannon.com](http://www.wwcannon.com)

# custom doors & windows



## Sliding Tunnel Doors

- Designed for no overhead obstruction.
- Leading edge of door rolls on floor casters.
- Rear of door hangs from door track.
- All sizes made to order.
- Ideal for high traffic areas, and overhead crane access.

## Service Windows

- Lockable, slide-up, sash-balanced window secures opening when unattended.
- Window opening: 24" wide x 21" high.
- Shelf size: 24" wide x 18" deep x 10 gauge.
- Shelf height: 42-1/4" off of floor level.
- Panel size: 4'-0" wide x 8'-0" high; transoms extend height to 10' or 12'.
- Hinged or mechanically operated windows in various sizes are available.

## Vertical Rise Doors

- Sized to customer requirements.
- Door slides up and out of the way.
- Counter balanced or pneumatic openers available.
- Used with vertical lifts.
- Can be integrated with automated storage/ retrieval systems.

## A Complete Line of Door Openers & Closers



### ELECTRIC DOOR OPENER

Uses standard 110-volt, single-phase electric motor with rack and pinion drive. Supplied with radio frequency remote controls, self closing timer, anti-crush safety switch, photo eye safety switch, and stationary push button control. Electro-magnetic locks optional. Recommended for Sliding Doors over 80 Sq. Ft.

### PNEUMATIC DOOR OPENER

Requires facility supplied compressed air of 40 PSI. Cylinders operated by stationary palm button, lever valve, or electric solenoid. Works with vertical rise or slide to side doors.



### HINGE DOOR CLOSER

Commercial grade hydraulic door closer causes door to close and latch upon release.



### SELF-CLOSING SLIDING DOORS

Requires no external power source. Counter balanced weight and pulley system closes and locks door upon release. Counter-balanced doors cannot exceed 80 Sq. Ft.





Service

Expr



## SELL, REPAIR AND SERVICE!

### Speed-Guardian™ 5000 High Performance Door

For the Retail Automotive Market  
Fast operating speeds enhance comfort and security



# Speed-Guardian™ 5000

Retail automotive

## NEMA 4X Smart Start™ NXT simplifies installation


All 5000 models now include our Smart Start™ NXT, next generation, NEMA 4X, control box as standard and without a price increase. The updated control box has a simplified wiring configuration, is more powerful, and has fewer components and cables as compared to the original Smart Start™. A distribution block accepts the activation and protection device wiring; main power cables feed through pre-drilled holes on the bottom of the box where the individual wires, with pre-wired removable terminal blocks, simply plug into the circuit board. There are extra ports on the control board allowing for firmware upgrades and future expansion. A USB port is available for maintenance monitoring.



NEMA 4X Smart Start™ NXT control box

## Thermal efficiency & clear or tinted vision slats

The model 5000 U 42 has a 1-5/8" thick door panel made of hot-dipped galvanized steel slats, providing a durable surface. Improved thermal breaks provide greater overall energy efficiency. A urethane core with an R-value of up to 13.6 (foam only) and U-value 1.04 (U-value of core and steel skin) provides optimal insulation and contributes to energy savings. The standard color is RAL 9006 on both sides. The model 5000 CV 42 has a 1-5/8" thick door panel made of double-pane vision slats and a non-insulated, anodized aluminum bottom slat. For both models, custom RAL paint colors are available. The insulated windows are coated with our exclusive Duratec® finish which prevents marks and scratches caused by cleaning, and retain clear view after many cleanings. The synthetic double panes (triple pane on 5000 H 67) provide excellent thermal insulation. Vision slats are optional and available in clear, perforated / ventilation, and privacy window tints in two chic shades, Smoke Gray and Obscured White. Individual windows may be replaced without disassembling or replacing the entire vision slat.



Tinted vision slat options

## Features

Application	Interior or exterior.								
Model	5000 CV 42*	5000 U 42	5000 LP 42	5000 LH 42	5000 H 67				
Size range	Up to 18'0" w / 224 sq.ft	Max. 21'4" w x 21'4" h	Max. 12'0" w x 14'0" h	Max. 16'0" w x 21'0" h	Max. 16'0" w x 21'0" h				
Technology	Circular guide brackets	Circular guide brackets	Low profile / Circular guide brackets	Low head room	High-lift tracks				
Operating speed	Opening 80" / sec. Closing 20" / sec.	Opening 80" / sec. Closing 20" / sec.	Opening 50" / sec. Closing 20" / sec.	Opening 80" / sec. Closing 20" / sec.	Opening 80" / sec. Closing 20" / sec.				
Panel	Anodized aluminum 10" high x 1-5/8" (42 mm) thick slats.	Galvanized steel 10" high x 1-5/8" (42 mm) thick slats.			Galvanized steel 15" high x 2-5/8" (67 mm) thick slats.				
All colors on RAL chart available	Smooth C0 Anodized Optional RAL Colors: Powder-coated.	RAL 9006 on both exterior / interior. Exterior surface is Micrograin™, interior finish is stucco-textured. Optional RAL Colors: Wet paint.							
Resistance to wind load	Up to 120 mph / Hurricane Class 3 on hurricane model.								
Vision	All vision slat styles are optional. Slat size is 10" high x full-width, double pane. Available in clear, perforated / ventilation, or tinted: Obscured White or Smoke Gray.								
Mullions	Up to 120" wide, none • 121" to 197" wide, (1) • 198" to 255" wide, (2)								
Safety device	8'0" high light grid built into guide tracks.								
Control	NEMA 4X Smart Start™ NXT, 208 to 575 v / 3-phase / 60 Hz voltage input. Step-up transformer required for supply voltages under 460 v. Optional: HFCB NEMA 3 Smart Start™ NXT with a 230 v / 1-phase / 60 Hz voltage input.								
Emergency	Chain hoist.								
Warranty	5, 2 & 7 Year: Motor/gearbox (excluding catch) and panel material, 5 years, materials & workmanship. All other mechanical and electrical components free from defects, 2 years. Vision slats, 7 years against failure.								

\*Model 5000 CV 42 sizes up to 18'0" w or maximum 224 sq.ft. (i.e. 18'0" w X 12'0" h maximum or 16'0" w X 14'0" h maximum)

Take a look at our website for more information!





Since 1938, the experienced sales staff at W.W. Cannon, llc. has been giving professional assistance to dealerships throughout the southwest.

W.W. Cannon, llc. does it all, Parts Department, Bins, Drawers, Racks, Mezzanines, Custom Curtains, Fencing, Modula Storage Solutions.

We can help you maximize every square foot of available storage area!  
We also provide custom Tool Boxes, Work Stations, and Service Advisor Stations.

When only the best will do for your project, give us a call for your free, no obligation quote!

**Office (214)357-2846**

**[wwcannon@wwcannon.com](mailto:wwcannon@wwcannon.com)**



**WE INSTALL AND SERVICE WHAT WE SELL!**